

UTAH FURBEARER ANNUAL REPORT 2024–25



Publication No. 25-19



UTAH FURBEARER ANNUAL REPORT 2024–25

Prepared by:

Heather H. Bernales
Biometrician

and

Darren DeBloois
Mammals Program Coordinator

Publication No. 25-19

Annual Performance Report for Federal Aid Project W-65-M, segment 73

State of Utah
Department of Natural Resources
DIVISION OF WILDLIFE RESOURCES

Riley Peck
Division Director

TABLE OF CONTENTS

Definitions.....	1
Introduction.....	2
Methods.....	2
Results.....	3
Harvest by species.....	9
Badger.....	10
Beaver.....	13
Bobcat.....	17
Coyote.....	29
Gray fox.....	34
Kit fox.....	37
Marten.....	40
Mink.....	43
Muskrat.....	46
Raccoon.....	49
Red fox.....	53
Ringtail.....	57
Spotted skunk.....	60
Striped skunk.....	62
Weasel.....	65
Appendix: Utah furbearer management ecoregions.....	68

DEFINITIONS

Incidental harvest: Furbearers harvested in traps intended for a different furbearer species.

Trap year: Time frame corresponding to the 2024–25 furbearer seasons, as outlined in the 2024–25 Utah Furbearer Guidebook.

Trappers afield: Number of furbearer license holders who trapped furbearers during a particular trap year. License holders who took furbearers by means other than trapping, including shooting or with the aid of dogs, are included in this figure except for bobcat.

Total harvest: Number of furbearers of a particular species taken by means of trapping and hunting by furbearer license holders. This figure does not include harvest of unprotected wildlife, such as coyote, muskrat, red fox, raccoon, or striped skunk, taken by persons who did not purchase a furbearer license, nor does it include harvest of furbearers taken for creating a nuisance or causing damage.

Total set-days: Number of traps set during the furbearer season for the trapping of a particular species, multiplied by the number of days these traps were in the field. This figure pertains only to trapping, and does not include days afield by furbearer hunters or pursuers.

Pelt price: Average price paid for pelts of a specific furbearer species harvested in Utah, obtained mainly from a summary of the prices bid at the Utah Trappers Association fur auction, as well as prices from a survey of registered furdealers buying pelts harvested in Utah.

Wildlife Services harvest (coyote only): Number of coyotes taken by USDA-APHIS Wildlife Services in a particular year. Prior to 2006–07, Wildlife Services yearly harvest summaries applied to their fiscal year, which begins October 1 and ends September 30, although most harvest takes place during spring. Beginning in 2006–07, Wildlife Services harvest is reported for the period July 1 to June 30 of the following year.

INTRODUCTION

The furbearer harvest report presents furbearer harvest and trapper/hunter effort trends across the state of Utah, based on data collected from furbearer trappers and hunters. This report represents the furbearer portion of the Annual Performance Report for Federal Aid Project W-65-M, segment 73, grant agreement period July 1, 2024 through June 30, 2025. This Federal Aid project covers the 2024–25 trapping seasons. Additionally this report presents statewide trends since the early 1980s and population trend indicators for bobcats as well as the estimated economic value of Utah’s furbearer harvest each year. Furbearer harvest and trapper/hunter effort may have been driven more by pelt price than by availability, so annual fur harvest should not be used as the sole means to assess/project population sizes.

Furbearers included badger, beaver, bobcat, gray fox, kit fox, mink, marten, ringtail, spotted skunk, and weasel. A furbearer license was required to harvest any of these species, and additional permits were required to harvest bobcats and martens. There were no bag limits for furbearers, except bobcats. Each bobcat permit allowed a person to harvest one bobcat, and a single person could obtain up to 6 bobcat permits in 2024–25. Sales of bobcat permits were not limited. Season dates for badger, gray fox, kit fox, marten, ringtail, spotted skunk, and weasel were September 14, 2024 through March 1, 2025. Bobcat season was November 14, 2024 through March 1, 2025. Season dates for beaver and mink were September 14, 2024 through April 1, 2025.

Coyote, muskrat, red fox, raccoon, and striped skunk were not under the jurisdiction of the Division, and/or were unprotected. Those species could be taken year round without a license; therefore, results presented in this report do not include harvest by persons who did not purchase a furbearer license. Hunters were prohibited from taking black-footed ferret, fisher, lynx, river otter, wolf, and wolverine.

METHODS

Furbearer harvest and effort information was obtained from a telephone/web mixed-mode survey of a statistically-valid random sample of furbearer license holders. The accuracy of that survey was dependent upon the following assumptions: (1) a random sample was achieved (i.e., there was no response bias by those who harvested successfully versus those who did not), (2) respondents recorded or remembered data accurately and did not guess or lie, and (3) respondents clearly understood the questions.

Trappers who harvested bobcats and martens were required to bring the animals’ pelts to a Division office or officer to have permanent tags attached and to surrender the lower jaws. Bobcat and marten harvest data presented in this report, such as county of kill and sex of harvest, were collected at that time; as such, that information was not projected. Additional information on bobcat harvest, such as harvest effort by method, trappers-afield, number of sets, and number of days was determined by the survey mentioned in the preceding paragraph. Due to the small number of marten trappers in Utah, we did not attempt to survey marten trappers. Instead, since a separate permit is required to trap marten, we assumed that all those who purchased a marten permit attempted to trap marten.

To determine age structure of the bobcat harvest, a canine tooth from each bobcat jaw was sectioned and cementum-annuli was aged by Matson's Lab in Manhattan, Montana. Survival rates were estimated using the Chapman-Robson estimator. Pelt prices were obtained mainly from a summary of the prices bid at the Utah Trappers Association fur auction, as well as from a survey of registered furdealers buying pelts harvested in Utah.

Because some furbearer species in Utah were rare or not highly sought after by trappers, it was not possible to achieve sufficient sample sizes for these species to make valid statistical inferences. Although the trends for statewide harvest and effort were still valid, at the county level, the harvest and effort estimates had low precision and were likely inaccurate. As such, results by county were only reported for species with a sample size ≥ 20 .

RESULTS

License Sales and General Survey Results

Furbearer licenses were valid for 365 days from the date of purchase. We used the 365-day period of April 1 to March 31 to determine the total number of furbearer licenses sold for the furbearer season. A total of 1,772 furbearer licenses were sold for the 2024–25 season. The percentage of license holders who bought a furbearer license but did not attempt to harvest furbearers was 36.5%. The number of trappers afield in 2024–25 was 1,126.

Furbearer Harvest, Historical Trends, and Economic Value

The majority of the harvest taken by furbearer license holders in 2024–25 was of non-protected species—coyote, muskrat, raccoon, red fox, and striped skunk. Total harvest of regulated furbearer species (i.e., species with designated trapping seasons) was 4,007 in 2024–25, roughly 31% more than the previous year.⁵

The Utah Trappers Association resumed its annual Fur Sale in 2025 and this report includes average pelt prices from their website at https://www.utahtrappers.org/uploads/1/4/2/4/142452216/2025__fur_sale_averages.pdf, accessed July 8, 2025.

Furbearer license sales and survey responses, Utah 1982–2024.

Trap year	Furbearer licenses sold			License holders surveyed		Projection factor	% license holders not afield
	Resident	Nonresident	Total	Total	Percent (%)		
1982–83	—	—	1325	664	50.1	—	—
1983–84	—	—	1367	616	45.1	—	—
1984–85	—	—	1491	806	54.1	—	—
1985–86	—	—	1424	680	47.8	—	—
1986–87	—	—	1342	585	43.6	—	—
1987–88	—	—	1576	731	46.4	—	—
1988–89	—	—	1318	721	54.7	—	—
1989–90	—	—	1084	597	55.1	—	—
1990–91	—	—	949	513	54.1	—	30.0
1991–92	—	—	1210	689	56.9	—	2.2
1992–93	—	—	1426	857	60.1	—	16.0
1993–94	—	—	1315	—	—	—	—
1994–95	—	—	1287	585	45.5	—	7.0
1995–96	—	—	1240	683	55.1	—	21.2
1996–97	—	—	1131	606	53.6	—	25.4
1997–98	—	—	1190	498	41.8	—	19.5
1998–99	—	—	1191	395	33.2	—	19.8
1999–00	1172	39	1211	458	37.8	2.6	11.6
2000–01	1204	20	1224	420	34.3	2.9	12.4
2001–02	956	21	977	302	30.9	3.2	11.6
2002–03	1409	40	1449	514	35.5	2.8	16.3
2003–04	1729	47	1776	597	33.6	3.0	16.9
2004–05	1830	65	1895	615	32.5	3.1	18.2
2005–06	1631	57	1688	260	15.4	6.5	27.7
2006–07	2029	81	2110	262	12.4	8.1	26.7
2007–08	2085	55	2140	563	26.3	3.8	31.8
2008–09	2045	57	2102	750	35.7	2.8	34.8
2009–10	1902	34	1936	798	41.2	2.4	30.2
2010–11	1788	29	1817	555	30.5	3.3	30.1
2011–12	1856	36	1892	531	28.1	3.6	33.3
2012–13	2080	52	2132	622	29.2	3.4	34.4
2013–14	2389	60	2449	726	29.6	3.4	35.4
2014–15	2802	67	2869	907	31.6	3.2	41.1
2015–16	2580	52	2632	714	27.1	3.7	35.6
2016–17	2078	54	2132	815	38.2	2.6	31.2
2017–18	1972	54	2026	864	42.6	2.3	44.1
2018–19	1836	44	1880	866	46.1	2.2	51.0
2019–20	1422	48	1470	712	48.4	2.1	39.5
2020–21	2275	58	2333	716	30.7	3.3	40.1

Furbearer license sales and survey responses, Utah 1982–2024 (continued).

Trap year	Furbearer licenses sold			License holders surveyed		Projection factor	% license holders not afield
	Resident	Nonresident	Total	Total	Percent (%)		
2021–22	1706	34	1740	700	40.2	2.5	40.9
2022–23	1726	54	1780	529	29.7	3.4	44.4
2023–24	1482	49	1531	404	26.4	3.8	35.4
2024–25	1708	64	1772	425	24.0	4.2	36.5
Average	1834	49	1647	616	38.9	2.9	28.0

Statewide total furbearer harvest* estimates by species, Utah 2015–2025.

Species	Trap year										Average 2015–25
	2015–16	2016–17	2017–18	2018–19	2019–20	2020–21	2021–22	2022–23	2023–24	2024–25	
Badger	648	486	297	369	227	306	298	158	163	379	328
Beaver	1511	973	945	741	950	929	1402	1319	811	1222	1065
Bobcat	1683	1856	2954	1652	1173	1011	965	851	1267	1612	1490
Coyote	8001	5124	5259	3590	3484	6350	3774	4517	3013	4158	4790
Gray fox	1106	625	1067	669	429	756	495	603	603	609	706
Kit fox	99	154	44	13	103	62	22	31	19	16	61
Marten	9	2	15	11	8	4	0	1	1	6	6
Mink	188	246	272	246	361	127	121	44	42	63	183
Muskrat	6175	3163	7265	3491	4992	4962	5787	2888	2895	5967	4624
Raccoon	4748	3628	5321	2660	4007	4464	3417	4118	2467	4057	3870
Red fox	1880	1625	1503	981	1179	788	1302	1198	857	792	1257
Ringtail	70	102	160	22	6	7	29	27	83	21	56
Spotted skunk	380	113	209	184	76	46	0	23	72	8	123
Striped skunk	2211	1250	2490	1564	1251	1251	1728	1033	618	383	1488
Weasel	30	236	21	167	14	10	122	229	0	71	92

*Total harvest includes incidental take.

Statewide furbearer trapping harvest statistics* by species, Utah 2024–25.

Species	Trappers afield	Trap harvest	Set-days	Set-days / furbearer	Furbearers / 1000 set-days	Furbearers / trapper
Badger	63	133	35590	267.6	3.7	2.1
Beaver	171	1155	53135	46.0	21.7	6.8
Bobcat	619	1438	400361	278.4	3.6	2.3
Coyote	340	1894	316540	167.1	6.0	5.6
Gray fox	67	208	17040	81.9	12.2	3.1
Kit fox	8	8	3352	419.0	2.4	1.0
Marten	240	6	—	—	—	0.0
Mink	17	38	3557	93.6	10.7	2.2
Muskrat	75	5687	81991	14.4	69.4	75.8
Raccoon	188	2668	82104	30.8	32.5	14.2
Red fox	125	371	80999	218.3	4.6	3.0
Ringtail	8	0	334	—	0.0	0.0
Spotted skunk	8	0	3252	—	0.0	0.0
Striped skunk	38	75	8685	115.8	8.6	2.0
Weasel	13	50	2081	41.6	24.0	3.8

*Does not include incidental harvest.

Statewide furbearer hunting harvest by species, Utah 2024–25.

Species	Hunters afield	Hunt harvest	Hunting Days	Days / furbearer	Furbearers / hunter
Badger	21	17	158	9.3	0.8
Beaver	8	42	113	2.7	5.3
Bobcat	272	174	3666	21.1	0.6
Coyote	298	1911	6475	3.4	6.4
Gray fox	13	4	125	31.3	0.3
Kit fox	0	—	—	—	—
Mink	0	—	—	—	—
Muskrat	0	—	—	—	—
Raccoon	4	17	17	1.0	4.3
Red fox	29	855	675	0.8	29.5
Ringtail	29	108	700	6.5	3.7
Spotted skunk	8	4	8	2.0	0.5
Striped skunk	0	—	—	—	—
Weasel	4	4	29	7.3	1.0

Number of furbearers harvested in traps set for other species (i.e. incidental take), Utah 2024–25.

Species	Incidental harvest	Trap / hunt harvest	Total harvest	% incidental harvest
Badger	229	150	379	60.4
Beaver	25	1197	1222	2.0
Bobcat*	75	1612	1612	4.7
Coyote	353	3805	4158	8.5
Gray fox	396	213	609	65.0
Kit fox	8	8	16	50.0
Marten	0	6	6	0.0
Mink	25	38	63	39.7
Muskrat	263	5704	5967	4.4
Raccoon	534	3523	4057	13.2
Red fox	313	479	792	39.5
Ringtail	17	4	21	81.0
Spotted skunk	8	0	8	100.0
Striped skunk	304	79	383	79.4
Weasel	17	54	71	23.9
Total	2567	16872	19364	13.3

*Incidental bobcat harvest were accounted for in trap harvest.

HARVEST BY SPECIES

BADGER

Statewide badger harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / badger	Badgers / 1000 set-days	Badgers / trapper	Pelt price (\$)
1982–83	250	—	725	—	118	8.5	2.9	8.20
1983–84	188	—	560	—	212	4.7	3.0	8.56
1984–85	225	—	670	—	227	4.4	3.0	10.14
1985–86	194	—	496	—	182	5.5	2.6	3.96
1986–87	198	—	424	—	146	6.8	2.1	7.64
1987–88	212	—	459	—	84	11.9	2.2	6.04
1988–89	204	—	417	—	93	10.7	2.0	4.66
1989–90	207	—	366	—	80	12.5	1.8	4.78
1990–91	81	—	172	—	50	19.9	2.1	7.27
1991–92	134	—	237	—	71	14.1	1.8	8.50
1992–93	148	—	232	—	76	13.2	1.6	9.95
1993–94	143	—	238	—	188	5.3	1.7	7.18
1994–95	182	—	327	—	77	13.0	1.8	13.93
1995–96	133	—	276	—	47	21.4	2.1	10.52
1996–97	118	—	222	—	54	18.7	1.9	13.01
1997–98	98	—	271	—	83	12.1	2.7	6.59
1998–99	135	—	318	—	117	8.5	2.4	16.96
1999–00	177	—	433	—	64	15.5	2.4	13.04
2000–01	189	—	450	—	147	6.8	2.4	17.18
2001–02	137	—	275	—	288	3.5	2.0	15.60
2002–03	234	—	541	—	165	6.0	2.3	13.73
2003–04	223	—	453	—	341	2.9	2.0	18.72
2004–05	203	—	432	—	184	5.4	2.1	13.66
2005–06	70	—	120	—	324	3.1	1.7	15.02
2006–07	187	—	—	—	—	—	—	18.07
2007–08	171	—	275	—	98	10.2	1.6	14.14
2008–09	146	—	287	—	282	3.5	2.0	17.41
2009–10	78	196	138	—	113	8.8	1.8	19.34
2010–11	115	115	194	—	35	28.5	1.7	17.27
2011–12	110	82	46	89	120	8.3	0.4	20.44
2012–13	99	147	117	38	163	6.1	1.2	17.36
2013–14	91	216	98	57	180	5.5	1.1	15.73
2014–15	92	297	89	32	183	5.5	1.0	11.69
2015–16	103	464	140	44	384	2.6	0.9	7.63
2016–17	78	222	233	31	37	27.1	3.0	10.28
2017–18	91	145	79	68	119	8.4	0.9	6.51
2018–19	85	115	161	93	101	9.9	3.0	9.30
2019–20	60	99	93	35	61	16.5	2.1	18.12
2020–21	91	137	98	72	105	9.5	1.9	—


*Trappers and badgers per trapper include hunters and their harvest. Set-days per badger and badgers per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide badger harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / badger	Badgers / 1000 set-days	Badgers / trapper	Pelt price (\$)
2021–22	80	196	40	62	186	5.4	1.8	45.17
2022–23	47	121	30	7	225	4.4	1.0	15.44
2023–24	68	76	61	27	168	5.9	1.8	47.80
2024–25	83	229	133	17	267	3.7	2.1	60.72
Average	140	179	272	48	149	9.6	1.9	14.93

*Trappers and badgers per trapper include hunters and their harvest. Set-days per badger and badgers per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide badger harvest trends, Utah 1982–2025.



BEAVER

Statewide beaver harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / beaver	Beavers / 1000 set-days	Beavers / trapper	Pelt price (\$)
1982–83	181	—	1584	—	20	50.1	8.8	12.89
1983–84	200	—	1788	—	12	80.8	8.9	14.10
1984–85	285	—	2664	—	20	51.3	9.3	16.44
1985–86	293	—	3242	—	19	53.7	11.1	14.64
1986–87	338	—	4138	—	26	39.2	12.2	22.64
1987–88	409	—	4716	—	8	122.9	11.5	14.67
1988–89	277	—	2721	—	15	65.4	9.8	10.02
1989–90	390	—	3436	—	14	70.5	8.8	11.93
1990–91	176	—	1551	—	14	73.8	8.8	6.49
1991–92	216	—	1492	—	13	74.5	6.9	8.94
1992–93	134	—	956	—	14	71.9	7.1	7.74
1993–94	171	—	1761	—	12	81.6	10.3	9.59
1994–95	239	—	2551	—	16	61.0	10.7	12.65
1995–96	170	—	1530	—	10	95.7	9.0	13.40
1996–97	163	—	1299	—	10	95.7	8.0	21.15
1997–98	210	—	2896	—	13	74.6	13.8	13.58
1998–99	286	—	2950	—	20	51.0	10.3	9.37
1999–00	185	—	1830	—	13	78.4	9.9	10.98
2000–01	170	—	1992	—	18	54.7	11.7	10.32
2001–02	143	—	1689	—	16	64.5	11.8	10.85
2002–03	175	—	1720	—	49	20.3	9.8	9.47
2003–04	232	—	1781	—	55	18.2	7.7	14.10
2004–05	200	—	2664	—	25	40.7	13.3	13.91
2005–06	130	—	2239	—	29	33.9	17.2	17.75
2006–07	122	—	—	—	—	—	—	16.31
2007–08	133	—	745	—	24	42.5	5.6	17.50
2008–09	121	—	1165	—	31	31.9	9.6	13.15
2009–10	209	6	1904	—	35	28.5	9.1	11.60
2010–11	144	13	1039	—	34	29.8	7.2	12.76
2011–12	157	18	1008	—	39	25.4	6.4	15.61
2012–13	267	17	2245	14	26	37.9	8.4	20.26
2013–14	240	98	1913	10	25	39.3	8.0	14.33
2014–15	183	47	1332	9	27	37.5	7.3	11.60
2015–16	217	22	1486	4	28	36.1	6.8	7.46
2016–17	176	3	970	0	22	46.3	5.5	11.20
2017–18	141	5	940	0	26	38.8	6.7	6.34
2018–19	113	9	645	87	18	54.4	6.3	—
2019–20	138	81	863	6	46	21.9	6.4	9.15
2020–21	176	10	909	10	25	40.3	5.4	—


*Trappers and beavers per trapper include hunters and their harvest. Set-days per beaver and beavers per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide beaver harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / beaver	Beavers / 1000 set-days	Beavers / trapper	Pelt price (\$)
2021–22	137	293	1104	5	67	15.0	8.4	14.89
2022–23	131	91	1215	13	17	58.3	10.0	15.27
2023–24	125	0	803	8	29	34.2	6.8	31.26
2024–25	179	25	1155	42	46	21.7	6.8	15.22
Average	197	46	1825	16	24	51.5	9.0	13.45

*Trappers and beavers per trapper include hunters and their harvest. Set-days per beaver and beavers per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide beaver harvest trends, Utah 1982–2025.



Beaver trapping harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Trappers afield	Trap harvest	Traps set	Trapping days	Set-days	Set-days / beaver	Beavers / 1000 set-days	Beavers / trapper
Beaver	1	4	50	25	42	250	5.0	200.0	12.0
Box Elder	2	8	17	33	163	650	39.0	25.6	2.0
Iron	0	0	—	—	—	—	—	—	—
Juab	1	4	8	21	108	542	65.0	15.4	2.0
Millard	1	4	8	8	21	42	5.0	200.0	2.0
Tooele	0	0	—	—	—	—	—	—	—
Great Basin totals	5	21	83	88	334	1484	17.8	56.2	4.0
Cache	3	13	117	196	705	16715	143.2	7.0	9.3
Davis	0	0	—	—	—	—	—	—	—
Morgan	2	8	142	42	208	1084	7.6	130.8	17.0
Piute	0	0	—	—	—	—	—	—	—
Rich	0	0	—	—	—	—	—	—	—
Salt Lake	0	0	—	—	—	—	—	—	—
Sanpete	3	13	25	150	284	7613	304.3	3.3	2.0
Sevier	2	8	42	25	146	334	8.0	125.0	5.0
Summit	5	21	58	104	334	2060	35.3	28.3	2.8
Utah	6	25	150	125	329	2064	13.8	72.7	6.0
Wasatch	5	21	133	142	129	992	7.4	134.5	6.4
Weber	2	8	33	54	146	1167	35.0	28.6	4.0
Rocky Mountain totals	28	117	700	838	2281	32029	45.7	21.9	6.0
Daggett	0	0	—	—	—	—	—	—	—
Duchesne	3	13	67	50	392	2035	30.5	32.8	5.3
Uintah	4	17	88	88	434	2010	23.0	43.6	5.3
Uintah Basin totals	7	29	154	138	826	4044	26.2	38.1	5.3
Carbon	6	25	113	213	1268	12950	115.0	8.7	4.5
Emery	1	4	8	50	104	1251	150.0	6.7	2.0
Garfield	0	0	—	—	—	—	—	—	—
Grand	0	0	—	—	—	—	—	—	—
Kane	0	0	—	—	—	—	—	—	—
San Juan	0	0	—	—	—	—	—	—	—
Washington	2	8	96	58	158	1376	14.3	69.7	11.5
Wayne	0	0	—	—	—	—	—	—	—
Colorado Plateau totals	9	38	217	321	1530	15577	71.8	13.9	5.8
Unknown	0	0	—	—	—	—	—	—	—
Statewide totals*	41	171	1155	1384	4970	53135	46.0	21.7	6.8

*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

BOBCAT

Statewide bobcat trapping harvest statistics, Utah 1982–2025.

Trap year	Trappers afield	Trap harvest	Set-days	Set-days / bobcat	Bobcats / 1000 set-days	Bobcats / trapper	Pelt price (\$)
1982–83	1145	2540	469979	185	5.4	2.2	171.00
1983–84	1050	2640	401841	152	6.6	2.5	189.00
1984–85	1253	2532	559480	221	4.5	2.0	202.00
1985–86	1083	1530	411493	269	3.7	1.4	197.00
1986–87	1036	1024	224778	220	4.6	1.0	309.00
1987–88	1108	1023	252680	247	4.0	0.9	245.00
1988–89	941	1042	175990	169	5.9	1.1	221.00
1989–90	1167	843	142360	169	5.9	0.7	102.00
1990–91	542	527	76218	145	6.9	1.0	87.00
1991–92	726	968	118293	122	8.2	1.3	104.00
1992–93	827	1171	139949	120	8.4	1.4	90.00
1993–94	900	1256	191367	152	6.6	1.4	118.60
1994–95	914	1293	210522	163	6.1	1.4	70.02
1995–96	749	896	108594	121	8.3	1.2	79.51
1996–97	615	866	138899	160	6.2	1.4	147.80
1997–98	619	1234	255147	207	4.8	2.0	60.89
1998–99	1031	2092	633774	303	3.3	2.0	55.86
1999–00	828	1430	238152	167	6.0	1.7	82.64
.2000–01	852	2008	399609	199	5.0	2.4	93.56
2001–02	666	1866	342678	184	5.4	2.8	147.66
2002–03	984	2176	593692	273	3.7	2.2	270.33
2003–04	1133	2027	701383	346	2.9	1.8	203.17
2004–05	1300	1954	462019	236	4.2	1.5	221.65
2005–06	979	2625	757380	289	3.5	2.7	358.56
2006–07	1017	3037	877870	289	3.5	3.0	197.53
2007–08	985	2091	836519	400	2.5	2.1	388.43
2008–09	1630	1796	1258813	701	1.4	1.1	238.69
2009–10	717	1017	488709	481	2.1	1.4	223.71
2010–11	771	846	416474	492	2.0	1.1	368.95
2011–12	755	1094	437912	400	2.5	1.4	456.16
2012–13	836	1214	475902	392	2.6	1.5	560.96
2013–14	953	1690	562430	333	3.0	1.8	407.44
2014–15	1105	2776	1036043	373	2.7	2.5	223.11
2015–16	982	1543	739720	479	2.1	1.6	151.63
2016–17	571	1657	402966	243	4.1	2.9	273.23
2017–18	957	2683	833255	311	3.2	2.8	236.45
2018–19	796	1372	611330	446	2.2	1.7	388.43
2019–20	701	1007	553322	550	1.8	1.4	264.14
2020–21	762	833	454600	546	1.8	1.1	—


Statewide bobcat trapping harvest statistics, Utah 1982–2025 (continued).

Trap year	Trappers afield	Trap harvest	Set-days	Set-days / bobcat	Bobcats / 1000 set-days	Bobcats / trapper	Pelt price (\$)
2021–22	498	815	329996	405	2.5	1.6	415.16
2022–23	504	599	323667	540	1.9	1.2	376.22
2023–24	531	1038	320496	309	3.2	2.0	359.21
2024–25	619	1438	400361	279	3.6	2.3	507.94
Average	887	1537	450387	297	4.2	1.7	234.87

Statewide bobcat hunting harvest statistics, Utah 2005–2025.

Trap year	Hunters afield	Hunt harvest	Hunter-days afield	Hunter-days / bobcat	Bobcats / hunter
2005–06	612	301	8194	27	0.5
2006–07	440	340	10408	31	0.8
2007–08	557	346	10089	29	0.6
2008–09	438	266	7360	28	0.6
2009–10	370	150	5253	35	0.4
2010–11	355	156	5888	38	0.4
2011–12	329	151	4146	28	0.5
2012–13	206	151	2739	18	0.7
2013–14	182	180	2901	16	1.0
2014–15	305	143	4203	29	0.5
2015–16	298	140	3819	27	0.5
2016–17	267	199	3446	17	0.7
2017–18	341	262	4620	18	0.8
2018–19	211	280	2832	10	1.3
2019–20	243	166	3330	20	0.7
2020–21	242	178	2970	17	0.7
2021–22	208	150	2314	15	0.7
2022–23	167	252	2955	12	1.5
2023–24	140	229	2431	11	1.6
2024–25	272	174	3666	21	0.6
Average	309	211	4678	22	0.8

Statewide bobcat trapping harvest trends, Utah 1982–2025.



Bobcat trapping harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Trappers afield	Trap harvest**	Traps set	Trapping days	Set-days	Set-days / bobcat	Bobcats / 1000 set-days	Bobcats / trapper
Beaver	9	52	86	2459	399	21953	255.3	3.9	1.7
Box Elder	4	23	54	885	561	21519	398.5	2.5	2.3
Iron	5	29	68	2164	590	45312	666.4	1.5	2.3
Juab	9	52	113	1318	405	11540	102.1	9.8	2.2
Millard	8	46	49	2109	555	23255	474.6	2.1	1.1
Tooele	6	35	33	1446	642	28866	874.7	1.1	0.9
Great Basin totals	41	237	403	10380	3153	152447	378.3	2.6	1.7
Cache	4	23	12	596	121	3569	297.4	3.4	0.5
Davis	0	0	2	—	—	—	—	—	—
Morgan	5	29	8	1197	150	6560	820.0	1.2	0.3
Piute	1	6	14	347	58	3471	247.9	4.0	2.3
Rich	3	17	14	1041	376	25453	1818.1	0.6	0.8
Salt Lake	1	6	5	260	12	521	104.2	9.6	0.8
Sanpete	2	12	21	278	52	1354	64.5	15.5	1.8
Sevier	8	46	103	1649	845	29352	285.0	3.5	2.2
Summit	2	12	23	742	301	15099	656.5	1.5	1.9
Utah	7	40	44	1591	295	13479	306.3	3.3	1.1
Wasatch	0	0	11	—	—	—	—	—	—
Weber	3	17	17	399	121	3025	177.9	5.6	1.0
Rocky Mountain totals	36	208	274	8100	2331	101883	371.8	2.7	1.3
Daggett	1	6	1	231	121	4859	4859.0	0.2	0.2
Duchesne	5	29	54	1691	578	40085	742.3	1.3	1.9
Uintah	12	69	128	1905	931	33521	261.9	3.8	1.9
Uintah Basin totals	18	104	183	3827	1631	78464	428.8	2.3	1.8
Carbon	7	40	48	1116	428	15735	327.8	3.1	1.2
Emery	5	29	57	966	266	13536	237.5	4.2	2.0
Garfield	2	12	89	862	185	12426	139.6	7.2	7.4
Grand	1	6	35	87	58	868	24.8	40.3	5.8
Kane	2	12	97	336	64	1840	19.0	52.7	8.1
San Juan	3	17	158	289	162	2927	18.5	54.0	9.3
Washington	6	35	73	1533	370	17632	241.5	4.1	2.1
Wayne	1	6	21	174	87	2603	124.0	8.1	3.5
Colorado Plateau totals	27	156	578	5363	1620	67567	116.9	8.6	3.7
Unknown	1	6	0	58	35	347	—	0.0	0.0
Statewide totals*	107	619	1438	27670	8735	400361	278.4	3.6	2.3

*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

**Total harvest numbers are from pelt check-in, while numbers of trappers afield and effort are determined from harvest survey.

Bobcat hunting harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Hunters afield	Hunt harvest**	Hunter-days afield	Hunter-days / bobcat	Bobcats / hunter
Beaver	0	0	1	0	0.0	—
Box Elder	3	17	3	84	28.0	0.2
Iron	2	12	3	631	210.3	0.3
Juab	1	6	13	40	3.1	2.2
Millard	4	23	7	422	60.3	0.3
Tooele	6	35	10	249	24.9	0.3
Great Basin totals	16	93	37	1426	38.5	0.4
Cache	1	6	20	29	1.5	3.3
Davis	1	6	1.0	12	12.0	0.2
Morgan	2	12	13	93	7.2	1.1
Piute	0	0	2	—	—	—
Rich	3	17	2	197	98.5	0.1
Salt Lake	0	0	—	—	—	—
Sanpete	1	6	16	145	9.1	2.7
Sevier	3	17	7	110	15.7	0.4
Summit	0	0	1	—	—	—
Utah	7	40	12	388	32.3	0.3
Wasatch	2	12	19	64	3.4	1.6
Weber	1	6	7	87	12.4	1.2
Rocky Mountain totals	21	121	100	1125	11.3	0.8
Daggett	0	0	1	—	—	—
Duchesne	4	23	8	403	50.4	0.3
Uintah	7	40	5	307	61.4	0.1
Uintah Basin totals	11	64	14	710	50.7	0.2
Carbon	2	12	4	139	34.8	0.3
Emery	3	17	3	40	13.3	0.2
Garfield	2	12	2	29	14.5	0.2
Grand	0	0	2	—	—	—
Kane	1	6	3	23	7.7	0.5
San Juan	1	6	4	35	8.8	0.7
Washington	2	12	2	29	14.5	0.2
Wayne	1	6	3	46	15.3	0.5
Colorado Plateau totals	12	69	23	341	14.8	0.3
Unknown	1	6	0	67	—	0.0
Statewide totals*	47	272	174	3666	21.1	0.6


*Statewide totals for sample size and hunters afield are not totals of the columns because hunters hunted multiple counties.

**Total harvest numbers are from pelt check-in, while numbers of hunters afield and effort are determined from harvest survey.

Prey index

Lagomorph densities are generally considered a good indicator of bobcat recruitment and survival because high lagomorph populations provide an essential prey base for dispersing bobcats. When lagomorph populations are high or increasing, the bobcat population has also increased or at least remained stable. Thus, low populations of lagomorphs will reduce the likelihood of younger bobcats surviving to the next year. Cottontail rabbit and snowshoe hare data were from the Utah Upland Game Annual Report 2024–25 (2024–25 upland game seasons).

Relationships in harvest statistics between bobcat and prey, Utah 1982–2025.



Bobcat harvest age and sex ratios, Utah 1985–2025.

Trap year	Kittens / adult female	Kittens / adult	Male kittens / female kittens	Juveniles / adult	Juv. males / juv. females	Proportion juveniles in harvest	Proportion females in harvest	Males / females
1985–86	0.5	0.2	1.0	—	—	—	—	1.2
1986–87	0.7	0.3	0.9	—	—	—	—	1.1
1987–88	1.2	0.5	1.0	—	—	—	—	1.1
1988–89	1.1	0.4	1.1	—	—	—	—	1.3
1989–90	0.8	0.3	1.0	—	—	—	—	1.4
1990–91	0.8	0.3	0.6	—	—	—	—	1.2
1991–92	0.9	0.7	1.3	—	—	—	—	1.5
1992–93	0.9	1.0	1.2	—	—	—	—	1.4
1993–94	1.6	0.6	1.0	—	—	—	—	1.3
1994–95	0.6	0.6	1.1	0.6	1.1	0.36	0.44	1.3
1995–96	1.4	0.5	0.7	0.5	1.0	0.35	0.44	1.3
1996–97	1.9	0.7	1.1	0.7	1.1	0.41	0.41	1.4
1997–98	1.2	0.4	0.9	0.4	0.9	0.30	0.42	1.4
1998–99	2.1	0.8	1.1	—	—	—	—	1.3
1999–00	0.8	0.3	1.0	1.0	1.4	0.50	0.39	1.6
2000–01	0.7	0.3	1.1	0.9	1.3	0.47	0.39	1.6
2001–02	0.4	0.2	1.0	0.6	1.2	0.38	0.41	1.4
2002–03	0.4	0.2	0.9	0.4	1.0	0.28	0.45	1.2
2003–04	0.6	0.3	0.9	0.5	1.0	0.31	0.47	1.1
2004–05	0.8	0.3	0.8	1.2	1.1	0.55	0.44	1.3
2005–06	5.8	2.5	1.4	2.5	1.4	0.72	0.43	1.4
2006–07	4.1	1.5	1.4	1.5	1.4	0.60	0.43	1.3
2007–08	3.0	1.3	1.1	1.4	1.1	0.56	0.43	1.3
2008–09	0.4	0.2	0.8	0.7	1.0	0.42	0.45	1.2
2009–10	0.7	0.3	1.0	0.6	1.2	0.38	0.47	1.1
2010–11	0.6	0.2	1.1	0.5	1.2	0.31	0.43	1.4
2011–12	0.8	0.3	1.1	0.5	1.2	0.35	0.45	1.2
2012–13	0.6	0.3	0.9	0.5	0.9	0.35	0.48	1.1
2013–14	0.9	0.4	0.9	0.8	0.9	0.46	0.45	1.2
2014–15	1.6	0.8	1.0	1.5	1.2	0.60	0.45	1.2
2015–16	1.4	0.6	0.9	1.6	1.4	0.62	0.44	1.3
2016–17	1.4	0.6	0.9	1.8	1.3	0.64	0.41	1.5
2017–18	0.7	0.3	0.7	1.1	1.1	0.52	0.45	1.2
2018–19	0.2	0.1	0.9	0.6	1.2	0.36	0.48	1.1
2019–20	0.4	0.2	0.9	0.4	0.9	0.28	0.44	1.3
2020–21	1.0	0.4	0.5	0.7	0.7	0.42	0.46	1.2

In annual reports prior to 2005–06, the "juvenile" age category referred only to kittens (age 0.5) while "adults" included all bobcats age 1.5 and older. Beginning with the 2005–06 annual report, the term "juvenile" now refers to kittens and yearlings (ages 0.5–1.5), while "adult" includes all bobcats age 2.5 and older.

Bobcat harvest age and sex ratios, Utah 1985–2025 (continued).


Trap year	Kittens / adult female	Kittens / adult	Male kittens / female kittens	Juveniles / adult	Juv. males / juv. females	Proportion juveniles in harvest	Proportion females in harvest	Males / females
2021–22	0.9	0.3	0.8	1.3	1.2	0.56	0.49	1.0
2022–23	1.0	0.4	1.2	0.7	1.1	0.42	0.46	1.2
2023–24	0.4	0.2	0.5	0.9	1.1	0.48	0.45	1.2
2024–25	0.8	0.4	0.8	0.9	1.1	0.46	0.46	1.2
Average	1.1	0.5	1.0	0.9	1.1	0.45	0.44	1.3

In annual reports prior to 2005–06, the "juvenile" age category referred only to kittens (age 0.5) while "adults" included all bobcats age 1.5 and older. Beginning with the 2005–06 annual report, the term "juvenile" now refers to kittens and yearlings (ages 0.5–1.5), while "adult" includes all bobcats age 2.5 and older.

Adult bobcat survival (from Chapman-Robson estimator), Utah 1985–2025.


Trap year	Survival (%)	95% confidence interval	Chi-square value, degrees of freedom
1985–86	63	60–65	13.2, 9df
1986–87	63	60–65	34.1, 9df
1987–88	65	61–68	19.9, 9df
1988–89	64	60–68	17.3, 8df
1989–90	67	63–71	19.4, 8df
1990–91	58	53–62	28.5, 12df
1991–92	58	55–60	47.9, 14df
1992–93	59	56–63	19.9, 12df
1993–94	54	52–57	34.2, 11df
1994–95	57	54–59	17.2, 14df
1995–96	64	61–66	40.0, 11df
1996–97	68	65–70	23.4, 12df
1997–98	71	69–74	19.1, 14df
1998–99	71	70–73	35.2, 13df
1999–00	66	64–68	41.0, 15df
2000–01	64	62–66	86.0, 11df
2001–02	65	63–67	87.3, 14df
2002–03	67	65–68	175.5, 13df
2003–04	71	70–72	245.6, 12df
2004–05	74	73–76	83.9, 15df
2005–06	68	65–70	15.7, 12df
2006–07	53	48–58	41.9, 9df
2007–08	58	54–62	63.6, 12df
2008–09	57	54–61	64.5, 14df
2009–10	59	56–62	60.1, 12df
2010–11	69	66–71	90.0, 13df
2011–12	70	66–73	22.7, 13df
2012–13	75	72–78	87.2, 11df
2013–14	70	66–74	52.8, 12df
2014–15	74	71–77	62.2, 13df
2015–16	73	70–76	66.6, 13df
2016–17	65	61–68	93.1, 10df
2017–18	57	53–61	89.8, 11df
2018–19	59	55–63	42.8, 12df
2019–20	60	57–64	16.4, 11df
2020–21	68	65–72	52.9, 12df
2021–22	70	66–74	46.9, 7df
2022–23	67	63–71	41.9, 12df
2023–24	70	66–73	31.9, 11df
2024–25	63	59–66	51.6, 9df
Average	65	—	—

Average age of harvested bobcats, Utah 1994–2025.



*Excludes age structure data from the 1998–99 trap season.

5-yr age structure of harvested bobcats, Utah 2020–2025.



COYOTE

Statewide coyote harvest statistics, Utah 1982–2025.

Trap year	Trappers / hunters afield	Wildlife Services harvest	Incidental harvest	Trap harvest	Hunt harvest	Coyotes per trapper / hunter*	Pelt price (\$)
1982–83	841	4130	—	5738	—	6.8	35.42
1983–84	715	5063	—	5878	—	8.2	25.92
1984–85	828	5427	—	5991	—	7.2	32.35
1985–86	714	5045	—	4851	—	6.8	19.65
1986–87	819	4116	—	4947	—	6.0	33.64
1987–88	893	4338	—	6919	—	7.7	15.55
1988–89	652	4853	—	3200	—	4.9	8.47
1989–90	671	5168	—	3331	—	5.0	8.68
1990–91	389	4444	—	1831	—	4.7	11.41
1991–92	664	4347	—	3255	—	4.9	20.00
1992–93	695	4932	—	3666	—	5.3	15.75
1993–94	679	5827	—	5247	—	7.7	24.58
1994–95	754	3893	—	5267	—	7.0	12.51
1995–96	632	4165	—	4372	—	6.9	15.49
1996–97	405	4484	—	4017	—	9.9	18.73
1997–98	494	4169	—	3228	—	6.5	10.80
1998–99	782	3464	—	4337	—	5.5	10.80
1999–00	473	4534	—	3510	—	7.4	19.14
2000–01	456	4275	—	4966	—	10.9	14.39
2001–02	399	3874	—	4354	—	10.9	16.17
2002–03	572	3394	—	5446	—	9.5	32.62
2003–04	699	3897	—	6660	—	9.5	25.74
2004–05	699	4125	—	7173	—	10.3	20.10
2005–06	630	4820	328	1190	3039	6.7	30.45
2006–07	830	5041	—	—	—	—	26.37
2007–08	859	5618	821	4055	3582	8.9	21.74
2008–09	726	3909	1020	3963	2982	9.6	10.86
2009–10	781	3808	531	3188	2955	7.9	14.80
2010–11	736	4081	292	4356	3480	10.6	25.00
2011–12	705	3444	374	3054	1868	7.0	43.43
2012–13	881	3349	192	3269	2288	6.3	39.56
2013–14	864	2605	312	3162	2310	6.3	37.39
2014–15	971	3099	424	4118	2331	6.6	45.88
2015–16	977	3961	166	4801	3034	8.0	29.63
2016–17	607	3473	285	2244	2595	8.0	37.26
2017–18	635	3024	164	2584	2511	8.0	37.31
2018–19	493	3911	226	1728	1636	6.8	56.31
2019–20	531	3839	126	1793	1565	6.3	76.66
2020–21	828	3871	270	3076	3004	7.3	—

*Coyotes per trapper / hunter does not include Wildlife Services harvest.


Statewide coyote harvest statistics, Utah 1982–2025 (continued).

Trap year	Trappers / hunters afield	Wildlife Services / UDAF^ harvest	Incidental harvest	Trap harvest	Hunt harvest	Coyotes per trapper / hunter*	Pelt price (\$)
2021–22	512	3177	393	1949	1432	6.6	26.57
2022–23	481	3852	262	2201	2054	8.8	11.97
2023–24	432	3830	224	1372	1417	6.5	19.93
2024–25	537	3854	353	1894	1911	7.1	9.46
Average	673	4152	356	3861	2421	7.5	24.96

*Coyotes per trapper/hunter does not include Wildlife Services harvest.

^*Utah Department of Agriculture (UDAF) replaced Wildlife Services in 2023.

Statewide coyote harvest trends, Utah 1982–2025.



Coyote trapping harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Trappers afield	Trap harvest	Traps Set	Trapping days	Set-days	Set-days / coyote	Coyotes / 1000 set-days	Coyotes / trapper
Beaver	3	13	17	172	630	8986	535.0	1.9	1.3
Box Elder	3	13	59	189	647	10464	178.0	5.6	4.7
Iron	6	25	109	344	873	15360	140.7	7.1	4.3
Juab	5	21	92	260	534	9739	105.4	9.5	4.4
Millard	4	17	25	109	416	3464	137.5	7.3	1.5
Tooele	5	21	126	206	714	7453	59.2	16.9	6.0
Great Basin totals	26	109	428	1281	3814	55467	129.5	7.7	3.9
Cache	2	8	0	46	197	991	—	0.0	0.0
Davis	0	0	—	—	—	—	—	—	—
Morgan	7	29	139	378	1398	17082	123.3	8.1	4.7
Piute	1	4	0	21	59	294	—	0.0	0.0
Rich	2	8	470	441	504	31073	66.1	15.1	56.0
Salt Lake	1	4	0	13	126	378	—	0.0	0.0
Sanpete	1	4	0	50	88	1058	—	0.0	0.0
Sevier	9	38	101	462	1020	11228	111.4	9.0	2.7
Summit	2	8	63	76	105	1071	17.0	58.8	7.5
Utah	6	25	206	286	693	14184	68.9	14.5	8.2
Wasatch	1	4	0	25	25	151	—	0.0	0.0
Weber	3	13	0	55	286	1402	—	0.0	0.0
Rocky Mountain totals	35	147	979	1852	4501	78913	80.7	12.4	6.7
Daggett	1	4	21	88	168	3527	168.0	6.0	5.0
Duchesne	4	17	21	290	747	22553	1074.2	0.9	1.3
Uintah	9	38	206	899	1525	43041	209.2	4.8	5.4
Uintah Basin totals	14	59	248	1277	2441	69122	279.0	3.6	4.2
Carbon	4	17	55	932	1197	78732	1442.3	0.7	3.3
Emery	2	8	59	118	584	9868	167.9	6.0	7.0
Garfield	4	17	8	181	1016	9620	1145.5	0.9	0.5
Grand	2	8	55	38	126	546	10.0	100.0	6.5
Kane	0	0	—	—	—	—	—	—	—
San Juan	4	17	13	197	445	5009	397.7	2.5	0.8
Washington	2	8	42	134	495	8969	213.6	4.7	5.0
Wayne	1	4	8	21	59	294	35.0	28.6	2.0
Colorado Plateau totals	19	80	240	1621	3922	113038	472.3	2.1	3.0
Unknown	0	0	—	—	—	—	—	—	—
Statewide totals*	81	340	1894	6030	14678	316540	167.1	6.0	5.6

*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

Coyote hunting harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Hunters afield	Hunt harvest	Hunter-days afield	Hunter-days / coyote	Coyotes / hunter
Beaver	2	8	71	332	4.6	8.5
Box Elder	11	46	428	764	1.8	9.3
Iron	9	38	353	663	1.9	9.3
Juab	7	29	92	366	4.0	3.1
Millard	10	42	122	336	2.8	2.9
Tooele	9	38	67	445	6.6	1.8
Great Basin totals	48	202	1134	2906	2.6	5.6
Cache	2	8	21	113	5.4	2.5
Davis	1	4	0	4	—	0.0
Morgan	3	13	118	265	2.3	9.3
Piute	0	0	—	—	—	—
Rich	2	8	71	508	7.1	8.5
Salt Lake	0	0	—	—	—	—
Sanpete	4	17	4	55	13.0	0.3
Sevier	5	21	46	256	5.5	2.2
Summit	0	0	—	—	—	—
Utah	8	34	92	260	2.8	2.8
Wasatch	2	8	34	46	1.4	4.0
Weber	1	4	4	8	2.0	1.0
Rocky Mountain totals	28	118	391	1516	3.9	3.3
Daggett	0	0	—	—	—	—
Duchesne	4	17	71	747	10.5	4.3
Uintah	7	29	113	256	2.3	3.9
Uintah Basin totals	11	46	185	1004	5.4	4.0
Carbon	2	8	8	164	19.5	1.0
Emery	1	4	0	105	—	0.0
Garfield	4	17	13	42	3.3	0.8
Grand	2	8	21	126	6.0	2.5
Kane	1	4	0	4	—	0.0
San Juan	4	17	109	307	2.8	6.5
Washington	5	21	29	76	2.6	1.4
Wayne	2	8	17	206	12.3	2.0
Colorado Plateau totals	21	88	197	1029	5.2	2.2
Unknown	1	4	4	21	5.0	1.0
Statewide totals*	71	298	1911	6475	3.4	6.4

*Statewide totals for sample size and hunters afield are not totals of the columns because hunters hunted multiple counties.

GRAY FOX

Statewide gray fox harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
1982–83	263	—	1346	—	145	6.9	5.1	27.75
1983–84	233	—	1367	—	119	8.4	5.9	25.13
1984–85	305	—	1954	—	128	7.8	6.4	24.64
1985–86	256	—	1407	—	128	7.8	5.5	15.03
1986–87	252	—	1457	—	92	10.8	5.8	25.29
1987–88	273	—	1633	—	75	13.4	6.0	21.91
1988–89	226	—	1099	—	82	12.2	4.9	13.50
1989–90	233	—	941	—	68	14.8	4.0	6.19
1990–91	65	—	250	—	99	10.1	3.8	8.24
1991–92	110	—	402	—	98	10.2	3.7	6.87
1992–93	214	—	422	—	88	11.4	2.0	7.08
1993–94	136	—	687	—	53	18.8	5.1	12.00
1994–95	207	—	771	—	51	19.8	3.7	9.62
1995–96	147	—	828	—	44	22.8	5.6	10.65
1996–97	102	—	367	—	46	21.7	3.6	11.60
1997–98	87	—	389	—	68	14.7	4.5	7.76
1998–99	135	—	870	—	96	10.4	6.4	6.96
1999–00	140	—	925	—	58	17.1	6.6	6.62
2000–01	187	—	1159	—	101	9.9	6.2	8.00
2001–02	154	—	1326	—	98	10.2	8.6	11.58
2002–03	299	—	1942	—	116	8.6	6.5	12.47
2003–04	265	—	1749	—	128	7.8	6.6	10.84
2004–05	203	—	942	—	100	10.0	4.6	13.81
2005–06	98	—	603	—	85	11.8	6.2	24.15
2006–07	252	—	—	—	—	—	—	37.25
2007–08	217	—	1093	—	127	7.9	5.0	39.19
2008–09	238	—	1747	—	110	9.1	7.3	17.07
2009–10	163	361	1031	—	126	7.9	6.3	16.56
2010–11	138	292	651	—	90	11.1	4.7	20.97
2011–12	125	485	474	43	124	8.1	4.1	23.13
2012–13	130	216	1069	3	77	13.1	8.2	31.15
2013–14	172	462	843	13	155	6.4	5.0	24.18
2014–15	123	525	490	0	249	4.0	4.0	16.16
2015–16	151	450	623	33	299	3.3	4.3	10.75
2016–17	84	267	356	3	150	6.7	4.3	15.42
2017–18	101	389	664	14	52	19.3	6.7	8.98
2018–19	89	328	330	11	151	6.6	3.8	12.36
2019–20	56	264	163	2	171	5.9	2.9	16.22
2020–21	65	394	358	3	115	8.7	5.6	—


*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide gray fox harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
2021–22	57	296	186	12	130	7.7	3.4	15.27
2022–23	50	256	347	0	53	19.0	6.9	15.02
2023–24	72	288	250	64	41	24.2	6.6	20.70
2024–25	79	396	208	4	82	12.2	3.1	14.10
Average	162	354	850	15	106	11.4	5.2	16.24

*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide gray fox harvest trends, Utah 1982–2025.



KIT FOX

Statewide kit fox harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
1982–83	109	—	363	—	267	3.7	3.3	11.39
1983–84	112	—	698	—	171	5.8	6.2	11.99
1984–85	142	—	651	—	178	5.6	4.6	11.17
1985–86	108	—	609	—	90	11.1	5.6	7.50
1986–87	122	—	547	—	73	13.7	4.5	9.90
1987–88	138	—	538	—	61	16.5	3.9	10.69
1988–89	130	—	643	—	55	18.1	4.9	6.98
1989–90	117	—	365	—	60	16.6	3.1	3.19
1990–91	81	—	186	—	26	38.6	2.3	4.67
1991–92	86	—	187	—	53	18.9	2.2	2.78
1992–93	41	—	191	—	39	25.9	4.7	4.30
1993–94	75	—	301	—	25	40.6	4.0	4.69
1994–95	109	—	531	—	19	51.6	4.9	6.45
1995–96	77	—	218	—	45	22.2	2.8	6.25
1996–97	44	—	162	—	16	62.5	3.7	6.77
1997–98	41	—	96	—	282	3.5	2.3	3.50
1998–99	75	—	168	—	128	7.8	2.2	7.31
1999–00	66	—	183	—	114	8.8	2.8	2.90
2000–01	51	—	161	—	227	4.4	3.2	6.13
2001–02	52	—	171	—	229	4.4	3.3	10.72
2002–03	90	—	302	—	221	4.5	3.4	5.44
2003–04	83	—	638	—	97	10.4	7.7	5.38
2004–05	89	—	259	—	191	5.2	2.9	8.98
2005–06	40	—	183	—	15	65.6	4.6	10.92
2006–07	65	—	—	—	—	—	—	10.50
2007–08	27	—	39	—	392	2.6	1.4	7.87
2008–09	48	—	104	—	314	3.2	2.2	7.61
2009–10	19	13	38	—	177	5.6	2.0	9.47
2010–11	20	3	42	—	41	24.2	2.1	12.68
2011–12	18	64	0	46	—	0.0	2.6	14.49
2012–13	31	41	315	17	80	12.6	10.7	14.37
2013–14	10	7	7	0	515	1.9	0.7	14.32
2014–15	22	47	95	3	90	11.2	4.5	7.13
2015–16	29	18	37	44	296	3.4	2.8	6.54
2016–17	13	31	123	0	20	49.7	9.5	10.32
2017–18	2	30	14	0	58	17.2	7.0	6.60
2018–19	7	13	0	0	—	0.0	0.0	8.91
2019–20	12	25	74	4	28	35.7	6.5	15.15
2020–21	3	52	10	0	47	21.4	3.3	—


*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide kit fox harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
2021–22	17	7	7	7	792	1.3	0.6	—
2022–23	3	24	0	7	—	—	—	12.22
2023–24	15	11	0	8	—	—	0.0	16.19
2024–25	8	8	8	0	402	2.5	1.0	11.50
Average	57	25	221	10	156	16.5	3.7	8.68

*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide kit fox harvest trends, Utah 1982–2025.



MARTEN

Statewide marten harvest statistics, Utah 1982–1999.


Trap year	Trappers afield	Trap / hunt harvest	Set-days	Set-days / marten	Martens / 1000 set-days	Martens / trapper	Pelt price (\$)
1982–83	1	1	6	6	166.7	1.0	10.00
1983–84	9	84	4704	56	17.9	9.5	20.00
1984–85	9	12	6516	543	1.8	1.4	24.00
1985–86	10	121	7381	61	16.4	11.6	23.00
1986–87	11	22	8558	389	2.6	2.0	25.68
1987–88	10	50	9750	195	5.1	5.0	40.00
1988–89	6	10	1210	121	8.3	1.7	31.00
1989–90	—	—	—	—	—	—	—
1990–91	—	—	—	—	—	—	—
1991–92	—	—	—	—	—	—	—
1992–93	—	—	—	—	—	—	—
1993–94	—	—	—	—	—	—	—
1994–95	—	—	—	—	—	—	—
1995–96	—	—	—	—	—	—	—
1996–97	13	2	—	—	—	0.2	20.00
1997–98	—	—	—	—	—	—	11.00
1998–99	12	6	1228	205	4.9	0.5	7.11
Average	9	34	4919	197	28.0	3.6	21.18

Statewide marten harvest statistics, Utah 1999–2025.

Trap year	Permits sold	Successful trappers	Male harvest	Female harvest	Unknown harvest	Total harvest	Success rate (%)*	Martens / trapper*
1999–00	5	0	0	0	0	0	0.0	0.0
2000–01	—	1	3	3	0	6	—	—
2001–02	11	2	16	6	0	22	18.2	2.0
2002–03	12	1	3	2	0	5	8.3	0.4
2003–04	18	0	0	0	0	0	0.0	0.0
2004–05	12	0	0	0	0	0	0.0	0.0
2005–06	16	2	7	4	1	12	12.5	0.8
2006–07	26	3	6	1	0	7	11.5	0.3
2007–08	22	4	7	14	0	21	18.2	1.0
2008–09	28	1	2	2	0	4	3.6	0.1
2009–10	25	1	2	0	0	2	4.0	0.1
2010–11	31	2	24	12	0	36	6.5	1.2
2011–12	29	3	7	3	4	14	10.3	0.5
2012–13	39	3	15	5	6	26	7.7	0.7
2013–14	51	6	13	3	0	16	11.8	0.3
2014–15	202	2	16	6	0	22	1.0	0.1
2015–16	46	1	5	4	0	9	2.2	0.2
2016–17	89	2	2	0	0	2	2.2	0.0
2017–18	184	3	11	4	0	15	1.6	0.1
2018–19	188	1	9	2	0	11	0.5	0.1
2019–20	152	1	4	4	0	8	0.7	0.1
2020–21	179	2	3	1	0	4	1.1	0.0
2021–22	152	0	0	0	0	0	0.0	0.0
2022–23	128	1	0	1	0	1	0.8	0.0
2023–24	185	1	1	0	0	1	0.0	0.0
2024–25	240	3	5	1	0	6	1.3	0.0
Average	83	2	6	3	0	10	5.0	0.3

*Assumption: Every person who possessed a marten permit trapped or hunted.

Statewide marten harvest trends, Utah 1982–2025.



MINK

Statewide mink harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / mink	Minks / 1000 set-days	Minks / trapper	Pelt price (\$)
1982–83	38	—	405	—	44	22.7	10.7	10.85
1983–84	46	—	379	—	95	10.5	8.2	9.13
1984–85	40	—	542	—	117	8.6	13.6	10.27
1985–86	37	—	837	—	94	10.7	22.6	6.00
1986–87	57	—	828	—	42	23.6	14.5	10.63
1987–88	51	—	1037	—	42	23.6	20.3	12.25
1988–89	42	—	854	—	60	16.6	20.3	10.69
1989–90	29	—	1114	—	40	24.8	38.4	6.30
1990–91	25	—	543	—	50	19.8	21.7	6.33
1991–92	29	—	723	—	42	23.9	24.9	6.81
1992–93	23	—	380	—	57	17.6	16.5	7.50
1993–94	30	—	472	—	53	18.9	15.7	8.41
1994–95	27	—	350	—	36	27.6	13.0	8.38
1995–96	25	—	529	—	22	45.0	21.2	10.40
1996–97	27	—	269	—	50	19.8	10.0	10.95
1997–98	25	—	337	—	51	19.4	13.5	5.81
1998–99	81	—	345	—	116	8.6	4.3	7.11
1999–00	61	—	419	—	34	29.1	6.9	6.07
2000–01	51	—	468	—	15	68.1	9.2	4.92
2001–02	30	—	284	—	53	18.8	9.5	5.20
2002–03	59	—	268	—	17	59.8	4.5	2.07
2003–04	59	—	673	—	73	13.7	11.4	8.00
2004–05	68	—	317	—	36	27.5	4.7	8.98
2005–06	34	—	222	—	22	45.4	6.5	9.97
2006–07	65	—	—	—	—	—	—	7.94
2007–08	38	—	186	—	23	43.7	4.9	9.33
2008–09	36	—	242	—	44	22.9	6.7	5.96
2009–10	66	57	338	—	30	33.7	5.1	8.00
2010–11	65	151	485	—	107	9.4	7.5	11.27
2011–12	43	61	153	7	31	31.8	3.6	15.08
2012–13	110	147	706	14	70	14.4	6.4	19.18
2013–14	115	186	826	0	27	36.6	7.2	16.21
2014–15	54	82	259	0	100	10.0	4.8	8.57
2015–16	74	55	133	0	61	16.4	1.8	4.22
2016–17	60	29	196	21	46	21.7	3.3	7.52
2017–18	59	47	225	0	173	5.8	3.8	3.00
2018–19	33	20	219	7	34	29.6	6.8	2.00
2019–20	47	37	324	0	29	34.0	6.9	0.94
2020–21	26	36	91	0	31	32.7	3.5	—


*Trappers and minks per trapper include hunters and their harvest. Set-days per mink and minks per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide mink harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / mink	Minks / 1000 set-days	Minks / trapper	Pelt price (\$)
2021–22	25	89	32	0	70	14.3	1.4	2.00
2022–23	24	10	34	0	67	14.9	1.4	1.00
2023–24	19	4	34	4	33	29.9	3.0	—
2024–25	17	25	38	0	95	10.6	2.3	6.88
Average	46	65	408	4	56	24.2	10.1	7.86

*Trappers and minks per trapper include hunters and their harvest. Set-days per mink and minks per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide mink harvest trends, Utah 1982–2025.



*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

MUSKRAT

Statewide muskrat harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / muskrat	Musk rats / 1000 set-days	Musk rats / trapper	Pelt price (\$)
1982–83	258	—	55137	—	5	183.1	213.7	2.16
1983–84	309	—	55298	—	4	256.2	179.0	2.46
1984–85	400	—	54526	—	6	168.1	136.3	2.45
1985–86	282	—	39195	—	6	158.9	139.0	1.86
1986–87	416	—	59368	—	4	251.7	142.7	2.66
1987–88	432	—	58560	—	5	182.2	135.6	2.46
1988–89	303	—	33400	—	5	199.4	110.2	1.40
1989–90	253	—	16898	—	7	149.6	66.8	0.89
1990–91	85	—	7102	—	7	134.6	83.6	0.91
1991–92	186	—	19547	—	6	162.7	105.1	1.60
1992–93	105	—	11623	—	5	205.9	110.7	1.18
1993–94	157	—	22488	—	5	221.5	143.2	1.89
1994–95	195	—	28369	—	6	180.5	145.5	1.74
1995–96	181	—	26260	—	5	182.2	145.1	2.09
1996–97	179	—	23371	—	4	267.9	130.6	3.59
1997–98	203	—	26907	—	6	158.7	132.5	2.01
1998–99	186	—	21895	—	7	134.1	117.7	1.73
1999–00	151	—	21086	—	7	153.7	139.6	1.00
2000–01	108	—	10376	—	14	69.8	96.1	1.58
2001–02	115	—	14979	—	12	84.0	130.3	2.60
2002–03	135	—	6334	—	9	114.6	46.9	1.59
2003–04	176	—	10777	—	13	77.0	61.2	1.57
2004–05	151	—	15016	—	19	53.1	99.4	1.57
2005–06	41	0	824	—	66	15.3	20.1	3.97
2006–07	81	—	—	—	—	—	—	3.31
2007–08	80	110	1665	—	30	33.3	20.9	3.04
2008–09	98	137	1198	—	63	15.9	12.2	2.49
2009–10	158	164	5341	—	25	40.5	33.8	4.93
2010–11	141	337	7361	—	24	42.2	52.2	5.40
2011–12	150	281	7985	—	23	44.4	53.2	7.28
2012–13	192	117	13534	3	23	44.2	70.5	8.11
2013–14	213	159	8605	0	21	47.5	40.4	8.73
2014–15	168	180	5902	9	16	61.8	35.1	3.76
2015–16	210	41	6130	4	13	74.9	29.2	1.89
2016–17	128	92	3069	3	19	51.8	24.0	3.78
2017–18	122	110	7131	24	17	58.8	58.5	2.91
2018–19	72	24	3465	2	25	39.9	48.2	3.15
2019–20	74	153	4837	2	19	51.5	65.4	3.26
2020–21	98	65	4897	0	13	78.5	50.0	—


*Trappers and muskrat per trapper include hunters and their harvest. Set-days per muskrat and muskrat per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide muskrat harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / muskrat	Musk rats / 1000 set-days	Musk rats / trapper	Pelt price (\$)
2021–22	85	333	5449	5	44	22.9	66.4	3.07
2022–23	61	162	2692	34	8	129.9	50.0	2.84
2023–24	53	0	2888	8	10	96.7	58.6	2.27
2024–25	79	263	5687	17	14	69.4	75.8	2.32
Average	169	144	17552	9	15	113.6	87.5	2.85

*Trappers and muskrat per trapper include hunters and their harvest. Set-days per muskrat and muskrat per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide muskrat harvest trends, Utah 1982–2025.



RACCOON

Statewide raccoon harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / raccoon	Raccoons / 1000 set-days	Raccoons / trapper	Pelt price (\$)
1982–83	178	—	853	—	19	51.3	4.8	12.34
1983–84	192	—	822	—	40	25.0	4.3	13.51
1984–85	329	—	1417	—	47	21.2	4.3	12.85
1985–86	290	—	1485	—	49	20.5	5.1	9.26
1986–87	418	—	2412	—	39	25.5	5.8	12.62
1987–88	434	—	2619	—	41	24.3	6.0	9.41
1988–89	350	—	3104	—	14	71.9	8.9	7.71
1989–90	430	—	2464	—	17	58.8	5.7	5.78
1990–91	214	—	1156	—	18	54.3	5.4	4.65
1991–92	368	—	2273	—	20	50.3	6.2	4.72
1992–93	272	—	1851	—	17	59.5	6.8	2.57
1993–94	306	—	2259	—	19	53.4	7.4	6.98
1994–95	364	—	3025	—	23	43.8	8.3	6.06
1995–96	293	—	2914	—	10	100.1	9.9	8.07
1996–97	330	—	4228	—	13	77.2	12.8	13.35
1997–98	365	—	4989	—	29	34.5	13.7	9.98
1998–99	468	—	7765	—	22	45.5	16.6	4.95
1999–00	349	—	5317	—	34	29.8	15.2	5.67
2000–01	327	—	5678	—	29	34.8	17.4	5.16
2001–02	321	—	3785	—	32	31.2	11.8	8.04
2002–03	378	—	4001	—	26	38.4	10.6	5.62
2003–04	434	—	5634	—	37	26.8	13.0	10.63
2004–05	391	—	6405	—	35	28.4	16.4	6.54
2005–06	230	—	1761	1537	246	4.1	14.3	9.83
2006–07	325	—	—	—	—	—	—	7.18
2007–08	300	—	2414	1576	50	19.8	13.3	10.85
2008–09	275	—	1639	729	58	17.4	8.6	6.21
2009–10	349	633	3439	946	39	25.9	12.6	7.09
2010–11	292	571	3958	1417	28	36.0	18.4	8.17
2011–12	289	453	3168	520	34	29.6	12.8	7.77
2012–13	377	614	4048	1577	35	28.4	14.9	14.08
2013–14	374	1066	4031	385	48	21.0	11.8	9.50
2014–15	354	743	4046	648	49	20.4	13.3	5.46
2015–16	343	627	3631	490	44	22.7	12.0	4.10
2016–17	264	523	2734	371	55	18.2	11.8	4.92
2017–18	258	601	3539	1181	29	34.8	18.3	3.92
2018–19	141	486	1798	376	48	21.0	15.4	6.49
2019–20	217	376	2979	652	27	37.6	16.7	6.55
2020–21	283	671	2858	935	118	8.5	13.4	—


*Trappers and raccoons per trapper include hunters and their harvest. Set-days per raccoon and raccoons per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide raccoon harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / raccoon	Raccoons / 1000 set-days	Raccoons / trapper	Pelt price (\$)
2021–22	236	594	2450	373	38	26.2	12.0	3.75
2022–23	222	498	3267	353	19	52.1	18.0	6.53
2023–24	205	318	1944	205	29	34.0	10.9	5.54
2024–25	200	534	2668	855	31	32.5	14.2	5.33
Average	310	582	3163	796	39	35.6	11.4	7.61

*Trappers and raccoons per trapper include hunters and their harvest. Set-days per raccoon and raccoons per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide raccoon harvest trends, Utah 1982–2025.



Raccoon trapping harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Trappers afield	Trap harvest	Traps set	Trapping days	Set-days	Set-days / raccoon	Raccoons / 1000 set-days	Raccoons / trapper
Beaver	0	0	—	—	—	—	—	—	—
Box Elder	3	13	167	250	442	9644	57.8	17.3	13.3
Iron	2	8	29	38	446	2222	76.1	13.1	3.5
Juab	2	8	100	104	183	2327	23.3	43.0	12.0
Millard	0	0	—	—	—	—	—	—	—
Tooele	2	8	267	17	275	776	2.9	344.1	32.0
Great Basin totals	9	38	563	409	1347	14968	26.6	37.6	15.0
Cache	5	21	113	129	725	6913	61.4	16.3	5.4
Davis	3	13	58	25	367	734	12.6	79.5	4.7
Morgan	4	17	896	204	1334	14801	16.5	60.6	53.8
Piute	0	0	—	—	—	—	—	—	—
Rich	0	0	—	—	—	—	—	—	—
Salt Lake	1	4	0	42	146	1459	—	0.0	0.0
Sanpete	1	4	83	50	250	3002	36.0	27.8	20.0
Sevier	4	17	79	96	509	2877	36.3	27.5	4.8
Summit	0	0	—	—	—	—	—	—	—
Utah	7	29	284	154	496	3273	11.5	86.6	9.7
Wasatch	1	4	13	4	13	13	1.0	1000.0	3.0
Weber	2	8	113	21	417	917	8.1	122.7	13.5
Rocky Mountain totals	28	117	1639	725	4257	33989	20.7	48.2	14.0
Daggett	0	0	—	—	—	—	—	—	—
Duchesne	2	8	146	58	1580	6671	45.7	21.9	17.5
Uintah	3	13	133	88	392	3602	27.0	37.0	10.7
Uintah Basin totals	5	21	279	146	1972	10273	36.8	27.2	13.4
Carbon	4	17	79	63	1626	5462	68.9	14.5	4.8
Emery	1	4	58	167	417	16678	285.7	3.5	14.0
Garfield	0	0	—	—	—	—	—	—	—
Grand	0	0	—	—	—	—	—	—	—
Kane	0	0	—	—	—	—	—	—	—
San Juan	0	0	—	—	—	—	—	—	—
Washington	2	8	50	58	83	734	14.7	68.2	6.0
Wayne	0	0	—	—	—	—	—	—	—
Colorado Plateau totals	7	29	188	288	2126	22873	121.9	8.2	6.4
Unknown	0	0	—	—	—	—	—	—	—
Statewide totals*	45	188	2668	1568	9702	82104	30.8	32.5	14.2

*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

RED FOX

Statewide red fox harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
1982–83	172	—	544	—	128	7.8	3.2	30.13
1983–84	191	—	523	—	134	7.5	2.7	28.43
1984–85	298	—	1244	—	116	8.7	4.2	25.90
1985–86	316	—	1351	—	74	13.6	4.3	15.83
1986–87	444	—	2446	—	59	17.1	5.5	20.14
1987–88	506	—	2545	—	50	20.2	5.0	13.66
1988–89	398	—	2446	—	34	29.2	6.1	6.57
1989–90	496	—	2250	—	40	25.3	4.5	7.80
1990–91	365	—	1993	—	25	40.0	5.5	6.34
1991–92	623	—	3663	—	28	35.4	5.9	10.70
1992–93	594	—	3126	—	27	37.5	5.3	10.12
1993–94	578	—	5055	—	26	38.9	8.7	14.74
1994–95	509	—	4378	—	36	28.0	8.6	15.34
1995–96	421	—	4115	—	26	38.7	9.8	18.08
1996–97	427	—	4274	—	27	36.8	10.0	17.48
1997–98	414	—	3744	—	32	31.5	9.0	11.31
1998–99	570	—	5600	—	34	29.5	9.8	8.95
1999–00	420	—	4900	—	44	22.7	11.7	14.19
2000–01	375	—	5330	—	52	19.1	14.2	16.92
2001–02	379	—	3192	—	59	16.9	8.4	24.48
2002–03	482	—	4399	—	76	13.1	9.1	28.19
2003–04	568	—	4639	—	71	14.1	8.2	18.07
2004–05	545	—	4674	—	102	9.8	8.6	18.86
2005–06	406	—	1874	—	196	5.1	4.6	24.35
2006–07	496	—	—	—	—	—	—	20.49
2007–08	407	—	1130	—	174	5.7	2.8	21.42
2008–09	339	—	872	—	261	3.8	2.6	17.98
2009–10	461	557	1908	192	102	9.8	4.6	16.32
2010–11	376	216	2435	213	84	12.0	7.0	22.62
2011–12	335	388	1757	128	84	11.9	5.6	42.47
2012–13	380	195	1690	171	83	12.1	4.9	43.50
2013–14	428	519	1934	64	154	6.5	4.7	40.39
2014–15	361	478	1714	79	161	6.2	5.0	24.30
2015–16	361	494	1183	203	180	5.6	3.8	15.37
2016–17	207	351	1175	99	249	4.0	6.2	16.16
2017–18	251	372	1048	84	122	8.2	4.5	14.63
2018–19	165	252	627	102	179	5.6	4.4	15.92
2019–20	192	233	669	277	116	8.6	4.9	18.89
2020–21	222	342	407	39	177	5.7	2.0	—


*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide red fox harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper	Pelt price (\$)
2021–22	184	529	731	42	107	9.4	5.5	14.26
2022–23	168	118	1040	40	43	23.3	7.2	10.34
2023–24	171	182	621	53	64	15.6	4.2	20.55
2024–25	150	313	371	108	218	4.6	3.0	14.50
Average	376	346	2372	118	96	16.8	6.1	18.97

*Trappers and foxes per trapper include hunters and their harvest. Set-days per fox and foxes per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide red fox harvest trends, Utah 1982–2025.



Red fox trapping harvest statistics by county and ecoregion, Utah 2024–25.

County	n	Trappers afield	Trap harvest	Traps set	Trapping days	Set-days	Set-days / fox	Foxes / 1000 set-days	Foxes / trapper
Beaver	0	0	—	—	—	—	—	—	—
Box Elder	1	4	0	4	88	88	—	0.0	0.0
Iron	0	0	—	—	—	—	—	—	—
Juab	1	4	4	50	88	1051	252.0	4.0	1.0
Millard	1	4	8	33	42	334	40.0	25.0	2.0
Tooele	1	4	13	21	83	417	33.3	30.0	3.0
Great Basin totals	4	17	25	108	300	1889	75.5	13.2	1.5
Cache	1	4	8	8	50	100	12.0	83.3	2.0
Davis	0	0	—	—	—	—	—	—	—
Morgan	3	13	33	58	542	2085	62.5	16.0	2.7
Piute	1	4	17	42	250	2502	150.0	6.7	4.0
Rich	1	4	25	104	500	12508	500.0	2.0	6.0
Salt Lake	1	4	0	4	29	29	—	0.0	0.0
Sanpete	0	0	—	—	—	—	—	—	—
Sevier	2	8	17	67	425	3552	213.0	4.7	2.0
Summit	0	0	—	—	—	—	—	—	—
Utah	4	17	33	75	217	1676	50.3	19.9	2.0
Wasatch	0	0	—	—	—	—	—	—	—
Weber	1	4	0	8	125	250	—	0.0	0.0
Rocky Mountain totals	14	58	133	367	2139	22702	170.2	5.9	2.3
Daggett	0	0	—	—	—	—	—	—	—
Duchesne	1	4	0	8	58	117	—	0.0	0.0
Uintah	6	25	142	442	1250	24804	175.0	5.7	5.7
Uintah Basin totals	7	29	142	450	1309	24920	175.8	5.7	4.9
Carbon	1	4	13	167	396	15844	1266.7	0.8	3.0
Emery	3	13	33	175	592	13059	391.5	2.6	2.7
Garfield	0	0	—	—	—	—	—	—	—
Grand	1	4	0	8	42	83	—	0.0	0.0
Kane	0	0	—	—	—	—	—	—	—
San Juan	1	4	13	42	208	2085	166.7	6.0	3.0
Washington	0	0	—	—	—	—	—	—	—
Wayne	1	4	13	42	42	417	33.3	30.0	3.0
Colorado Plateau totals	7	29	71	434	1280	31487	444.2	2.3	2.4
Unknown	0	0	—	—	—	—	—	—	—
Statewide totals*	30	125	371	1359	5028	80999	218.3	4.6	3.0

*Statewide totals for sample size and trappers afield are not totals of the columns because trappers trapped multiple counties.

RINGTAIL

Statewide ringtail harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / ringtail	Ringtails / 1000 set-days	Ringtails / trapper	Pelt price (\$)
1982–83	90	—	325	—	176	5.7	3.6	4.40
1983–84	90	—	378	—	203	4.9	4.2	3.96
1984–85	85	—	252	—	218	4.6	3.0	3.15
1985–86	68	—	161	—	114	8.8	2.4	2.69
1986–87	79	—	205	—	105	9.6	2.6	3.64
1987–88	79	—	268	—	62	16.0	3.4	2.40
1988–89	62	—	186	—	61	16.4	3.0	5.70
1989–90	66	—	132	—	93	10.7	2.0	2.65
1990–91	18	—	99	—	23	42.8	5.5	3.50
1991–92	46	—	220	—	21	48.1	4.8	3.22
1992–93	27	—	107	—	59	16.9	4.0	3.97
1993–94	37	—	64	—	80	12.6	1.7	4.04
1994–95	69	—	159	—	70	14.3	2.3	6.41
1995–96	44	—	136	—	37	27.4	3.1	6.96
1996–97	32	—	46	—	122	8.2	1.4	11.68
1997–98	21	—	57	—	227	4.4	2.7	2.99
1998–99	66	—	138	—	134	7.5	2.1	4.17
1999–00	61	—	101	—	93	10.7	1.7	7.03
2000–01	51	—	118	—	194	5.2	2.3	6.00
2001–02	40	—	101	—	236	4.2	2.5	10.29
2002–03	56	—	115	—	474	2.1	2.1	5.20
2003–04	42	—	96	—	223	4.5	2.3	6.83
2004–05	59	—	127	—	165	6.1	2.2	11.12
2005–06	19	—	103	—	79	12.7	5.4	9.31
2006–07	98	—	—	—	—	—	—	12.37
2007–08	65	—	108	—	104	9.6	1.7	14.86
2008–09	31	—	59	—	621	1.6	1.9	10.70
2009–10	22	63	46	—	77	13.0	2.1	15.00
2010–11	16	26	36	—	356	2.8	2.3	18.91
2011–12	18	14	14	—	36	27.6	0.8	12.21
2012–13	7	41	21	0	16	64.5	3.0	15.66
2013–14	24	64	37	0	991	1.0	1.5	17.91
2014–15	13	32	32	0	150	6.7	2.5	17.27
2015–16	18	52	18	0	24	42.4	1.0	12.56
2016–17	18	18	84	0	14	69.3	4.7	23.47
2017–18	28	47	110	2	55	18.4	3.9	20.81
2018–19	13	0	15	7	221	4.5	1.7	10.36
2019–20	6	0	6	0	271	3.7	1.0	27.77
2020–21	16	0	7	0	219	4.6	0.4	—


*Trappers and ringtails per trapper include hunters and their harvest. Set-days per ringtail and ringtails per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide ringtail harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / ringtail	Ringtails / 1000 set-days	Ringtails / trapper	Pelt price (\$)
2021–22	12	12	12	5	33	30.3	2.5	20.22
2022–23	7	20	7	0	3	333.3	2.0	25.37
2023–24	27	45	34	4	75	13.3	1.8	29.31
2024–25	17	17	0	4	—	0.0	0.0	30.69
Average	41	28	103	2	159	22.6	2.5	11.11

*Trappers and ringtails per trapper include hunters and their harvest. Set-days per ringtail and ringtails per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide ringtail harvest trends, Utah 1982–2025.




SPOTTED SKUNK

Statewide spotted skunk harvest statistics*, Utah 2005–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / skunk	Skunks / 1000 set-days	Skunks / trapper	Pelt price (\$)
2005–06	34	—	144	—	47	21.2	4.2	5.37
2006–07	106	—	—	—	—	—	—	12.42
2007–08	34	—	45	—	5	194.8	1.3	12.07
2008–09	67	—	238	—	60	16.8	3.6	8.00
2009–10	19	95	21	—	124	8.1	1.1	15.00
2010–11	33	200	76	—	71	14.0	2.3	15.00
2011–12	11	221	14	29	135	7.4	3.9	8.25
2012–13	17	137	17	0	156	6.4	1.0	14.48
2013–14	13	206	17	17	230	4.3	2.6	13.51
2014–15	25	285	114	0	65	15.5	4.6	9.80
2015–16	33	321	55	4	145	6.9	1.8	6.09
2016–17	8	63	50	0	20	50.5	6.3	5.51
2017–18	23	155	47	7	130	7.7	2.3	8.65
2018–19	15	115	69	0	41	24.5	4.6	—
2019–20	6	68	8	0	205	4.9	1.3	—
2020–21	13	26	20	0	87	11.5	1.5	—
2021–22	0	45	0	0	—	—	0.0	—
2022–23	3	20	3	0	210	4.8	1.0	—
2023–24	64	0	8	—	0.0	0.0	64	—
2024–25	8	8	0	0	—	0.0	0.0	—
Average	25	127	49	5	108	22.2	2.3	10.32

*Trappers and skunks per trapper include hunters and their harvest. Set-days per skunk and skunks per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide spotted skunk* harvest trends, Utah 2005–2025.



*Prior to 2005–06, spotted skunk harvest and trapping activity were combined with striped skunk.

STRIPED SKUNK

Statewide striped skunk harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / skunk	Skunks / 1000 set-days	Skunks / trapper	Pelt price (\$)
1982–83	140	—	1540	—	20	49.9	11.0	3.00
1983–84	144	—	1262	—	45	22.0	8.8	2.85
1984–85	111	—	1097	—	43	23.3	9.9	2.17
1985–86	195	—	1741	—	34	29.1	8.9	—
1986–87	188	—	1851	—	23	43.6	9.8	—
1987–88	185	—	2404	—	14	70.2	13.0	1.05
1988–89	132	—	966	—	19	52.5	7.3	0.30
1989–90	173	—	1289	—	16	63.6	7.5	0.30
1990–91	82	—	645	—	13	78.8	7.9	0.30
1991–92	151	—	1037	—	18	55.2	6.9	4.00
1992–93	132	—	922	—	32	31.1	7.0	5.30
1993–94	175	—	1465	—	16	63.2	8.4	7.35
1994–95	183	—	1438	—	17	58.1	7.9	9.29
1995–96	175	—	1753	—	12	84.9	10.0	6.63
1996–97	142	—	1726	—	15	67.1	12.2	6.00
1997–98	182	—	2890	—	12	80.2	15.9	4.11
1998–99	219	—	3227	—	18	55.1	14.7	5.67
1999–00	188	—	2730	—	19	52.3	14.5	8.50
2000–01	220	—	3857	—	29	34.0	17.5	8.69
2001–02	214	—	1798	—	56	17.8	8.4	6.79
2002–03	237	—	1732	—	42	23.7	7.3	4.24
2003–04	295	—	2305	—	52	19.3	7.8	10.00
2004–05	280	—	4264	—	35	28.7	15.2	4.64
2005–06	95	—	1043	—	79	12.6	11.0	5.37
2006–07	138	—	—	—	—	—	—	6.07
2007–08	144	—	848	—	24	41.0	5.9	4.52
2008–09	143	—	1697	—	36	27.6	11.9	3.15
2009–10	124	1632	1638	—	33	30.0	13.2	6.47
2010–11	154	1136	1597	—	29	35.0	10.4	5.29
2011–12	107	916	602	160	15	65.0	7.1	4.55
2012–13	137	1159	1241	65	108	9.3	9.5	5.01
2013–14	108	1272	654	44	46	21.8	6.5	6.96
2014–15	82	1230	645	16	72	13.9	8.1	4.94
2015–16	111	818	1187	206	60	16.6	12.5	4.40
2016–17	65	727	521	3	45	22.4	8.1	5.95
2017–18	115	919	1198	373	43	23.2	13.7	6.16
2018–19	63	430	1052	82	90	11.1	18.0	12.15
2019–20	70	607	562	83	51	19.6	9.2	9.60
2020–21	94	573	632	46	189	5.3	7.2	—


*Trappers and skunks per trapper include hunters and their harvest. Set-days per skunk and skunks per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide striped skunk harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / skunk	Skunks / 1000 set-days	Skunks / trapper	Pelt price (\$)
2021–22	55	741	987	0	61	16.3	18.0	—
2022–23	71	289	717	30	28	36.4	12.5	—
2023–24	64	296	303	19	27	36.9	6.7	10.81
2024–25	42	304	75	4	116	8.6	2.0	14.00
Average	142	816	1456	81	42	37.1	10.2	5.70

*Trappers and skunks per trapper include hunters and their harvest. Set-days per skunk and skunks per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide striped skunk* harvest trends, Utah 1982–2025.



*Prior to 2005–06, harvest and trapping activity included both striped skunk and spotted skunk.

WEASEL

Statewide weasel harvest statistics*, Utah 1982–2025.

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / weasel	Weasels / 1000 set-days	Weasels / trapper	Pelt price (\$)
1982–83	19	—	59	—	16	61.5	3.1	1.00
1983–84	22	—	33	—	117	8.5	1.5	0.00
1984–85	46	—	75	—	106	9.4	1.6	0.75
1985–86	33	—	67	—	149	6.7	2.0	0.00
1986–87	50	—	123	—	42	23.6	2.5	1.50
1987–88	61	—	212	—	28	36.1	3.5	1.18
1988–89	24	—	91	—	9	115.0	3.8	0.25
1989–90	25	—	33	—	166	6.0	1.3	0.25
1990–91	14	—	31	—	40	24.8	2.2	0.30
1991–92	17	—	19	—	9	113.1	1.1	0.30
1992–93	24	—	28	—	10	98.6	1.2	0.30
1993–94	20	—	31	—	7	149.0	1.6	5.11
1994–95	18	—	13	—	1189	0.8	0.7	1.57
1995–96	24	—	299	—	69	14.6	12.5	3.08
1996–97	11	—	13	—	24	41.7	1.2	7.40
1997–98	20	—	28	—	111	9.0	1.4	3.03
1998–99	15	—	33	—	157	6.4	2.2	5.50
1999–00	34	—	66	—	16	62.4	1.9	—
2000–01	36	—	155	—	34	29.3	4.3	8.50
2001–02	6	—	13	—	0	—	2.2	—
2002–03	6	—	3	—	39	25.4	0.5	4.76
2003–04	18	—	58	—	73	13.8	3.2	—
2004–05	25	—	85	—	23	43.9	3.4	2.90
2005–06	41	—	190	—	43	23.3	4.6	—
2006–07	49	—	—	—	—	—	—	6.26
2007–08	11	—	15	—	39	25.6	1.3	2.99
2008–09	14	—	11	—	22	44.9	0.8	—
2009–10	29	13	47	—	196	5.1	1.6	7.64
2010–11	23	20	17	—	78	12.8	0.7	7.21
2011–12	25	4	0	21	—	0.0	0.8	4.58
2012–13	27	21	110	0	87	11.5	4.1	—
2013–14	3	10	3	0	12	83.3	1.0	5.00
2014–15	13	13	63	0	51	19.7	4.8	3.89
2015–16	26	15	11	4	258	3.9	0.6	3.06
2016–17	29	8	228	0	93	10.7	7.9	3.55
2017–18	19	7	12	2	1795	0.6	0.7	1.00
2018–19	11	26	139	2	27	37.0	12.8	—
2019–20	2	4	10	0	24	41.7	5.0	9.18
2020–21	16	3	7	0	233	4.3	0.4	—


*Trappers and weasels per trapper include hunters and their harvest. Set-days per weasel and weasels per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide weasel harvest statistics*, Utah 1982–2025 (continued).

Trap year	Trappers afield	Incidental harvest	Trap harvest	Hunt harvest	Set-days / weasel	Weasels / 1000 set-days	Weasels / trapper	Pelt price (\$)
2021–22	15	0	122	0	159	6.3	8.2	—
2022–23	17	0	229	0	7	136.0	13.6	—
2023–24	8	0	0	0	—	0.0	0.0	—
2024–25	17	17	50	4	42	24.1	4.0	—
Average	22	10	67	2	140	33.9	3.1	3.29

*Trappers and weasels per trapper include hunters and their harvest. Set-days per weasel and weasels per 1000 set-days are based only on trapping activity, and do not include hunt harvest or hunter-days afield.

Statewide weasel harvest trends, Utah 1982–2025.



APPENDIX: UTAH FURBEARER MANAGEMENT ECOREGIONS

