

# UTAH FURBEARER HARVEST REPORT

## 1999-2000 to 2004-2005



Craig Johnson

Publication No. 05-30



# **Utah Furbearer Harvest Report 1999-2000 to 2004-2005**

Prepared by:

**Heather Hill**  
Wildlife Biologist

and

**Kevin Bunnell**  
Mammals Program Coordinator

Publication No. 05-30

Annual Performance Report for Federal Aid Project W-150-R-9 and 10  
Annual Performance Report for Federal Aid Project W-65-M-50, 51, 52, and 53

State of Utah  
Department of Natural Resources  
DIVISION OF WILDLIFE RESOURCES

**John Kimball**  
Director, 1999-2001

**Kevin Conway**  
Director, 2002-2004

**Miles Moretti**  
Acting Director, 2004-2005

**James F. Karpowitz**  
Director, 2005



## TABLE OF CONTENTS

Utah Furbearer Management Units .....	i
Definitions .....	ii
Introduction .....	1
Methods .....	1
Results .....	2
Harvest by Species .....	10
Badger .....	11
Beaver .....	19
Bobcat .....	27
Coyote .....	41
Gray Fox .....	49
Kit Fox .....	57
Red Fox .....	64
Marten .....	72
Mink .....	73
Muskrat .....	79
Raccoon .....	87
Ringtail .....	95
Skunk .....	103
Weasel .....	111




Figure 1. Utah furbearer management units.

## DEFINITIONS

**Trap year:** Year during which a particular trapping season ended. For example, for simplification in figures, trap year 2000 corresponds to the 1999-2000 furbearer season as outlined in the 1999-2000 Furbearer Proclamation.

**Total trappers:** Number of furbearer license holders who trapped furbearers during a particular trap year. License holders who took furbearers by means other than trapping, including shooting or with the aid of dogs, are included in this figure, unless specified otherwise.

**Total harvest:** Number of furbearers of a particular species taken by means of trapping and hunting by furbearer license holders. This figure does not include harvest of unprotected wildlife, such as coyote, muskrat, red fox, raccoon, or striped skunk, by persons who did not purchase a furbearer license, nor does it include harvest of furbearers taken for creating a nuisance or causing damage.

**Total set-days:** Number of traps set during the furbearer season for the trapping of a particular species, multiplied by the number of days these traps were in the field. This figure pertains only to trapping, and does not include days afield by furbearer hunters or pursuers.

**Pelt price:** Average price paid for pelts of a specific furbearer species harvested in Utah, obtained mainly from a summary of the prices bid at the Utah Trappers Association fur auction, as well as prices from a survey of registered furdealers buying pelts harvested in Utah.

**Wildlife Services harvest (coyote only):** Number of coyotes killed by USDA-APHIS Wildlife Services in a particular year. Wildlife Services yearly harvest summaries apply to their fiscal year, which begins October 1 and ends September 30, although most harvest takes place during the spring.

## INTRODUCTION

The furbearer harvest report presents furbearer harvest and trapper/hunter effort trends across the state of Utah, based on data collected from furbearer trappers and hunters. This report represents the furbearer portion of the Annual Performance Reports for Federal Aid project W-150-R, segments 9 and 10, grant agreement periods July 1, 1999 through June 30, 2000, and July 1, 2000 through June 30, 2001, respectively, and Federal Aid Project W-65-M, segments 50, 51, 52, and 53, grant agreement periods October 1, 2001 through December 31, 2002, January 1, 2003 through September 30, 2003, October 1, 2003 through September 30, 2004, and October 1, 2004 through September 30, 2005, respectively. These Federal Aid projects cover trapping seasons 1999-2000, 2000-2001, 2001-2002, 2002-2003, 2003-2004, and 2004-2005. In addition, this report presents statewide trends since the early 1980s and population trend indicators for bobcats as well as estimated economic value of Utah's furbearer harvest each year. Furbearer harvest and trapper/hunter effort may be more driven by pelt price than by availability, so annual fur harvest should not be used as the sole means to assume/project population sizes.

### Bag Limits and Season Dates

Furbearers include badger, beaver, bobcat, gray fox, red fox, mink, marten, ringtail, spotted skunk, and weasel, and a furbearer license is required to harvest any of these species, during the specified harvest season (Table 1). An additional permit is required to harvest bobcat or marten. Coyote, muskrat, red fox, raccoon, and striped skunk are not under the jurisdiction of the Division, and/or are unprotected. These species may be taken year-round without a license; therefore, results presented in this report do not include harvest by persons who did not purchase a furbearer license. It is prohibited to take black-footed ferret, fisher, lynx, otter, wolf, and wolverine. There are no bag limits for furbearers, except bobcats (Table 1).

Table 1. Bag limits and season dates for furbearer harvest, 1999-2000 through 2004-2005.

Season	Bobcat Possession Limits	Coyote, Red Fox, Muskrat, Raccoon, Striped Skunk	Season Dates			
			Badger, Kit Fox, Gray Fox, Ringtail, Spotted Skunk, Weasel	Beaver and Mink	Bobcat	Marten
1999-00	7	Year-round	10/14/99 to 2/17/00	10/14/99 to 4/20/00	11/23/99 to 2/17/00	11/23/99 to 2/17/00
2000-01	8	Year-round	10/14/00 to 2/18/01	10/14/00 to 4/22/01	11/22/00 to 2/18/01	10/14/00 to 2/18/01
2001-02	8	Year-round	10/13/01 to 2/17/02	10/13/01 to 4/21/02	11/21/01 to 2/17/02	10/13/01 to 2/17/02
2002-03	8	Year-round	10/12/02 to 2/16/03	10/12/02 to 4/20/03	11/20/02 to 2/16/03	10/12/02 to 2/16/03
2003-04	6	Year-round	10/11/03 to 2/15/04	10/11/03 to 4/19/04	11/19/03 to 2/15/04	10/11/03 to 2/15/04
2004-05	6	Year-round	10/09/04 to 2/13/05	10/09/04 to 4/17/05	11/17/04 to 2/13/05	10/09/04 to 2/13/05

## METHODS

### Furbearer Harvest Questionnaire

Furbearer harvest questionnaires were mailed to all furbearer license holders at the end of each trapping season, and values derived from these questionnaires were corrected to an 100% response rate. The greater the response rate, the greater the accuracy of these projections. Additionally, the accuracy of this questionnaire was based on the following assumptions: (1) the returned questionnaire sample was a random sample, i.e. there was no response bias by those who harvested successfully versus those who did not, (2) respondents recorded or remembered data accurately, and did not guess or lie, and (3) respondents clearly understood the questionnaire.

Projection factors were determined by dividing the total number of furbearer licensees for that trap year by the number of usable questionnaire responses, and a single projection factor was used for all species. It was required by proclamation that the pelts of all bobcats and marten harvested in Utah be brought to a Division office or officer

to have a permanent tag attached and to surrender the lower jaw. Bobcat and marten harvest data presented in this report, such as county of kill and sex of harvest, were collected at this time; therefore, this information is not projected. Additional information on bobcat harvest, such as method of take, number of sets, and number of days, was ascertained from the mail questionnaire and multiplied by the projection factor. This information is not presented for marten harvest, due to the very small sample size obtained from the mail questionnaire for this species.

### **Bobcat Age Determination and Other Data Methods**

To determine age structure of the bobcat harvest, a canine tooth from each bobcat jaw was sectioned, and cementum annuli counted, by Matson's Lab in Milltown, Montana. Survival rates were estimated using the Chapman-Robson estimator. Pelt prices were obtained mainly from a summary of the prices bid at the Utah Trappers Association fur auction, as well as from a survey of registered furdealers buying pelts harvested in Utah. No data has been screened or removed, such as harvest reported for species in counties where their presence is unlikely.

## **RESULTS**

### **License Sales and Questionnaire Returns**

Furbearer license sales in 2004-2005 were at their highest since 1982 (Table 2). However, questionnaire returns during the last six years have all been below the average number of questionnaire returns since 1982 (45.6%). During 2004-2005, 18% furbearer license holders reported that they did not attempt to harvest a furbearer during the season, which is slightly higher than the average of 16%.

Table 2. Summary of furbearer license sales and questionnaire returns, 1982-1983 through 2004-2005.

Trap Year	Furbearer Licenses Sold			Questionnaires Returned		Projection Factor	Percent License Holders Not Afield
	Resident	Nonresident	Total	Total	Percent		
1982-1983	--	--	1,325	664	50.1%	--	--
1983-1984	--	--	1,367	616	45.1%	--	--
1984-1985	--	--	1,491	806	54.1%	--	--
1985-1986	--	--	1,424	680	47.8%	--	--
1986-1987	--	--	1,342	585	43.6%	--	--
1987-1988	--	--	1,576	731	46.4%	--	--
1988-1989	--	--	1,318	721	54.7%	--	--
1989-1990	--	--	1,084	597	55.1%	--	--
1990-1991	--	--	949	513	56.0%	--	30%
1991-1992	--	--	1,210	689	56.9%	--	2%
1992-1993	--	--	1,426	857	60.1%	--	16%
1993-1994	--	--	1,315	--	--	--	--
1994-1995	--	--	1,287	585	45.5%	--	7%
1995-1996	--	--	1,240	683	55.1%	--	21%
1996-1997	--	--	1,131	606	53.6%	--	25%
1997-1998	--	--	1,190	498	41.0%	--	20%
1998-1999	--	--	1,191	395	33.0%	--	20%
1999-2000	1,172	39	1,211	458	37.8%	2.644105	12%
2000-2001	1,204	20	1,224	420	34.3%	2.914286	12%
2001-2002	956	21	977	302	30.9%	3.235099	12%
2002-2003	1,409	40	1,449	514	35.5%	2.819066	16%
2003-2004	1,729	47	1,776	597	33.6%	2.974874	17%
2004-2005	1,830	65	1,895	615	32.5%	3.081301	18%
Average	1,383	39	1,322	597	45.6%	2.944789	16%

### Furbearer Harvest Statistics

Projected furbearer harvest declined each year between 1998-1999 and 2002-2003 and increased in 2003-2004 and 2004-2005 (Table 3). However, muskrat harvest contributed the most to the furbearer harvest, some years more than one half, so by excluding muskrats, projected furbearer harvest during the last ten years has tended to increase.

Table 3. Projected furbearer trapper harvest by species, 1995-1996 through 2004-2005.

Furbearer Species	Year Trapping Season Ended										Average 1996-2005
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	
Badger	276	222	271	318	433	450	275	541	453	432	367
Beaver	1,530	1,299	2,896	2,950	1,830	1,992	1,689	1,720	1,781	2,664	2,035
Bobcat	896	866	1,234	2,092	1,430	2,008	1,866	2,176	2,027	1,954	1,655
Coyote	4,372	4,017	3,228	4,337	3,510	4,966	4,354	5,446	6,660	7,173	4,806
Gray Fox	828	367	389	870	925	1,159	1,326	1,942	1,749	942	1,050
Kit Fox	218	162	96	168	183	161	171	302	638	259	236
Red Fox	4,115	4,274	3,744	5,600	4,900	5,330	3,192	4,399	4,639	4,674	4,487
Marten	0	2	0	6	0	6	22	5	0	0	4
Mink	529	269	337	345	419	468	284	268	673	317	391
Muskrat	26,260	23,371	26,907	21,895	21,086	10,376	14,979	6,334	10,777	15,016	17,700
Raccoon	2,914	4,228	4,989	7,765	5,317	5,678	3,785	4,001	5,634	6,405	5,072
Ringtail	136	46	57	138	101	118	101	115	96	127	104
Skunk	1,753	1,726	2,890	3,227	2,730	3,857	1,798	1,732	2,305	4,264	2,628
Weasel	299	13	28	33	66	155	13	3	58	85	75
Total	44,126	40,862	47,066	49,744	42,930	36,724	33,855	28,984	37,490	44,312	40,609
Total Minus Muskrat	17,866	17,491	20,159	27,849	21,844	26,348	18,876	22,650	26,713	29,296	22,909

### 1999-2000 Furbearer Harvest Statistics

Projected harvest for 1999-2000 was 42,930 furbearers (Table 4). This was down from the previous year's 49,744 furbearers. Projected harvest of badger, gray fox, kit fox, mink, and weasel were all higher than the previous year's harvest, while projected harvest of beaver, bobcat (actual harvest), coyote, red fox, marten, muskrat, raccoon, ringtail, and skunk were lower. Trapper pressure (set-days per furbearer) was higher in 1999-2000 than the previous year for coyote, red fox, muskrat, raccoon, and skunk, and lower than the previous year for badger, beaver, bobcat, gray fox, kit fox, mink, ringtail, and weasel.

Table 4. Summary of furbearer harvest statistics, 1999-2000.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	177	433	27,896	2.45	64.42	15.52	\$13.04
Beaver	185	1,830	23,342	9.89	12.76	78.40	\$10.98
Bobcat	828	1,430	238,152	1.73	166.54	6.00	\$82.64
Coyote	473	3,510	221,078	7.42	62.99	15.88	\$19.14
Gray Fox	140	925	54,044	6.61	58.43	17.12	\$6.62
Kit Fox	66	183	20,890	2.77	114.15	8.76	\$2.90
Red Fox	420	4,900	216,141	11.67	44.11	22.67	\$14.19
Marten	5	0	--	--	--	--	--
Mink	61	419	14,408	6.87	34.39	29.08	\$6.07
Muskrat	151	21,086	137,152	139.64	6.50	153.74	\$1.00
Raccoon	349	5,317	178,583	15.23	33.59	29.77	\$5.67
Ringtail	61	101	9,432	1.66	93.39	10.71	\$7.03
Skunk	188	2,730	52,166	14.52	19.11	52.33	\$8.50
Weasel	34	66	1,058	1.94	16.03	62.38	--
Total	1,071*	42,930	1,194,342	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

### 2000-2001 Furbearer Harvest Statistics

Projected harvest for 2000-2001 was 36,724 furbearers (Table 5). This was down from the previous year's 42,930 furbearers. However, projected harvest for all species, except kit fox and muskrat, were higher than the previous year. Trapper pressure (set-days per furbearer) was higher in 2000-2001 than the previous year for all furbearer species, except coyote and raccoon.

Table 5. Summary of furbearer harvest statistics, 2000-2001.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	189	450	65,997	2.38	146.66	6.82	\$17.18
Beaver	170	1,992	36,406	11.72	18.28	54.72	\$10.32
Bobcat	852	2,008	399,609	2.36	199.01	5.02	\$93.56
Coyote	456	4,966	286,619	10.89	57.72	17.33	\$14.39
Gray Fox	187	1,159	117,117	6.20	101.05	9.90	\$8.00
Kit Fox	51	161	36,574	3.16	227.17	4.40	\$6.13
Red Fox	375	5,330	279,449	14.21	52.43	19.07	\$16.92
Marten	--	6	--	--	--	--	--
Mink	51	468	6,875	9.18	14.69	68.07	\$4.92
Muskrat	108	10,376	148,608	96.07	14.32	69.82	\$1.58
Raccoon	327	5,678	162,999	17.36	28.71	34.83	\$5.16
Ringtail	51	118	22,886	2.31	193.95	5.16	\$6.00
Skunk	220	3,857	113,545	17.53	29.44	33.97	\$8.69
Weasel	36	155	5,288	4.31	34.12	29.31	\$8.50
Total	1,072*	36,724	1,681,972	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

## 2001-2002 Furbearer Harvest Statistics

Projected harvest for 2001-2002 was 33,855 furbearers (Table 6). This was down from the previous year's 36,724 furbearers. Projected harvest for all furbearer species, except gray fox, kit fox, marten (actual harvest), and muskrat, were lower than the previous year. Trapper pressure (set-days per furbearer) was higher in 2001-2002 than the previous year for all furbearer species, except beaver, bobcat, gray fox, and muskrat.

Table 6. Summary of furbearer harvest statistics, 2001-2002.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	137	275	79,151	2.01	287.82	3.47	\$15.60
Beaver	143	1,689	26,199	11.81	15.51	64.47	\$10.85
Bobcat	666	1,866	342,678	2.80	183.64	5.45	\$147.66
Coyote	399	4,354	299,757	10.91	68.85	14.53	\$16.17
Gray Fox	154	1,326	129,687	8.61	97.80	10.22	\$11.58
Kit Fox	52	171	39,215	3.29	229.33	4.36	\$10.72
Red Fox	379	3,192	188,572	8.42	59.08	16.93	\$24.48
Marten	11	22	--	--	--	--	--
Mink	30	284	15,076	9.47	53.08	18.84	\$5.20
Muskrat	115	14,979	178,362	130.25	11.91	83.98	\$2.60
Raccoon	321	3,785	121,253	11.79	32.04	31.22	\$8.04
Ringtail	40	101	23,803	2.53	235.67	4.24	\$10.29
Skunk	214	1,798	100,936	8.40	56.14	17.81	\$6.79
Weasel	6	13	--	2.17	--	--	--
Total	864*	33,855	1,544,689	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

## 2002-2003 Furbearer Harvest Statistics

Projected harvest for 2002-2003 was 28,984 furbearers (Table 7). This was down from the previous year's 33,855 furbearers. Projected harvest for all furbearer species, except marten (actual harvest), mink, muskrat, skunk, and weasel, were higher than the previous year. Trapper pressure (set-days per furbearer) was higher in 2001-2002 than the previous year for all furbearer species, except badger, kit fox, mink, muskrat, raccoon, ringtail, skunk, and weasel.

Table 7. Summary of furbearer harvest statistics, 2002-2003.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	234	541	89,476	2.31	165.39	6.05	\$13.73
Beaver	175	1,720	84,755	9.83	49.28	20.29	\$9.47
Bobcat	984	2,176	593,692	2.21	272.84	3.67	\$270.33
Coyote	572	5,446	411,778	9.52	75.61	13.23	\$32.62
Gray Fox	299	1,942	225,810	6.49	116.28	8.60	\$12.47
Kit Fox	90	302	66,826	3.36	221.28	4.52	\$5.44
Red Fox	482	4,399	335,863	9.13	76.35	13.10	\$28.19
Marten	12	5	--	--	--	--	--
Mink	59	268	4,481	4.54	16.72	59.81	\$2.07
Muskrat	135	6,334	55,261	46.92	8.72	114.62	\$1.59
Raccoon	378	4,001	104,282	10.58	26.06	38.37	\$5.62
Ringtail	56	115	54,456	2.05	473.53	2.11	\$5.20
Skunk	237	1,732	72,927	7.31	42.11	23.75	\$4.24
Weasel	6	3	118	0.50	39.33	25.42	\$4.76
Total	1,212*	28,984	2,099,725	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

### 2003-2004 Furbearer Harvest Statistics

Projected harvest for 2003-2004 was 37,490 furbearers (Table 8). This was up from the previous year's 28,984 furbearers. Projected harvest of beaver, coyote, kit fox, red fox, mink, muskrat, raccoon, skunk, and weasel were all higher than the previous year's harvest, while projected harvest of badger, bobcat (actual harvest), gray fox, marten, and ringtail were lower. Trapper pressure (set-days per furbearer) was higher in 2003-2004 than the previous year for all furbearer species except kit fox, red fox, and ringtail.

Table 8. Summary of furbearer harvest statistics, 2003-2004.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	223	453	154,343	2.03	340.71	2.94	\$18.72
Beaver	232	1,781	97,791	7.68	54.91	18.21	\$14.10
Bobcat	1,133	2,027	701,383	1.79	346.02	2.89	\$203.17
Coyote	699	6,660	607,414	9.53	91.20	10.96	\$25.74
Gray Fox	265	1,749	223,814	6.60	127.97	7.81	\$10.84
Kit Fox	83	638	61,572	7.69	96.51	10.36	\$5.38
Red Fox	568	4,639	329,026	8.17	70.93	14.10	\$18.07
Marten	18	0	--	--	--	--	--
Mink	59	673	49,004	11.41	72.81	13.73	\$8.00
Muskrat	176	10,777	139,915	61.23	12.98	77.03	\$1.57
Raccoon	434	5,634	210,607	12.98	37.38	26.75	\$10.63
Ringtail	42	96	21,380	2.29	222.71	4.49	\$6.83
Skunk	295	2,305	119,328	7.81	51.77	19.32	\$10.00
Weasel	18	58	4,215	3.22	72.67	13.76	--
Total	1,476*	37,490	2,719,792	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

## 2004-2005 Furbearer Harvest Statistics

Projected harvest for 2004-2005 was 44,312 furbearers (Table 9). This was up from the previous year's 37,490 furbearers. Projected harvest of beaver, coyote, red fox, muskrat, raccoon, ringtail, skunk, and weasel were all higher than the previous year's harvest, while projected harvest of badger, bobcat (actual harvest), gray fox, kit fox, and mink were lower. Trapper pressure (set-days per furbearer) was lower in 2004-2005 than the previous year for all furbearer species except kit fox, red fox, and muskrat.

Table 9. Summary of furbearer harvest statistics, 2004-2005.

Furbearer Species	Projected Trappers	Projected Harvest	Projected Set-days	Furbearer per Trapper	Set-days per Furbearer	Furbearer per 1,000 Set-days	Pelt Price
Badger	203	432	79,629	2.13	184.33	5.43	\$13.66
Beaver	200	2,664	65,401	13.32	24.55	40.73	\$13.91
Bobcat	1,300	1,954	462,019	1.50	236.45	4.23	\$221.65
Coyote	699	7,173	561,144	10.26	78.23	12.78	\$20.10
Gray Fox	203	942	94,102	4.64	99.90	10.01	\$13.81
Kit Fox	89	259	49,454	2.91	190.94	5.24	\$8.98
Red Fox	545	4,674	479,042	8.58	102.49	9.76	\$18.86
Marten	12	0	--	--	--	--	--
Mink	68	317	11,540	4.66	36.40	27.47	\$8.98
Muskrat	151	15,016	282,593	99.44	18.82	53.14	\$1.57
Raccoon	391	6,405	225,776	16.38	35.25	28.37	\$6.54
Ringtail	59	127	20,966	2.15	165.09	6.06	\$11.12
Skunk	280	4,264	148,611	15.23	34.85	28.69	\$4.64
Weasel	25	85	1,935	3.40	22.76	43.93	\$2.90
Total	1,554*	44,312	2,482,212	--	--	--	--

\*Projected furbearer permit holders afield during the trapping season.

### Pelt Price and Economic Value

The projected economic value of Utah's furbearer harvest during the past three years has reached a level not seen since the early 1980's (Figures 2 & 3). This is primarily because of the increase in bobcat pelt revenue due to increasing pelt price. Table 10 summarizes projected economic value of Utah's furharvest by species from 1982-83 through 2004-05.




Figure 2. Projected economic value of Utah's furbearer harvest, 1982-1983 through 2004-2005.




Figure 3. Proportional average value of Utah's furbearer harvest by species, 1982-1983 through 2004-2005.

Table 10. Projected value\* (in dollars) of furbearer species in Utah's annual fur harvest, 1982-1983 through 2004-2005.

Trap Year	Badger	Beaver	Bobcat	Coyote	Gray Fox	Kit Fox	Red Fox	Marten	Mink	Muskrat	Raccoon	Ringtail	Skunk**	Species		Projection for Year
														Species		
1982-1983	\$5,945	\$20,418	\$434,340	\$203,240	\$37,352	\$7,244	\$16,391	\$10	\$4,394	\$119,096	\$10,526	\$1,430	\$4,620	\$59	\$865,064	
1983-1984	\$4,794	\$25,211	\$498,960	\$152,358	\$34,353	\$8,369	\$14,869	\$1,680	\$3,460	\$136,033	\$11,105	\$1,497	\$3,597	\$0	\$896,285	
1984-1985	\$6,794	\$43,796	\$511,464	\$193,809	\$48,147	\$7,272	\$32,220	\$288	\$4,948	\$133,589	\$18,208	\$794	\$22,126	\$56	\$1,023,511	
1985-1986	\$1,964	\$47,463	\$301,410	\$95,322	\$21,147	\$4,568	\$21,386	\$2,783	\$5,022	\$72,903	\$13,751	\$433	\$0	\$0	\$588,152	
1986-1987	\$3,239	\$93,684	\$316,416	\$106,417	\$36,848	\$5,415	\$49,262	\$565	\$8,802	\$157,919	\$30,439	\$746	\$0	\$185	\$869,938	
1987-1988	\$2,772	\$69,184	\$250,635	\$107,590	\$35,779	\$5,751	\$34,765	\$2,000	\$12,703	\$144,058	\$24,645	\$643	\$2,524	\$250	\$693,300	
1988-1989	\$1,943	\$27,264	\$230,282	\$27,104	\$14,837	\$4,488	\$16,070	\$310	\$9,129	\$46,760	\$23,932	\$1,060	\$290	\$23	\$403,492	
1989-1990	\$1,749	\$40,991	\$85,986	\$28,913	\$5,825	\$1,164	\$17,550	\$0	\$7,018	\$15,039	\$14,242	\$350	\$387	\$8	\$219,223	
1990-1991	\$1,250	\$10,066	\$45,849	\$20,892	\$2,060	\$869	\$12,636	\$0	\$3,437	\$6,463	\$5,375	\$347	\$194	\$9	\$109,446	
1991-1992	\$2,015	\$13,338	\$100,672	\$65,100	\$2,762	\$520	\$39,194	\$0	\$4,924	\$31,275	\$10,729	\$708	\$4,148	\$6	\$275,390	
1992-1993	\$2,308	\$7,399	\$105,390	\$57,740	\$22,988	\$821	\$31,635	\$0	\$2,850	\$13,715	\$4,757	\$425	\$4,887	\$8	\$234,924	
1993-1994	\$1,709	\$16,888	\$148,962	\$128,971	\$8,244	\$1,412	\$74,511	\$0	\$3,970	\$42,502	\$15,768	\$259	\$10,768	\$158	\$454,120	
1994-1995	\$4,555	\$32,270	\$90,536	\$65,890	\$7,417	\$3,425	\$67,159	\$0	\$2,933	\$49,362	\$18,332	\$1,019	\$13,359	\$20	\$356,277	
1995-1996	\$2,904	\$20,502	\$71,241	\$67,722	\$8,818	\$1,363	\$74,399	\$0	\$5,502	\$54,883	\$23,516	\$947	\$11,622	\$613	\$344,032	
1996-1997	\$2,888	\$27,474	\$127,995	\$75,238	\$4,257	\$1,097	\$74,710	\$0	\$2,946	\$83,902	\$56,444	\$537	\$10,356	\$96	\$467,939	
1997-1998	\$1,786	\$39,328	\$75,138	\$34,862	\$3,019	\$336	\$42,345	\$0	\$1,958	\$54,083	\$49,790	\$170	\$11,878	\$85	\$314,778	
1998-1999	\$5,393	\$27,642	\$116,859	\$46,840	\$6,055	\$1,228	\$50,120	\$43	\$2,453	\$37,878	\$38,437	\$575	\$18,297	\$182	\$352,002	
1999-2000	\$5,646	\$20,093	\$118,175	\$67,181	\$6,124	\$531	\$69,531	\$0	\$2,543	\$21,086	\$30,147	\$710	\$23,205	--	\$364,973	
2000-2001	\$7,731	\$20,557	\$187,868	\$71,461	\$9,272	\$987	\$90,184	--	\$2,303	\$16,394	\$29,298	\$708	\$33,517	\$1,318	\$471,598	
2001-2002	\$4,290	\$18,326	\$275,534	\$70,404	\$15,355	\$1,833	\$78,140	--	\$1,477	\$38,945	\$30,431	\$1,039	\$12,208	--	\$547,983	
2002-2003	\$7,428	\$16,288	\$588,238	\$177,649	\$24,217	\$1,643	\$124,008	--	\$555	\$10,071	\$22,486	\$598	\$7,344	\$14	\$980,538	
2003-2004	\$8,480	\$25,112	\$411,826	\$171,428	\$18,959	\$3,432	\$83,827	\$0	\$5,384	\$16,920	\$59,889	\$656	\$23,050	\$0	\$828,964	
2004-2005	\$5,901	\$37,056	\$433,104	\$144,177	\$13,009	\$2,326	\$88,152	\$0	\$2,847	\$23,575	\$41,889	\$1,412	\$19,785	\$247	\$813,479	
Average	\$4,065	\$30,450	\$240,299	\$97,405	\$15,950	\$2,874	\$52,307	\$384	\$4,416	\$57,672	\$25,397	\$742	\$10,355	\$159	\$542,409	

\*Pelt price multiplied by total harvest for that species in that year.

\*\*Beginning in trap year 2000-2001, average striped skunk pelt price was used to calculate all skunk (spotted and striped skunk) total value.


\*\*\*Species with missing values, as indicated by a double dash, did contribute to Utah's annual furharvest, but either average pelt price or total harvest data was missing for calculation of total value.

## **HARVEST BY SPECIES**

## BADGER

Badger harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days	Pelt Price
1982-1983	250	725	85,622	2.90	118.10	8.47	\$8.20
1983-1984	188	560	118,858	2.98	212.25	4.71	\$8.56
1984-1985	225	670	152,179	2.98	227.13	4.40	\$10.14
1985-1986	194	496	90,234	2.56	181.92	5.50	\$3.96
1986-1987	198	424	62,035	2.14	146.31	6.83	\$7.64
1987-1988	212	459	38,624	2.17	84.15	11.88	\$6.04
1988-1989	204	417	38,836	2.04	93.13	10.74	\$4.66
1989-1990	207	366	29,175	1.77	79.71	12.54	\$4.78
1990-1991	81	172	8,636	2.12	50.21	19.92	\$7.27
1991-1992	134	237	16,863	1.77	71.15	14.05	\$8.50
1992-1993	148	232	17,631	1.57	76.00	13.16	\$9.95
1993-1994	143	238	44,779	1.66	188.15	5.31	\$7.18
1994-1995	182	327	25,082	1.80	76.70	13.04	\$13.93
1995-1996	133	276	12,869	2.08	46.63	21.45	\$10.52
1996-1997	118	222	11,897	1.88	53.59	18.66	\$13.01
1997-1998	98	271	22,378	2.71	82.58	12.11	\$6.59
1998-1999	135	318	37,220	2.36	117.04	8.54	\$16.96
1999-2000	177	433	27,896	2.45	64.42	15.52	\$13.04
2000-2001	189	450	65,997	2.38	146.66	6.82	\$17.18
2001-2002	137	275	79,151	2.01	287.82	3.47	\$15.60
2002-2003	234	541	89,476	2.31	165.39	6.05	\$13.73
2003-2004	223	453	154,343	2.03	340.71	2.94	\$18.72
2004-2005	203	432	79,629	2.13	184.33	5.43	\$13.66
Average	174	391	56,931	2.21	134.53	10.07	\$10.43



Summary of badger harvest by county and management unit, 1999-2000

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Box Elder	9	24	53	69	214	1,370	2.21	25.85	38.69
Iron	4	11	16	69	249	1,809	1.45	113.06	8.84
Juab	7	19	56	357	344	9,281	2.95	165.73	6.03
Millard	6	16	40	185	357	6,809	2.50	170.23	5.87
Tooele	9	24	29	16	333	190	1.21	6.55	152.63
<b>Great Basin Total</b>	<b>35</b>	<b>94</b>	<b>194</b>	<b>696</b>	<b>1,497</b>	<b>19,459</b>	<b>2.06</b>	<b>100.30</b>	<b>9.97</b>
Cache	2	5	16	61	90	1,618	3.20	101.13	9.89
Rich	1	3	5	0	0	0	1.67	0.00	0.00
Sanpete	3	8	53	58	66	640	6.63	12.08	82.81
Sevier	2	5	3	0	5	0	0.60	0.00	0.00
Summit	4	11	11	8	42	119	1.00	10.82	92.44
Utah	1	3	3	3	5	5	1.00	1.67	600.00
Wasatch	1	3	5	5	5	11	1.67	2.20	454.55
<b>Rocky Mountain Total</b>	<b>14</b>	<b>38</b>	<b>96</b>	<b>135</b>	<b>213</b>	<b>2,393</b>	<b>2.53</b>	<b>24.93</b>	<b>40.12</b>
Daggett	2	5	5	42	214	2,232	1.00	446.40	2.24
Duchesne	2	5	8	0	26	0	1.60	0.00	0.00
Uintah	3	8	24	53	79	1,586	3.00	66.08	15.13
<b>Uintah Basin Total</b>	<b>7</b>	<b>18</b>	<b>37</b>	<b>95</b>	<b>319</b>	<b>3,818</b>	<b>2.06</b>	<b>103.19</b>	<b>9.69</b>
Carbon	2	5	11	11	29	61	2.20	5.55	180.33
Emery	3	8	5	8	26	40	0.63	8.00	125.00
Grand	1	3	5	0	0	0	1.67	0.00	0.00
San Juan	3	8	13	8	50	63	1.63	4.85	206.35
Washington	1	3	5	40	79	1,190	1.67	238.00	4.20
Wayne	2	5	11	16	53	317	2.20	28.82	34.70
<b>Colorado Plateau Total</b>	<b>12</b>	<b>32</b>	<b>50</b>	<b>83</b>	<b>237</b>	<b>1,671</b>	<b>1.56</b>	<b>33.42</b>	<b>29.92</b>
Unknown	9	24	56	34	79	555	2.33	9.91	100.90
<b>Statewide Total**</b>	<b>67</b>	<b>177</b>	<b>433</b>	<b>1,043</b>	<b>2,345</b>	<b>27,896</b>	<b>2.45</b>	<b>64.42</b>	<b>15.52</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of badger harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Beaver	2	6	12	146	402	10,054	2.00	837.83	1.19
Box Elder	7	20	52	154	358	6,988	2.60	134.38	7.44
Iron	1	3	15	29	35	350	5.00	23.33	42.86
Juab	2	6	15	17	35	210	2.50	14.00	71.43
Millard	3	9	15	0	3	0	1.67	0.00	0.00
Tooele	3	9	12	17	87	93	1.33	7.75	129.03
<b>Great Basin Total</b>	<b>18</b>	<b>53</b>	<b>121</b>	<b>363</b>	<b>920</b>	<b>17,695</b>	<b>2.28</b>	<b>146.24</b>	<b>6.84</b>
Cache	4	12	20	3	61	61	1.67	3.05	327.87
Morgan	2	6	6	3	9	9	1.00	1.50	666.67
Piute	1	3	15	23	23	187	5.00	12.47	80.21
Rich	3	9	32	3	9	6	3.56	0.19	5,333.33
Sanpete	2	6	44	143	262	6,382	7.33	145.05	6.89
Seymour	6	17	35	321	554	14,047	2.06	401.34	2.49
Utah	2	6	9	20	9	23	1.50	2.56	391.30
Wasatch	1	3	3	0	12	0	1.00	0.00	0.00
<b>Rocky Mountain Total</b>	<b>21</b>	<b>62</b>	<b>164</b>	<b>516</b>	<b>939</b>	<b>20,715</b>	<b>2.65</b>	<b>126.31</b>	<b>7.92</b>
Daggett	1	3	3	0	0	0	1.00	0.00	0.00
Duchesne	1	3	6	3	87	87	2.00	14.50	68.97
Uintah	6	17	76	119	216	3,244	4.47	42.68	23.43
<b>Uintah Basin Total</b>	<b>8</b>	<b>23</b>	<b>85</b>	<b>122</b>	<b>303</b>	<b>3,331</b>	<b>3.70</b>	<b>39.19</b>	<b>25.52</b>
Carbon	1	3	3	0	0	0	1.00	0.00	0.00
Emery	3	9	9	6	26	26	1.00	2.89	346.15
Garfield	1	3	6	6	87	175	2.00	29.17	34.29
Kane	1	3	3	87	29	874	1.00	291.33	3.43
San Juan	3	9	9	87	262	7,869	1.00	874.33	1.14
Washington	2	6	6	248	350	14,863	1.00	2,477.17	0.40
Wayne	1	3	3	0	15	0	1.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>12</b>	<b>36</b>	<b>39</b>	<b>434</b>	<b>769</b>	<b>23,807</b>	<b>1.08</b>	<b>610.44</b>	<b>1.64</b>
Unknown	5	15	41	35	61	449	2.73	10.95	91.31
<b>Statewide Total**</b>	<b>64</b>	<b>189</b>	<b>450</b>	<b>1,470</b>	<b>2,992</b>	<b>65,997</b>	<b>2.38</b>	<b>146.66</b>	<b>6.82</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of badger harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Beaver	2	6	23	178	421	11,565	3.83	502.83	1.99
Box Elder	2	6	6	39	97	1,165	1.00	194.17	5.15
Iron	2	6	6	23	149	877	1.00	146.17	6.84
Millard	3	10	26	210	453	14,558	2.60	559.92	0.00
Tooele	6	19	26	26	110	776	1.37	29.85	33.51
<b>Great Basin Total</b>	<b>15</b>	<b>47</b>	<b>87</b>	<b>476</b>	<b>1,230</b>	<b>28,941</b>	<b>1.85</b>	<b>332.66</b>	<b>3.01</b>
Cache	1	3	6	0	0	0	2.00	0.00	0.00
Sanpete	1	3	6	16	6	32	2.00	5.33	187.50
Seyvier	3	10	23	49	165	1,106	2.30	48.09	20.80
Summit	1	3	3	0	0	0	1.00	0.00	0.00
<b>Rocky Mountain Total</b>	<b>6</b>	<b>19</b>	<b>38</b>	<b>65</b>	<b>171</b>	<b>1,138</b>	<b>2.00</b>	<b>29.95</b>	<b>33.39</b>
Duchesne	1	3	13	32	194	1,941	4.33	149.31	6.70
Uintah	3	10	29	55	155	1,585	2.90	54.66	18.30
<b>Uintah Basin Total</b>	<b>4</b>	<b>13</b>	<b>42</b>	<b>87</b>	<b>349</b>	<b>3,526</b>	<b>3.23</b>	<b>83.95</b>	<b>11.91</b>
Carbon	1	3	6	6	194	388	2.00	64.67	0.00
Emery	1	3	3	3	3	3	1.00	1.00	1,000.00
Garfield	1	3	3	49	129	1,941	1.00	647.00	1.55
Kane	3	10	19	372	395	12,940	1.90	681.05	1.47
San Juan	3	10	13	395	327	20,485	1.30	1,575.77	0.63
Washington	1	3	6	97	129	3,882	2.00	647.00	1.55
Wayne	1	3	3	3	19	19	1.00	6.33	157.89
<b>Colorado Plateau Total</b>	<b>11</b>	<b>35</b>	<b>53</b>	<b>925</b>	<b>1,196</b>	<b>39,658</b>	<b>1.51</b>	<b>748.26</b>	<b>1.34</b>
Unknown	7	23	55	91	210	5,888	2.39	107.05	9.34
<b>Statewide Total**</b>	<b>43</b>	<b>137</b>	<b>275</b>	<b>1,644</b>	<b>3,156</b>	<b>79,151</b>	<b>2.01</b>	<b>287.82</b>	<b>3.47</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of badger harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Beaver	3	8	28	6	310	62	3.50	2.21	451.61
Box Elder	6	17	25	23	203	564	1.47	22.56	44.33
Iron	8	23	51	104	620	6,202	2.22	121.61	8.22
Juab	3	8	8	169	273	12,601	1.00	1,575.13	0.63
Millard	4	11	6	76	206	3,047	0.55	507.83	1.97
Tooele	9	25	39	149	330	4,014	1.56	102.92	9.72
<b>Great Basin Total</b>	<b>33</b>	<b>92</b>	<b>157</b>	<b>527</b>	<b>1,942</b>	<b>26,490</b>	<b>1.71</b>	<b>168.73</b>	<b>5.93</b>
Cache	1	3	3	6	127	254	1.00	84.67	11.81
Morgan	1	3	17	11	70	282	5.67	16.59	60.28
Rich	3	8	28	28	282	564	3.50	20.14	49.65
Sanpete	1	3	0	0	0	0	0.00	0.00	0.00
Sevier	5	14	20	8	48	68	1.43	3.40	294.12
Summit	5	14	14	37	147	1,015	1.00	72.50	13.79
Utah	3	8	6	11	54	73	0.75	12.17	82.19
Wasatch	2	6	14	28	116	1,128	2.33	80.57	12.41
<b>Rocky Mountain Total</b>	<b>21</b>	<b>59</b>	<b>102</b>	<b>129</b>	<b>844</b>	<b>3,384</b>	<b>1.73</b>	<b>33.18</b>	<b>30.14</b>
Daggett	1	3	3	0	0	0	1.00	0.00	0.00
Duchesne	2	6	23	34	259	2,797	3.83	121.61	8.22
Uintah	9	25	85	313	569	13,873	3.40	163.21	6.13
<b>Uintah Basin Total</b>	<b>12</b>	<b>34</b>	<b>111</b>	<b>347</b>	<b>828</b>	<b>16,670</b>	<b>3.26</b>	<b>150.18</b>	<b>6.66</b>
Emery	1	3	14	0	248	0	4.67	0.00	0.00
Kane	2	6	14	296	282	15,505	2.33	1,107.50	0.90
San Juan	6	17	25	372	437	12,122	1.47	484.88	2.06
Washington	3	8	11	226	366	15,082	1.38	1,371.09	0.73
Wayne	4	11	90	34	37	223	8.18	2.48	403.59
<b>Colorado Plateau Total</b>	<b>16</b>	<b>45</b>	<b>154</b>	<b>928</b>	<b>1,370</b>	<b>42,932</b>	<b>3.42</b>	<b>278.78</b>	<b>3.59</b>
Unknown	6	17	17	0	25	0	1.00	0.00	0.00
<b>Statewide Total**</b>	<b>83</b>	<b>234</b>	<b>541</b>	<b>1,931</b>	<b>5,009</b>	<b>89,476</b>	<b>2.31</b>	<b>165.39</b>	<b>6.05</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of badger harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Beaver	4	12	36	95	654	5,593	3.00	155.36	6.44
Box Elder	5	15	18	155	336	8,934	1.20	496.33	2.01
Iron	6	18	33	235	794	13,833	1.83	419.18	2.39
Juab	1	3	3	0	3	0	1.00	0.00	0.00
Millard	6	18	45	184	583	9,246	2.50	205.47	4.87
Tooele	2	6	9	21	0	0	1.50	0.00	0.00
<b>Great Basin Total</b>	<b>24</b>	<b>72</b>	<b>144</b>	<b>690</b>	<b>2,370</b>	<b>37,606</b>	<b>2.00</b>	<b>261.15</b>	<b>3.83</b>
Morgan	2	6	12	184	199	10,751	2.00	895.92	1.12
Piute	2	6	21	119	268	10,710	3.50	510.00	1.96
Rich	2	6	30	36	134	625	5.00	20.83	48.00
Salt Lake	1	3	3	12	6	24	1.00	8.00	125.00
Sanpete	1	3	6	89	268	8,032	2.00	1,338.67	0.75
Sevier	5	15	15	229	544	20,089	1.00	1,339.27	0.75
Summit	2	6	6	21	3	0	1.00	0.00	0.00
Utah	5	15	12	116	170	2,207	0.80	183.92	5.44
Wasatch	3	9	12	39	48	506	1.33	42.17	23.72
<b>Rocky Mountain Total</b>	<b>23</b>	<b>69</b>	<b>117</b>	<b>845</b>	<b>1,640</b>	<b>52,944</b>	<b>1.70</b>	<b>452.51</b>	<b>2.21</b>
Daggett	1	3	3	3	119	119	1.00	39.67	25.21
Duchesne	1	3	6	21	59	416	2.00	69.33	14.42
Uintah	6	18	51	327	482	12,494	2.83	244.98	4.08
<b>Uintah Basin Total</b>	<b>8</b>	<b>24</b>	<b>60</b>	<b>351</b>	<b>660</b>	<b>13,029</b>	<b>2.50</b>	<b>217.15</b>	<b>4.61</b>
Emery	2	6	3	3	21	21	0.50	7.00	142.86
Garfield	6	18	21	128	586	6,964	1.17	331.62	3.02
Grand	1	3	3	30	268	2,677	1.00	892.33	1.12
Kane	4	12	15	535	729	33,914	1.25	2,260.93	0.44
San Juan	1	3	27	0	0	0	9.00	0.00	0.00
Washington	2	6	3	119	178	7,140	0.50	2,380.00	0.42
Wayne	1	3	3	178	0	0	1.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>17</b>	<b>51</b>	<b>75</b>	<b>993</b>	<b>1,782</b>	<b>50,716</b>	<b>1.47</b>	<b>676.21</b>	<b>1.48</b>
Unknown	5	15	57	12	12	48	3.80	0.84	1,187.50
<b>Statewide Total**</b>	<b>75</b>	<b>223</b>	<b>453</b>	<b>2,891</b>	<b>6,464</b>	<b>154,343</b>	<b>2.03</b>	<b>340.71</b>	<b>2.94</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of badger harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Badger per Trapper	Set-days per Badger	Badger per 1000 Set-days
Beaver	4	12	18	160	240	18	1.50	1.00	1,000.00
Box Elder	4	12	59	6	83	43	4.92	0.73	1,372.09
Iron	3	9	12	185	231	6,933	1.33	577.75	1.73
Juab	2	6	0	0	0	0	0.00	0.00	0.00
Millard	8	25	55	555	912	35,281	2.20	641.47	1.56
Tooele	5	15	18	65	18	6	1.20	0.33	3,000.00
<b>Great Basin Total</b>	<b>26</b>	<b>79</b>	<b>162</b>	<b>971</b>	<b>1,484</b>	<b>42,281</b>	<b>2.05</b>	<b>260.99</b>	<b>3.83</b>
Cache	4	12	18	12	52	99	1.50	5.50	181.82
Morgan	1	3	12	0	0	0	4.00	0.00	0.00
Piute	1	3	0	0	0	0	0.00	0.00	0.00
Rich	1	3	46	0	0	0	15.33	0.00	0.00
Sevier	4	12	3	0	0	0	0.25	0.00	0.00
Summit	1	3	0	0	0	0	0.00	0.00	0.00
Utah	3	9	3	40	34	262	0.33	87.33	11.45
<b>Rocky Mountain Total</b>	<b>15</b>	<b>45</b>	<b>82</b>	<b>52</b>	<b>86</b>	<b>361</b>	<b>1.82</b>	<b>4.40</b>	<b>227.15</b>
Daggett	1	3	3	0	3	0	1.00	0.00	0.00
Duchesne	5	15	22	15	40	154	1.47	7.00	142.86
Uintah	4	12	46	123	117	2,816	3.83	61.22	16.34
<b>Uintah Basin Total</b>	<b>10</b>	<b>30</b>	<b>71</b>	<b>138</b>	<b>160</b>	<b>2,970</b>	<b>2.37</b>	<b>41.83</b>	<b>23.91</b>
Carbon	1	3	3	3	43	43	1.00	14.33	69.77
Emery	5	15	22	200	434	10,421	1.47	473.68	2.11
Garfield	4	12	22	385	444	12,633	1.83	574.23	1.74
Grand	1	3	0	0	0	0	0.00	0.00	0.00
Kane	1	3	9	0	0	0	3.00	0.00	0.00
San Juan	4	12	18	259	339	9,244	1.50	513.56	1.95
<b>Colorado Plateau Total</b>	<b>16</b>	<b>48</b>	<b>74</b>	<b>847</b>	<b>1,260</b>	<b>32,341</b>	<b>1.54</b>	<b>437.04</b>	<b>2.29</b>
Unknown	9	28	43	173	105	1,676	1.54	38.98	25.66
<b>Statewide Total**</b>	<b>66</b>	<b>203</b>	<b>432</b>	<b>2,181</b>	<b>3,095</b>	<b>79,629</b>	<b>2.13</b>	<b>184.33</b>	<b>5.43</b>


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

# BEAVER

Beaver harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per 1000 Set-days	Pelt Price
1982-1983	181	1,584	31,632	8.75	19.97	50.08	\$12.89
1983-1984	200	1,788	22,131	8.94	12.38	80.79	\$14.10
1984-1985	285	2,664	51,960	9.35	19.50	51.27	\$16.44
1985-1986	293	3,242	60,428	11.06	18.64	53.65	\$14.64
1986-1987	338	4,138	105,661	12.24	25.53	39.16	\$22.64
1987-1988	409	4,716	38,367	11.53	8.14	122.92	\$14.67
1988-1989	277	2,721	41,616	9.82	15.29	65.38	\$10.02
1989-1990	390	3,436	48,716	8.81	14.18	70.53	\$11.93
1990-1991	176	1,551	21,029	8.81	13.56	73.76	\$6.49
1991-1992	216	1,492	20,040	6.91	13.43	74.45	\$8.94
1992-1993	134	956	13,291	7.13	13.90	71.93	\$7.74
1993-1994	171	1,761	21,578	10.30	12.25	81.61	\$9.59
1994-1995	239	2,551	41,818	10.67	16.39	61.00	\$12.65
1995-1996	170	1,530	15,982	9.00	10.45	95.73	\$13.40
1996-1997	163	1,299	13,576	7.97	10.45	95.68	\$21.15
1997-1998	210	2,896	38,816	13.79	13.40	74.61	\$13.58
1998-1999	286	2,950	57,818	10.31	19.60	51.02	\$9.37
1999-2000	185	1,830	23,342	9.89	12.76	78.40	\$10.98
2000-2001	170	1,992	36,406	11.72	18.28	54.72	\$10.32
2001-2002	143	1,689	26,199	11.81	15.51	64.47	\$10.85
2002-2003	175	1,720	84,755	9.83	49.28	20.29	\$9.47
2003-2004	232	1,781	97,791	7.68	54.91	18.21	\$14.10
2004-2005	200	2,664	65,401	13.32	24.55	40.73	\$13.91
Average	228	2,302	42,537	9.99	18.80	64.80	\$12.60



Summary of beaver harvest by county and management unit, 1999-2000.

	County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per day	Set-days per 1000 Set-days
<b>Box Elder</b>		7	19	82	77	172	1,272	4.32	15.51	64.47	
<b>Great Basin Total</b>		7	19	82	77	172	1,272	4.32	15.51	64.47	
Cache	8	21	196	143	212	1,118	9.33	5.70		175.31	
Davis	2	5	26	16	159	529	5.20	20.35		49.15	
Morgan	4	11	394	151	182	3,760	35.82	9.54		104.79	
Plute	1	3	16	26	53	529	5.33	33.06		30.25	
Rich	2	5	56	66	82	1,097	11.20	19.59		51.05	
Salt Lake	5	13	42	48	122	524	3.23	12.48		80.15	
Sanpete	3	8	8	19	40	79	1.00	9.88		101.27	
Sevier	1	3	3	11	11	42	1.00	14.00		71.43	
Summit	6	16	66	45	325	1,150	4.13	17.42		57.39	
Utah	4	11	74	98	254	3,686	6.73	49.81		20.08	
Wasatch	6	16	132	77	225	1,243	8.25	9.42		106.19	
Weber	6	16	19	45	225	830	1.19	43.68		22.89	
<b>Rocky Mountain Total</b>		48	128	1,032	745	1,890	14,587	8.06	14.13	70.75	
Daggett	3	8	29	37	93	502	3.63	17.31		57.77	
Duchesne	7	19	196	130	66	463	10.32	2.36		423.33	
Uintah	6	16	243	114	264	2,753	15.19	11.33		88.27	
<b>Uintah Basin Total</b>		16	43	468	281	423	3,718	10.88	7.94	125.87	
Carbon	1	3	5	32	26	317	1.67	63.40		15.77	
Emery	1	3	5	11	5	21	1.67	4.20		238.10	
San Juan	2	5	48	21	13	106	9.60	2.21		452.83	
Washington	1	3	53	106	37	1,481	17.67	27.94		35.79	
<b>Colorado Plateau Total</b>		5	14	111	170	81	1,925	7.93	17.34	57.66	
Unknown	4	11	137	69	167	1,840	12.45	13.43		74.46	
<b>Statewide Total**</b>		70	185	1,830	1,342	2,733	23,342	9.89	12.76	78.40	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of beaver harvest by county and management unit, 2000-2001.

	County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per days
Box Elder		3	9	20	12	70	111	2.22	5.55	180.18
Iron		1	3	35	17	41	245	11.67	7.00	142.86
<b>Great Basin Total</b>	<b>4</b>	<b>12</b>	<b>55</b>	<b>29</b>	<b>111</b>	<b>356</b>	<b>4.58</b>	<b>6.47</b>	<b>154.49</b>	
Cache	6	17	213	178	286	6,056	12.53	28.43		35.17
Davis	1	3	35	12	82	326	11.67	9.31		107.36
Morgan	5	15	146	64	128	629	9.73	4.31		232.11
Rich	1	3	17	12	20	82	5.67	4.82		207.32
Salt Lake	3	9	35	41	15	79	3.89	2.26		443.04
Sanpete	4	12	256	73	152	1,125	21.33	4.39		227.56
Sevier	3	9	35	117	131	2,040	3.89	58.29		17.16
Summit	4	12	551	181	367	13,627	45.92	24.73		40.43
Utah	5	15	160	178	192	2,465	10.67	15.41		64.91
Wasatch	3	9	93	73	61	714	10.33	7.68		130.25
Weber	4	12	87	61	178	1,303	7.25	14.98		66.77
<b>Rocky Mountain Total</b>	<b>39</b>	<b>116</b>	<b>1,628</b>	<b>990</b>	<b>1,612</b>	<b>28,446</b>	<b>14.03</b>	<b>17.47</b>	<b>57.23</b>	
Daggett	1	3	3	3	17	17	1.00	5.67		176.47
Duchesne	4	12	52	114	289	5,015	4.33	96.44		10.37
Uintah	2	6	143	58	102	1,384	23.83	9.68		103.32
<b>Uintah Basin Total</b>	<b>7</b>	<b>21</b>	<b>198</b>	<b>175</b>	<b>408</b>	<b>6,416</b>	<b>9.43</b>	<b>32.40</b>	<b>30.86</b>	
Carbon	2	6	29	29	47	221	4.83	7.62		131.22
Emery	1	3	15	17	20	122	5.00	8.13		122.95
San Juan	2	6	38	41	76	548	6.33	14.42		69.34
Washington	1	3	29	12	44	175	9.67	6.03		165.71
<b>Colorado Plateau Total</b>	<b>6</b>	<b>18</b>	<b>111</b>	<b>99</b>	<b>187</b>	<b>1,066</b>	<b>6.17</b>	<b>9.60</b>	<b>104.13</b>	
Unknown	1	3	0	6	61	122	0.00	0.00		0.00
<b>Statewide Total**</b>	<b>57</b>	<b>170</b>	<b>1,992</b>	<b>1,299</b>	<b>2,379</b>	<b>36,406</b>	<b>11.72</b>	<b>18.28</b>	<b>54.72</b>	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of beaver harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per Set-days
Box Elder	2	6	0	13	16	65	0.00	0.00	0.00
Juab	1	3	6	10	45	136	2.00	22.67	44.12
Millard	1	3	10	6	45	91	3.33	9.10	109.89
<b>Great Basin Total</b>	<b>4</b>	<b>12</b>	<b>16</b>	<b>29</b>	<b>106</b>	<b>292</b>	<b>1.33</b>	<b>18.25</b>	<b>54.79</b>
Cache	4	13	133	74	188	1,009	10.23	7.59	131.81
Morgan	5	16	576	275	246	10,077	36.00	17.49	57.16
Rich	1	3	94	49	49	728	31.33	7.74	129.12
Salt Lake	3	10	201	181	52	1,022	20.10	5.08	196.67
Seyvier	2	6	58	45	113	744	9.67	12.83	77.96
Utah	4	13	68	81	162	1,423	5.23	20.93	47.79
Wasatch	3	10	94	97	155	1,592	9.40	16.94	59.05
Weber	4	13	246	84	324	2,103	18.92	8.55	116.98
<b>Rocky Mountain Total</b>	<b>26</b>	<b>84</b>	<b>1,470</b>	<b>886</b>	<b>1,289</b>	<b>18,698</b>	<b>17.50</b>	<b>12.72</b>	<b>78.62</b>
Daggett	1	3	16	29	194	1,747	5.33	109.19	9.16
Uintah	2	6	23	32	194	971	3.83	42.22	23.69
<b>Uintah Basin Total</b>	<b>3</b>	<b>9</b>	<b>39</b>	<b>61</b>	<b>388</b>	<b>2,718</b>	<b>4.33</b>	<b>69.69</b>	<b>14.35</b>
Carbon	1	3	6	13	23	91	2.00	15.17	65.93
Emery	5	16	32	58	204	670	2.00	20.94	47.76
Grand	1	3	10	6	10	19	3.33	1.90	526.32
San Juan	1	3	6	65	162	3,235	2.00	539.17	1.85
Washington	1	3	3	32	45	453	1.00	151.00	6.62
<b>Colorado Plateau Total</b>	<b>9</b>	<b>28</b>	<b>57</b>	<b>174</b>	<b>444</b>	<b>4,468</b>	<b>2.04</b>	<b>78.39</b>	<b>12.76</b>
Unknown	3	10	107	3	45	23	10.70	0.21	4,652.17
<b>Statewide Total**</b>	<b>45</b>	<b>143</b>	<b>1,689</b>	<b>1,153</b>	<b>2,272</b>	<b>26,199</b>	<b>11.81</b>	<b>15.51</b>	<b>64.47</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of beaver harvest by county and management unit, 2002-2003.

	County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per 1000 Set-days
Box Elder		6	17	14	42	155	381	0.82	27.21	36.75
Millard	1	3	6	14	8	42	2,00	7.00		142.86
<b>Great Basin Total</b>	<b>7</b>	<b>20</b>	<b>56</b>	<b>163</b>	<b>423</b>	<b>2,374</b>	<b>16.93</b>	<b>10.02</b>	<b>21.15</b>	<b>47.28</b>
Cache	5	14	237	56	428	2,782	15.35	9.06		99.83
Morgan	7	20	307	82	293	141	2.83	8.29		110.35
Pruite	2	6	17	14	28					120.57
Salt Lake	4	11	37	28	138	434	3.36	11.73		85.25
Sanpete	2	6	101	149	175	8,474	16.83	83.90		11.92
Seyvier	6	17	65	59	99	375	3.82	5.77		173.33
Summit	2	6	51	28	28	282	8.50	5.53		180.85
Utah	6	17	226	93	448	3,239	13.29	14.33		69.77
Wasatch	4	11	180	479	567	57,123	16.36	317.35		3.15
Weber	1	3	3	0	39	0	1.00	0.00		0.00
<b>Rocky Mountain Total</b>	<b>39</b>	<b>111</b>	<b>1,224</b>	<b>988</b>	<b>2,243</b>	<b>75,224</b>	<b>11.03</b>	<b>61.46</b>	<b></b>	<b>16.27</b>
Daggett	1	3	14	23	169	1,353	4.67	96.64		10.35
Duchesne	6	17	248	189	319	3,217	14.59	12.97		77.09
Uintah	5	14	76	62	155	1,353	5.43	17.80		56.17
<b>Uintah Basin Total</b>	<b>12</b>	<b>34</b>	<b>338</b>	<b>274</b>	<b>643</b>	<b>5,923</b>	<b>9.94</b>	<b>17.52</b>	<b></b>	<b>57.07</b>
Carbon	1	3	6	3	11	11	2.00	1.83		545.45
Emery	5	14	87	96	437	2,875	6.21	33.05		30.26
San Juan	1	3	0	11	20	79	0.00	0.00		0.00
Washington	1	3	3	6	85	169	1.00	56.33		17.75
<b>Colorado Plateau Total</b>	<b>8</b>	<b>23</b>	<b>96</b>	<b>116</b>	<b>553</b>	<b>3,134</b>	<b>4.17</b>	<b>32.65</b>	<b></b>	<b>30.63</b>
Unknown	2	6	42	17	8	51	7.00	1.21		823.53
<b>Statewide Total**</b>	<b>62</b>	<b>175</b>	<b>1,720</b>	<b>1,451</b>	<b>3,610</b>	<b>84,755</b>	<b>9.83</b>	<b>49.28</b>	<b></b>	<b>20.29</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of beaver harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per Set-days
		Trappers	Harvest						
Box Elder	4	12	51	12	59	89	4.25	1.75	573.03
Millard	1	3	59	59	0	0	19.67	0.00	0.00
Tooele	1	3	0	0	9	0	0.00	0.00	0.00
<b>Great Basin Total</b>	<b>6</b>	<b>18</b>	<b>110</b>	<b>71</b>	<b>68</b>	<b>89</b>	<b>6.11</b>	<b>0.81</b>	<b>1,235.96</b>
Cache	7	21	211	208	244	2,758	10.05	13.07	76.50
Davis	2	6	27	18	45	268	4.50	9.93	100.75
Morgan	7	21	384	187	646	9,942	18.29	25.89	38.62
Piute	1	3	59	12	178	714	19.67	12.10	82.63
Salt Lake	1	3	3	12	0	0	1.00	0.00	0.00
Sevier	7	21	39	74	339	1,357	1.86	34.79	28.74
Summit	4	12	89	83	253	3,897	7.42	43.79	22.84
Utah	11	33	283	631	800	69,371	8.58	245.13	4.08
Wasatch	6	18	45	95	59	464	2.50	10.31	96.98
Weber	6	18	113	113	199	1,449	6.28	12.82	77.98
<b>Rocky Mountain Total</b>	<b>52</b>	<b>156</b>	<b>1,253</b>	<b>1,433</b>	<b>2,763</b>	<b>90,220</b>	<b>8.03</b>	<b>72.00</b>	<b>13.89</b>
Daggett	2	6	36	24	238	952	6.00	26.44	37.82
Duchesne	5	15	226	101	107	892	15.07	3.95	253.36
Uintah	4	12	27	65	286	1,975	2.25	73.15	13.67
<b>Uintah Basin Total</b>	<b>11</b>	<b>33</b>	<b>289</b>	<b>190</b>	<b>631</b>	<b>3,819</b>	<b>8.76</b>	<b>13.21</b>	<b>75.67</b>
Carbon	3	9	18	36	83	494	2.00	27.44	36.44
Emery	6	18	48	86	205	1,318	2.67	27.46	36.42
Washington	2	6	9	3	134	134	1.50	14.89	67.16
<b>Colorado Plateau Total</b>	<b>11</b>	<b>33</b>	<b>75</b>	<b>125</b>	<b>422</b>	<b>1,946</b>	<b>2.27</b>	<b>25.95</b>	<b>38.54</b>
Unknown	5	15	54	77	205	1,717	3.60	31.80	31.45
<b>Statewide Total**</b>	<b>78</b>	<b>232</b>	<b>1,781</b>	<b>1,896</b>	<b>4,089</b>	<b>97,791</b>	<b>7.68</b>	<b>54.91</b>	<b>18.21</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of beaver harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Beaver per Trapper	Set-days per Beaver	Beaver per 1000 Set-days
Box Elder	3	9	28	92	216	2,403	3.11	85.82	11.65
Juab	1	3	12	0	31	0	4.00	0.00	0.00
Millard	1	3	0	0	0	0	0.00	0.00	0.00
Tooele	1	3	0	0	0	0	0.00	0.00	0.00
<b>Great Basin Total</b>	<b>6</b>	<b>18</b>	<b>40</b>	<b>92</b>	<b>247</b>	<b>2,403</b>	<b>2.22</b>	<b>60.08</b>	<b>16.65</b>
Cache	9	28	770	397	918	17,989	27.50	23.36	42.80
Davis	1	3	46	0	0	0	15.33	0.00	0.00
Morgan	11	34	484	173	807	10,597	14.24	21.89	45.67
Plute	3	9	52	25	345	1,799	5.78	34.60	28.90
Rich	1	3	92	46	62	924	30.67	10.04	99.57
Salt Lake	5	15	197	151	515	2,471	13.13	12.54	79.72
Sanpete	1	3	3	6	22	43	1.00	14.33	69.77
Sevier	5	15	77	277	231	7,904	5.13	102.65	9.74
Summit	4	12	182	55	262	2,219	15.17	12.19	82.02
Utah	7	22	108	271	234	2,231	4.91	20.66	48.41
Wasatch	5	15	247	213	348	4,927	16.47	19.95	50.13
Weber	1	3	3	92	0	0	1.00	0.00	0.00
<b>Rocky Mountain Total</b>	<b>53</b>	<b>162</b>	<b>2,261</b>	<b>1,706</b>	<b>3,744</b>	<b>51,104</b>	<b>13.96</b>	<b>22.60</b>	<b>44.24</b>
Daggett	1	3	0	0	0	0	0.00	0.00	0.00
Duchesne	3	9	80	74	194	2,385	8.89	29.81	33.54
Uintah	3	9	123	68	179	1,571	13.67	12.77	78.29
<b>Uintah Basin Total</b>	<b>7</b>	<b>21</b>	<b>203</b>	<b>142</b>	<b>373</b>	<b>3,956</b>	<b>9.67</b>	<b>19.49</b>	<b>51.31</b>
Carbon	4	12	43	55	120	558	3.58	12.98	77.06
Emery	2	6	18	62	206	2,881	3.00	160.06	6.25
Washington	1	3	6	6	15	31	2.00	5.17	193.55
Wayne	1	3	65	92	139	4,160	21.67	64.00	15.63
<b>Colorado Plateau Total</b>	<b>8</b>	<b>24</b>	<b>132</b>	<b>215</b>	<b>480</b>	<b>7,630</b>	<b>5.50</b>	<b>57.80</b>	<b>17.30</b>
Unknown	3	9	28	22	62	308	3.11	11.00	90.91
<b>Statewide Total**</b>	<b>65</b>	<b>200</b>	<b>2,664</b>	<b>2,177</b>	<b>4,906</b>	<b>65,401</b>	<b>13.32</b>	<b>24.55</b>	<b>40.73</b>


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## BOBCAT

Bobcat harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Total Harvest	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per 1000 Set-days	Pelt Price
1982-1983	1,145	2,540	469,979	2.22	185.03	5.40	\$171.00
1983-1984	1,050	2,640	401,841	2.51	152.21	6.57	\$189.00
1984-1985	1,253	2,532	559,480	2.02	220.96	4.53	\$202.00
1985-1986	1,083	1,530	411,493	1.41	268.95	3.72	\$197.00
1986-1987	1,036	1,024	224,778	0.99	219.51	4.56	\$309.00
1987-1988	1,108	1,023	252,680	0.92	247.00	4.05	\$245.00
1988-1989	941	1,042	175,990	1.11	168.90	5.92	\$221.00
1989-1990	1,167	843	142,360	0.72	168.87	5.92	\$102.00
1990-1991	542	527	76,218	0.97	144.63	6.91	\$87.00
1991-1992	726	968	118,293	1.33	122.20	8.18	\$104.00
1992-1993	827	1,171	139,949	1.42	119.51	8.37	\$90.00
1993-1994	900	1,256	191,367	1.40	152.36	6.56	\$118.60
1994-1995	914	1,293	210,522	1.41	162.82	6.14	\$70.02
1995-1996	749	896	108,594	1.20	121.20	8.25	\$79.51
1996-1997	615	866	138,899	1.41	160.39	6.23	\$147.80
1997-1998	619	1,234	255,147	1.99	206.76	4.84	\$60.89
1998-1999	1,031	2,092	633,774	2.03	302.95	3.30	\$55.86
1999-2000	828	1,430	238,152	1.73	166.54	6.00	\$82.64
2000-2001	852	2,008	399,609	2.36	199.01	5.02	\$93.56
2001-2002	666	1,866	342,678	2.80	183.64	5.45	\$147.66
2002-2003	984	2,176	593,692	2.21	272.84	3.67	\$270.33
2003-2004	1,133	2,027	701,383	1.79	346.02	2.89	\$203.17
2004-2005	1,300	1,954	462,019	1.50	236.45	4.23	\$221.65
Average	933	1,519	315,169	1.63	196.90	5.51	\$150.81



Summary of bobcat harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Total Harvest**	Traps Set	Trapping Days	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per 1000 Set-days
Beaver	13	34	46	214	722	5,883	1.35	127.89	7.82
Box Elder	25	66	63	378	717	8,961	0.95	142.24	7.03
Iron	13	34	57	251	619	5,365	1.68	94.12	10.62
Juab	22	58	105	762	1,105	19,543	1.81	186.12	5.37
Millard	15	40	79	648	965	27,041	1.98	342.29	2.92
Tooele	28	74	73	561	1,621	23,390	0.99	320.41	3.12
Great Basin Total	116	306	423	2,814	5,749	90,183	1.38	213.20	4.69
Cache	10	26	27	114	479	2,221	1.04	82.26	12.16
Davis	2	5	0	0	58	0	0.00	0.00	0.00
Morgan	11	29	17	98	254	936	0.59	55.06	18.16
Piute	1	3	19	79	56	1,666	6.33	87.68	11.40
Rich	3	8	1	32	93	793	0.13	793.00	1.26
Salt Lake	3	8	3	13	90	185	0.38	61.67	16.22
Sanpete	13	34	35	100	338	1,510	1.03	43.14	23.18
Sevier	29	77	98	613	1,343	20,706	1.27	211.29	4.73
Summit	11	29	14	100	349	2,776	0.48	198.29	5.04
Utah	23	61	82	212	836	4,654	1.34	56.76	17.62
Wasatch	12	32	23	32	426	317	0.72	13.78	72.56
Weber	6	16	4	11	251	317	0.25	79.25	12.62
Rocky Mountain Total	124	328	323	1,404	4,573	36,081	0.98	111.71	8.95
Daggett	6	16	24	172	420	4,820	1.50	200.83	4.98
Duchesne	15	40	19	296	373	4,469	0.48	235.21	4.25
Uintah	17	45	119	566	1,322	21,481	2.64	180.51	5.54
Uintah Basin Total	38	101	162	1,034	2,115	30,770	1.60	189.94	5.26
Carbon	17	45	59	172	820	6,779	1.31	114.90	8.70
Emery	12	32	70	222	510	7,515	2.19	107.36	9.31
Garfield	6	16	36	111	182	3,300	2.25	91.67	10.91
Grand	2	5	24	116	254	5,584	4.80	232.67	4.30
Kane	5	13	64	175	140	2,359	4.92	36.86	27.13
San Juan	11	29	67	405	732	10,933	2.31	163.18	6.13
Washington	13	34	77	526	1,322	20,809	2.26	270.25	3.70
Wayne	6	16	56	177	455	6,293	3.50	112.38	8.90
Colorado Plateau Total	72	190	453	1,904	4,415	63,572	2.38	140.34	7.13
Unknown	24	63	69	854	701	17,546	1.10	254.29	3.93
Statewide Total***	313	828	1,430	8,010	17,553	238,152	1.73	166.54	6.00

\*Projected trappers trapping in that county, from questionnaire.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.

\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of bobcat harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Total Harvest**	Traps Set	Trapping Days	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per 1000 Set-days
Beaver	9	26	54	274	903	13,231	2.08	245,02	4.08
Box Elder	25	73	81	568	1,326	22,845	1.11	282,04	3.55
Iron	12	35	58	391	1,212	16,626	1.66	286,66	3.49
Juab	20	58	134	804	1,192	38,445	2.31	286,90	3.49
Millard	6	17	85	67	184	1,209	5.00	14,22	70.31
Tooele	25	73	120	554	1,209	16,915	1.64	140,96	7.09
<b>Great Basin Total</b>	<b>97</b>	<b>282</b>	<b>532</b>	<b>2,658</b>	<b>6,026</b>	<b>109,271</b>	<b>1.89</b>	<b>205,40</b>	<b>4.87</b>
Cache	12	35	10	131	697	6,994	0.29	699,40	1.43
Davis	1	3	1	6	0	0	0.33	0.00	0.00
Morgan	8	23	27	87	309	2,361	1.17	87,44	11.44
Piute	3	9	34	204	411	9,253	3.78	272,15	3.67
Rich	1	3	4	35	175	2,098	1.33	524,50	1.91
Salt Lake	2	6	1	0	44	0	0.17	0.00	0.00
Sanpete	11	32	39	286	938	13,385	1.22	343,21	2.91
Sevier	19	55	164	1,067	1,999	47,634	2.98	290,45	3.44
Summit	10	29	17	93	519	5,595	0.59	329,12	3.04
Utah	14	41	97	393	842	10,690	2.37	110,21	9.07
Wasatch	9	26	16	73	306	1,055	0.62	65,94	15.17
Weber	3	9	5	96	219	6,146	0.56	1,229,20	0.81
<b>Rocky Mountain Total</b>	<b>93</b>	<b>271</b>	<b>415</b>	<b>2,471</b>	<b>6,459</b>	<b>105,211</b>	<b>1.53</b>	<b>253,52</b>	<b>3.94</b>
Daggett	8	23	29	344	819	15,615	1.26	538,45	1.86
Duchesne	10	29	37	262	629	11,208	1.28	302,92	3.30
Uintah	15	44	155	705	1,495	29,356	3.52	189,39	5.28
<b>Uintah Basin Total</b>	<b>33</b>	<b>96</b>	<b>221</b>	<b>1,311</b>	<b>2,943</b>	<b>56,179</b>	<b>2.30</b>	<b>254,20</b>	<b>3.93</b>
Carbon	12	35	47	181	1,093	10,768	1.34	229,11	4.36
Emery	10	29	91	245	866	8,699	3.14	95,59	10.46
Garfield	9	26	63	600	921	44,530	2.42	706,83	1.41
Grand	4	12	22	204	227	6,878	1.83	312,64	3.20
Kane	6	17	63	446	469	16,460	3.71	261,27	3.83
San Juan	10	29	86	385	988	15,708	2.97	182,65	5.47
Washington	10	29	72	513	909	20,543	2.48	285,32	3.50
Wayne	2	6	67	82	350	4,896	11.17	73.07	13.68
<b>Colorado Plateau Total</b>	<b>63</b>	<b>183</b>	<b>511</b>	<b>2,656</b>	<b>5,823</b>	<b>128,482</b>	<b>2.79</b>	<b>251,43</b>	<b>3.98</b>
Unknown	7	20	329	35	210	466	16.45	1.42	706.01
<b>Statewide Total***</b>	<b>293</b>	<b>852</b>	<b>2,008</b>	<b>9,131</b>	<b>21,461</b>	<b>399,609</b>	<b>2.36</b>	<b>199,01</b>	<b>5.02</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.

\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of bobcat harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected		Total		Projected Set-days	Bobcat per Set-day	Projected Set-days per Bobcat	Bobcat per 1000 Set-days
		Trappers	Harvest**	Traps Set	Trapping Days				
Beaver	10	32	40	262	1,116	12,924	1.25	323.10	3.10
Box Elder	16	52	51	272	705	5,390	0.98	105.69	9.46
Iron	10	32	119	485	838	16,224	3.72	136.34	7.33
Juab	10	32	146	754	945	22,833	4.56	156.39	6.39
Millard	9	29	76	485	1,090	28,145	2.62	370.33	2.70
Tooele	16	52	87	514	1,349	17,670	1.67	203.10	4.92
Great Basin Total	71	229	519	2,772	6,043	103,186	2.27	198.82	5.03
Cache	8	26	16	68	456	1,779	0.62	111.19	8.99
Morgan	4	13	19	78	259	2,200	1.46	115.79	8.64
Puute	5	16	30	291	754	15,079	1.88	502.63	1.99
Rich	1	3	11	32	155	971	3.67	88.27	11.33
Salt Lake	1	3	7	6	210	421	2.33	60.14	16.63
Sanpete	7	23	35	139	333	6,600	1.52	188.57	5.30
Sevier	14	45	96	686	1,456	27,692	2.13	288.46	3.47
Summit	2	6	24	0	65	0	4.00	0.00	0.00
Utah	7	23	112	94	459	3,944	4.87	31.20	32.05
Wasatch	5	16	16	0	210	0	1.00	0.00	0.00
Weber	1	3	1	13	23	91	0.33	91.00	10.99
Rocky Mountain Total	55	177	367	1,407	4,380	58,327	2.07	158.93	6.29
Daggett	4	13	25	197	550	9,252	1.92	370.08	2.70
Duchesne	9	29	40	346	854	16,596	1.38	414.90	2.41
Uintah	11	36	138	427	1,278	23,396	3.83	169.54	5.90
Uintah Basin Total	24	78	203	970	2,682	49,244	2.60	242.58	4.12
Carbon	8	26	57	175	657	8,670	2.19	152.11	6.57
Emery	7	23	22	175	647	5,820	0.96	264.55	3.78
Garfield	5	16	81	210	443	14,073	5.06	173.74	5.76
Grand	1	3	8	0	10	0	2.67	0.00	0.00
Kane	7	23	112	531	1,042	28,307	4.87	252.74	3.96
San Juan	7	23	121	618	1,019	29,802	5.26	246.30	4.06
Washington	6	19	105	434	1,045	24,613	5.53	234.41	4.27
Wayne	4	13	50	285	560	11,756	3.85	235.12	4.25
Colorado Plateau Total	45	146	556	2,428	5,423	123,041	3.81	221.30	4.52
Unknown	11	36	221	372	514	8,880	6.14	40.18	24.89
Statewide Total***	206	666	1,866	7,949	19,042	342,678	2.80	183.64	5.45

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.

\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of bobcat harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Total Harvest**	Traps Set	Trapping Days	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per 1000 Set-days
Beaver	12	34	39	699	885	24,765	1.15	635,00	1.57
Box Elder	26	73	89	702	1,909	29,403	1.22	330,37	3.03
Iron	33	93	179	1,167	2,478	52,494	1.92	293,26	3.41
Juab	19	54	219	789	1,342	35,196	4.06	160,71	6.22
Millard	13	37	91	223	654	13,207	2.46	145,13	6.89
Tooele	25	70	93	660	1,536	20,100	1.33	216,13	4.63
<b>Great Basin Total</b>	<b>128</b>	<b>361</b>	<b>710</b>	<b>4,240</b>	<b>8,804</b>	<b>175,165</b>	<b>1.97</b>	<b>246,71</b>	<b>4.05</b>
Cache	8	23	22	116	553	5,074	0.96	230,64	4.34
Davis	2	6	0	113	259	10,149	0.00	0.00	0.00
Morgan	9	25	44	65	392	2,016	1.76	45,82	21.83
Piute	6	17	66	524	961	38,227	3.88	579,20	1.73
Rich	5	14	26	110	290	4,635	1.86	178,27	5.61
Salt Lake	3	8	0	11	180	304	0.00	0.00	0.00
Sanpete	12	34	72	189	657	8,939	2.12	124,15	8.05
Sevier	33	93	139	837	2,890	48,474	1.49	348,73	2.87
Summit	6	17	36	34	147	1,015	2.12	28.19	35.47
Utah	28	79	158	409	1,122	13,422	2.00	84.95	11.77
Wasatch	9	25	12	127	623	5,971	0.48	497.58	2.01
Weber	5	14	8	11	93	226	0.57	28.25	35.40
<b>Rocky Mountain Total</b>	<b>126</b>	<b>355</b>	<b>583</b>	<b>2,546</b>	<b>8,167</b>	<b>138,452</b>	<b>1.64</b>	<b>237,48</b>	<b>4.21</b>
Daggett	4	11	20	70	169	4,229	1.82	211,45	4.73
Duchesne	17	48	48	428	1,410	26,265	1.00	547,19	1.83
Uintah	21	59	151	846	2,639	45,269	2.56	299,79	3.34
<b>Uintah Basin Total</b>	<b>42</b>	<b>118</b>	<b>219</b>	<b>1,344</b>	<b>4,218</b>	<b>75,763</b>	<b>1.86</b>	<b>345,95</b>	<b>2.89</b>
Carbon	18	51	45	727	2,072	33,124	0.88	736,09	1.36
Emery	10	28	48	178	564	6,568	1.71	136,83	7.31
Garfield	29	82	135	1,291	2,109	48,544	1.65	359,59	2.78
Grand	4	11	22	96	223	2,560	2.00	116,36	8.59
Kane	12	34	119	513	1,114	29,685	3.50	249,45	4.01
San Juan	16	45	109	854	1,317	38,635	2.42	354,45	2.82
Washington	15	42	77	691	1,207	28,309	1.83	367,65	2.72
Wayne	9	25	62	347	479	12,503	2.48	201,66	4.96
<b>Colorado Plateau Total</b>	<b>113</b>	<b>318</b>	<b>617</b>	<b>4,697</b>	<b>9,085</b>	<b>199,928</b>	<b>1.94</b>	<b>324,03</b>	<b>3.09</b>
Unknown	12	34	47	172	465	4,384	1.38	93.28	10.72
<b>Statewide Total***</b>	<b>349</b>	<b>984</b>	<b>2,176</b>	<b>12,999</b>	<b>30,739</b>	<b>593,692</b>	<b>2.21</b>	<b>272,84</b>	<b>3.67</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.

\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of bobcat harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected		Total	Traps Set	Trapping Days	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per days
		Trappers	Harvest**	Harvest**						
Beaver	15	45	96	1,029	2,100	69,077	2.13	719.55	1.39	
Box Elder	24	71	83	610	1,559	16,656	1.17	200.67	4.98	
Iron	35	104	181	895	2,957	49,121	1.74	271.39	3.68	
Juab	18	54	170	455	643	9,216	3.15	54.21	18.45	
Millard	15	45	102	1,068	1,300	47,533	2.27	466.01	2.15	
Tooele	37	110	64	776	1,654	20,199	0.58	315.61	3.17	
<b>Great Basin Total</b>	<b>144</b>	<b>429</b>	<b>696</b>	<b>4,833</b>	<b>10,213</b>	<b>211,802</b>	<b>1.62</b>	<b>304.31</b>	<b>3.29</b>	
Cache	12	36	35	173	994	9,659	0.97	275.97	3.62	
Morgan	11	33	28	199	768	7,146	0.85	255.21	3.92	
Piute	9	27	45	479	1,130	30,611	1.67	680.24	1.47	
Rich	3	9	26	42	238	1,666	2.89	64.08	15.61	
Sanpete	19	57	82	497	1,196	24,141	1.44	294.40	3.40	
Sevier	37	110	113	1,520	4,073	80,824	1.03	715.26	1.40	
Summit	10	30	39	140	369	5,200	1.30	133.33	7.50	
Utah	26	77	91	422	809	5,982	1.18	65.74	15.21	
Wasatch	7	21	28	0	80	0	1.33	0.00	0.00	
Weber	6	18	9	30	318	1,196	0.50	132.89	7.53	
<b>Rocky Mountain Total</b>	<b>140</b>	<b>418</b>	<b>496</b>	<b>3,502</b>	<b>9,975</b>	<b>166,425</b>	<b>1.19</b>	<b>335.53</b>	<b>2.98</b>	
Daggett	5	15	10	0	42	0	0.67	0.00	0.00	
Duchesne	20	59	59	640	2,020	37,510	1.00	635.76	1.57	
Uintah	28	83	134	949	2,612	44,638	1.61	333.12	3.00	
<b>Uintah Basin Total</b>	<b>53</b>	<b>157</b>	<b>203</b>	<b>1,589</b>	<b>4,674</b>	<b>82,148</b>	<b>1.29</b>	<b>404.67</b>	<b>2.47</b>	
Carbon	13	39	57	366	1,458	24,959	1.46	437.88	2.28	
Emery	18	54	46	286	1,229	13,205	0.85	287.07	3.48	
Garfield	27	80	107	1,229	2,535	71,813	1.34	671.15	1.49	
Grand	5	15	22	268	776	10,721	1.47	487.32	2.05	
Kane	15	45	106	1,110	1,523	53,994	2.36	509.38	1.96	
San Juan	10	30	103	541	970	23,430	3.43	227.48	4.40	
Washington	15	45	145	547	1,068	23,737	3.22	163.70	6.11	
Wayne	7	21	38	446	518	12,378	1.81	325.74	3.07	
<b>Colorado Plateau Total</b>	<b>110</b>	<b>329</b>	<b>624</b>	<b>4,793</b>	<b>10,077</b>	<b>234,237</b>	<b>1.90</b>	<b>375.38</b>	<b>2.66</b>	
Unknown	12	36	8	89	544	6,771	0.22	846.38	1.18	
<b>Statewide Total***</b>	<b>381</b>	<b>1,133</b>	<b>2,027</b>	<b>14,806</b>	<b>35,483</b>	<b>701,383</b>	<b>1.79</b>	<b>346.02</b>	<b>2.89</b>	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.

\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of bobcat harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Total Harvest**	Traps Set	Trapping Days	Projected Set-days	Bobcat per Trapper	Set-days per Bobcat	Bobcat per 1000 Set-days
Beaver	20	62	105	878	1,944	30,144	1.69	287.09	3.48
Box Elder	32	99	116	518	1,439	12,294	1.17	105.98	9.44
Iron	29	89	170	669	1,575	24,767	1.91	145.69	6.86
Juab	26	80	114	542	1,325	15,961	1.43	140.01	7.14
Millard	15	46	54	909	1,162	43,092	1.17	798.00	1.25
Tooele	37	114	70	906	1,759	23,899	0.61	341.41	2.93
<b>Great Basin Total</b>	<b>159</b>	<b>490</b>	<b>629</b>	<b>4,422</b>	<b>9,204</b>	<b>150,157</b>	<b>1.28</b>	<b>238.72</b>	<b>4.19</b>
Cache	18	55	35	225	887	8,905	0.64	254.43	3.93
Davis	3	9	2	18	68	277	0.22	138.50	7.22
Morgan	17	52	42	197	770	4,961	0.81	118.12	8.47
Piute	12	37	41	798	934	33,438	1.11	815.56	1.23
Rich	4	12	13	83	348	4,622	1.08	355.54	2.81
Salt Lake	3	9	3	3	114	92	0.33	30.67	32.61
Sanpete	16	49	91	231	585	5,984	1.86	65.76	15.21
Sevier	33	102	98	795	1,877	20,149	0.96	205.60	4.86
Summit	13	40	54	142	604	4,252	1.35	78.74	12.70
Utah	37	114	86	622	1,880	17,813	0.75	207.13	4.83
Wasatch	9	28	38	163	373	8,828	1.36	232.32	4.30
Weber	7	22	11	46	558	2,773	0.50	252.09	3.97
<b>Rocky Mountain Total</b>	<b>172</b>	<b>529</b>	<b>514</b>	<b>3,323</b>	<b>8,998</b>	<b>112,094</b>	<b>0.97</b>	<b>218.08</b>	<b>4.59</b>
Daggett	7	22	15	129	391	2,194	0.68	146.27	6.84
Duchesne	17	52	75	364	875	16,263	1.44	216.84	4.61
Uintah	23	71	116	850	1,559	34,403	1.63	296.58	3.37
<b>Uintah Basin Total</b>	<b>47</b>	<b>145</b>	<b>206</b>	<b>1,343</b>	<b>2,825</b>	<b>52,860</b>	<b>1.42</b>	<b>256.60</b>	<b>3.90</b>
Carbon	17	52	80	709	995	23,208	1.54	290.10	3.45
Emery	19	59	59	582	835	18,858	1.00	319.63	3.13
Garfield	27	83	83	1,448	2,570	55,091	1.00	663.75	1.51
Grand	5	15	30	49	200	1,664	2.00	55.47	18.03
Kane	13	40	142	570	810	14,205	3.55	100.04	10.00
San Juan	14	43	79	527	1,103	18,981	1.84	240.27	4.16
Washington	12	37	98	283	847	9,891	2.65	100.93	9.91
Wayne	7	22	34	148	308	4,160	1.55	122.35	8.17
<b>Colorado Plateau Total</b>	<b>114</b>	<b>351</b>	<b>605</b>	<b>4,316</b>	<b>7,668</b>	<b>146,058</b>	<b>1.72</b>	<b>241.42</b>	<b>4.14</b>
<b>Unknown</b>	<b>17</b>	<b>52</b>	<b>0</b>	<b>210</b>	<b>367</b>	<b>850</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
<b>Statewide Total***</b>	<b>422</b>	<b>1,300</b>	<b>1,954</b>	<b>13,614</b>	<b>29,062</b>	<b>462,019</b>	<b>1.50</b>	<b>236.45</b>	<b>4.23</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*Harvest numbers were obtained when bobcat pelts were affixed with permanent possession tags; therefore, total harvest numbers are not projections.


\*\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

2004-2005 had four illegal, seized harvest and one roadkill, not included above.

## Prey Index

We assume that lagomorph densities are a good indicator of bobcat recruitment and survival because high lagomorph populations provide an essential prey base for dispersing bobcats. When lagomorph populations are high or increasing, the bobcat population has also increased or at least remained stable. Thus, low populations of lagomorphs will reduce the likelihood of younger bobcats' survival into the next year.

“Cottontail per hunter-day” and “snowshoe per hunter-day” data is from the Utah Upland Game Annual Report, 2001-2003. Prey data was unavailable for 2004-2005 at the time this report was published.




## Method of Take

Bobcat harvest by method of take, 2000-2001 through 2004-2005.\*

Trap Year	Trapping		Dogs		Predator Calls		Other		Unknown		Total
	Harvest	% of Total	Harvest	% of Total	Harvest	% of Total	Harvest	% of Total	Harvest	% of Total	
2000-2001	1,489	74%	140	7%	40	2%	4	0.2%	335	17%	2,008
2001-2002	1,396	75%	179	10%	62	3%	10	0.5%	219	12%	1,866
2002-2003	1,801	82%	207	9%	92	4%	17	0.8%	71	3%	2,188
2003-2004	1,688	83%	263	13%	5	0%	59	2.9%	12	1%	2,027
2004-2005	1,656	85%	229	12%	21	1%	48	2.5%	0	0%	1,954

\*Trapping harvest includes traps and snares. Other harvest includes roadkill and incidental hunting without the use of predator calls or dogs.





### Population Trends/Indices



Indicators of the bobcat population trend include bobcats per 1,000 set-days, estimated population trend (obtained from the furbearer questionnaires), recommended number of bobcat tags, rabbit and hare population trend indicators, age structure of the bobcat harvest, and ratio of juveniles to adult females in the harvest and survival estimates.



Bobcat population trend indicators in Utah, 1989-1990 through 2004-2005.



Trap Year	Juveniles/ Adult Female	Juveniles/ Adult	Males/ Females	Juv. Males/ Juv. Females	Adult Survival			Juvenile Survival		
					S	95% C.I.	Chi-square	S	95% C.I.	Chi-square
1989-1990	0.76	0.32	1.39	1.00	67%	--	--	27%	--	--
1990-1991	0.82	0.33	1.23	0.62	58%	--	--	29%	--	--
1991-1992	0.86	0.69	1.47	1.25	57%	--	--	31%	--	--
1992-1993	0.91	1.00	1.37	1.21	77%	--	--	30%	--	--
1993-1994	1.58	0.61	1.32	0.98	78%	--	--	29%	--	--
1994-1995	0.62	0.57	1.34	1.14	70%	--	--	31%	--	--
1995-1996	1.36	0.54	1.30	0.72	60%	--	--	49%	--	--
1996-1997	1.86	0.67	1.40	1.10	78%	--	--	19%	--	--
1997-1998	1.15	0.44	1.38	0.94	71%	69%<s>74%	17.3, 10 df	34%	28%<s>40%	62.6, 2 df
1998-1999	2.06	0.82	1.30	1.13	71%	70%<s>73%	29.5, 12 df	29%	26%<s>33%	110.2, 2 df
1999-2000	0.82	0.30	1.55	1.01	66%	64%<s>68%	71.4, 12 df	35%	33%<s>38%	445.6, 2 df
2000-2001	0.69	0.26	1.56	1.12	64%	62%<s>66%	144.6, 12 df	36%	33%<s>39%	389.3, 2 df
2001-2002	0.40	0.16	1.44	0.96	65%	63%<s>67%	302.4, 12 df	39%	36%<s>42%	596.6, 2 df
2002-2003	0.37	0.16	1.24	0.88	67%	65%<s>68%	1,988.1, 12 df	39%	35%<s>42%	459.5, 2 df
2003-2004	0.63	0.29	1.10	0.85	71%	70%<s>72%	1,328.7, 12 df	22%	19%<s>25%	31.6, 2 df
2004-2005	0.80	0.32	1.28	0.83	74%	73%<s>76%	105.2, 12 df	36%	33%<s>38%	985.6, 2 df
Average	0.98	0.47	1.35	0.98	68%	--	--	32%	--	--

### Age Structure










## COYOTE

Coyote harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Wildlife Services Harvest	Projected Trappers	Trapper Harvest	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days	Pelt Price
1982-1983	4,130	841	5,738	599,374	6.82	104.46	9.57	\$35.42
1983-1984	5,063	715	5,878	526,104	8.22	89.50	11.17	\$25.92
1984-1985	5,427	828	5,991	562,661	7.24	93.92	10.65	\$32.35
1985-1986	5,045	714	4,851	454,948	6.79	93.78	10.66	\$19.65
1986-1987	4,116	819	4,947	434,233	6.04	87.78	11.39	\$33.64
1987-1988	4,338	893	6,919	439,226	7.75	63.48	15.75	\$15.55
1988-1989	4,853	652	3,200	202,044	4.91	63.14	15.84	\$8.47
1989-1990	5,168	671	3,331	175,018	4.96	52.54	19.03	\$8.68
1990-1991	4,444	389	1,831	98,946	4.71	54.04	18.51	\$11.41
1991-1992	4,347	664	3,255	187,463	4.90	57.59	17.36	\$20.00
1992-1993	4,932	695	3,666	126,769	5.27	34.58	28.92	\$15.75
1993-1994	5,827	679	5,247	190,373	7.73	36.28	27.56	\$24.58
1994-1995	3,893	754	5,267	232,636	6.99	44.17	22.64	\$12.51
1995-1996	4,165	632	4,372	155,820	6.92	35.64	28.06	\$15.49
1996-1997	4,484	405	4,017	138,158	9.92	34.39	29.08	\$18.73
1997-1998	4,169	494	3,228	203,570	6.53	63.06	15.86	\$10.80
1998-1999	3,464	782	4,337	188,065	5.55	43.36	23.06	\$10.80
1999-2000	4,534	473	3,510	221,078	7.42	62.99	15.88	\$19.14
2000-2001	4,275	456	4,966	286,619	10.89	57.72	17.33	\$14.39
2001-2002	3,874	399	4,354	299,757	10.91	68.85	14.53	\$16.17
2002-2003	3,394	572	5,446	411,778	9.52	75.61	13.23	\$32.62
2003-2004	3,897	699	6,660	607,414	9.53	91.20	10.96	\$25.74
2004-2005	4,125	699	7,173	561,144	10.26	78.23	12.78	\$20.10
Average	4,433	649	4,704	317,530	7.38	64.62	17.38	\$19.47



Summary of coyote harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	8	21	315	82	576	4,178	15.00	13.26	75.39
Box Elder	23	61	341	204	717	3,572	5.59	10.48	95.46
Iron	5	13	93	127	489	5,764	7.15	61.98	16.13
Juab	15	40	198	426	336	4,151	4.95	20.96	47.70
Millard	10	26	132	143	365	7,509	5.08	56.89	17.58
Tooele	16	42	243	103	1,031	3,900	5.79	16.05	62.31
<b>Great Basin Total</b>	<b>77</b>	<b>203</b>	<b>1,322</b>	<b>1,085</b>	<b>3,514</b>	<b>29,074</b>	<b>6.51</b>	<b>21.99</b>	<b>45.47</b>
Cache	8	21	98	161	360	11,118	4.67	113.45	8.81
Morgan	6	16	45	95	288	2,192	2.81	48.71	20.53
Piute	2	5	29	66	164	3,966	5.80	136.76	7.31
Rich	3	8	63	71	98	2,499	7.88	39.67	25.21
Salt Lake	5	13	21	71	143	1,084	1.62	51.62	19.37
Sanpete	4	11	188	264	973	96,510	17.09	513.35	1.95
Sevier	12	32	87	227	500	7,602	2.72	87.38	11.44
Summit	6	16	42	42	293	1,904	2.63	45.33	22.06
Utah	6	16	69	130	547	7,586	4.31	109.94	9.10
Wasatch	5	13	13	26	77	357	1.00	27.46	36.41
Weber	1	3	0	16	26	159	0.00	0.00	0.00
<b>Rocky Mountain Total</b>	<b>58</b>	<b>154</b>	<b>655</b>	<b>1,169</b>	<b>3,469</b>	<b>134,977</b>	<b>4.25</b>	<b>206.07</b>	<b>4.85</b>
Daggett	2	5	11	58	82	664	2.20	60.36	16.57
Duchesne	9	24	124	243	312	8,488	5.17	68.45	14.61
Uintah	13	34	468	283	1,116	12,462	13.76	26.63	37.55
<b>Uintah Basin Total</b>	<b>24</b>	<b>63</b>	<b>603</b>	<b>584</b>	<b>1,510</b>	<b>21,614</b>	<b>9.57</b>	<b>35.84</b>	<b>27.90</b>
Carbon	7	19	37	26	177	687	1.95	18.57	53.86
Emery	10	26	156	119	320	4,397	6.00	28.19	35.48
Garfield	3	8	29	58	119	1,428	3.63	49.24	20.31
Grand	3	8	24	127	29	762	3.00	31.75	31.50
Kane	3	8	82	169	219	3,279	10.25	39.99	25.01
San Juan	7	19	132	177	320	3,310	6.95	25.08	39.88
Washington	8	21	95	196	701	5,976	4.52	62.91	15.90
Wayne	5	13	82	164	331	6,399	6.31	78.04	12.81
<b>Colorado Plateau Total</b>	<b>46</b>	<b>122</b>	<b>637</b>	<b>1,036</b>	<b>2,216</b>	<b>26,238</b>	<b>5.22</b>	<b>41.19</b>	<b>24.28</b>
<b>Unknown</b>	<b>17</b>	<b>45</b>	<b>293</b>	<b>505</b>	<b>537</b>	<b>9,175</b>	<b>6.51</b>	<b>31.31</b>	<b>31.93</b>
<b>Statewide Total**</b>	<b>179</b>	<b>473</b>	<b>3,510</b>	<b>4,379</b>	<b>11,246</b>	<b>221,078</b>	<b>7.42</b>	<b>62.99</b>	<b>15.88</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of coyote harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	7	20	455	216	915	13,989	22.75	30.75	32.53
Box Elder	17	50	691	256	1,565	32,529	13.82	47.08	21.24
Iron	7	20	347	297	903	16,058	17.35	46.28	21.61
Juab	8	23	402	402	519	15,358	17.48	38.20	26.18
Millard	4	12	38	143	236	5,362	3.17	141.11	7.09
Tooele	11	32	277	291	481	13,199	8.66	47.65	20.99
<b>Great Basin Total</b>	<b>54</b>	<b>157</b>	<b>2,210</b>	<b>1,605</b>	<b>4,619</b>	<b>96,495</b>	<b>14.08</b>	<b>43.66</b>	<b>22.90</b>
Cache	4	12	44	87	286	5,246	3.67	119.23	8.39
Morgan	2	6	26	303	17	70	4.33	2.69	371.43
Piute	1	3	29	87	58	1,749	9.67	60.31	16.58
Rich	3	9	105	102	213	6,120	11.67	58.29	17.16
Salt Lake	1	3	15	15	38	189	5.00	12.60	79.37
Sanpete	2	6	344	96	1,105	26,919	57.33	78.25	12.78
Sevier	11	32	172	425	839	16,576	5.38	96.37	10.38
Summit	3	9	20	73	236	4,371	2.22	218.55	4.58
Utah	4	12	76	114	341	6,362	6.33	83.71	11.95
Wasatch	3	9	29	6	181	58	3.22	2.00	500.00
<b>Rocky Mountain Total</b>	<b>34</b>	<b>101</b>	<b>860</b>	<b>1,308</b>	<b>3,314</b>	<b>67,660</b>	<b>8.51</b>	<b>78.67</b>	<b>12.71</b>
Daggett	3	9	26	0	29	0	2.89	0.00	0.00
Duchesne	5	15	108	189	574	8,008	7.20	74.15	13.49
Uintah	13	38	449	344	1,224	18,651	11.82	41.54	24.07
<b>Uintah Basin Total</b>	<b>21</b>	<b>62</b>	<b>583</b>	<b>533</b>	<b>1,827</b>	<b>26,659</b>	<b>9.40</b>	<b>45.73</b>	<b>21.87</b>
Carbon	4	12	87	44	160	717	7.25	8.24	121.34
Emery	2	6	70	146	233	8,160	11.67	116.57	8.58
Garfield	7	20	259	125	434	4,459	12.95	17.22	58.08
Grand	2	6	64	117	50	1,632	10.67	25.50	39.22
Kane	6	17	82	423	428	16,029	4.82	195.48	5.12
San Juan	8	23	469	458	1,460	37,682	20.39	80.35	12.45
Washington	8	23	198	440	799	18,185	8.61	91.84	10.89
Wayne	2	6	17	12	131	525	2.83	30.88	32.38
<b>Colorado Plateau Total</b>	<b>39</b>	<b>113</b>	<b>1,246</b>	<b>1,765</b>	<b>3,695</b>	<b>87,389</b>	<b>11.03</b>	<b>70.14</b>	<b>14.26</b>
Unknown	8	23	67	213	449	8,416	2.91	125.61	7.96
<b>Statewide Total**</b>	<b>156</b>	<b>456</b>	<b>4,966</b>	<b>5,424</b>	<b>13,904</b>	<b>286,619</b>	<b>10.89</b>	<b>57.72</b>	<b>17.33</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of coyote harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	5	16	275	298	890	18,747	17.19	68.17	14.67
Box Elder	12	39	598	446	1,692	87,134	15.33	145.71	6.86
Iron	6	19	214	346	518	9,220	11.26	43.08	23.21
Juab	6	19	291	262	243	7,036	15.32	24.18	41.36
Millard	6	19	71	453	780	28,631	3.74	403.25	2.48
Tooele	11	36	563	197	1,019	14,137	15.64	25.11	39.82
<b>Great Basin Total</b>	<b>46</b>	<b>148</b>	<b>2,012</b>	<b>2,002</b>	<b>5,142</b>	<b>164,905</b>	<b>13.59</b>	<b>81.96</b>	<b>12.20</b>
Morgan	2	6	6	6	159	291	1.00	48.50	20.62
Rich	1	3	26	32	97	971	8.67	37.35	26.78
Salt Lake	4	13	78	65	223	1,553	6.00	19.91	50.23
Sanpete	1	3	13	0	155	0	4.33	0.00	0.00
Sevier	7	23	188	149	728	5,273	8.17	28.05	35.65
Summit	1	3	3	0	0	0	1.00	0.00	0.00
Utah	5	16	10	52	194	919	0.63	91.90	10.88
Wasatch	3	10	126	78	262	4,659	12.60	36.98	27.04
Weber	2	6	55	129	259	9,705	9.17	176.45	5.67
<b>Rocky Mountain Total</b>	<b>26</b>	<b>83</b>	<b>505</b>	<b>511</b>	<b>2,077</b>	<b>23,371</b>	<b>6.08</b>	<b>46.28</b>	<b>21.61</b>
Daggett	2	6	19	42	324	3,009	3.17	158.37	6.31
Duchesne	4	13	152	188	586	10,061	11.69	66.19	15.11
Uintah	4	13	327	178	356	7,538	25.15	23.05	43.38
<b>Uintah Basin Total</b>	<b>10</b>	<b>32</b>	<b>498</b>	<b>408</b>	<b>1,266</b>	<b>20,608</b>	<b>15.56</b>	<b>41.38</b>	<b>24.17</b>
Carbon	3	10	52	32	239	1,643	5.20	31.60	31.65
Emery	8	26	136	71	343	689	5.23	5.07	197.39
Garfield	3	10	152	113	324	5,823	15.20	38.31	26.10
Kane	5	16	194	485	815	26,690	12.13	137.58	7.27
San Juan	7	23	401	696	1,203	42,742	17.43	106.59	9.38
Washington	2	6	159	129	324	5,823	26.50	36.62	27.31
Wayne	2	6	19	42	307	2,119	3.17	111.53	8.97
<b>Colorado Plateau Total</b>	<b>30</b>	<b>97</b>	<b>1,113</b>	<b>1,568</b>	<b>3,555</b>	<b>85,529</b>	<b>11.47</b>	<b>76.85</b>	<b>13.01</b>
Unknown	12	39	226	139	547	5,344	5.79	23.65	42.29
<b>Statewide Total**</b>	<b>124</b>	<b>399</b>	<b>4,354</b>	<b>4,628</b>	<b>12,587</b>	<b>299,757</b>	<b>10.91</b>	<b>68.85</b>	<b>14.53</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of coyote harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	7	20	169	361	699	27,373	8.45	161.97	6.17
Box Elder	21	59	767	555	981	10,109	13.00	13.18	75.87
Iron	20	56	629	637	1,150	19,590	11.23	31.14	32.11
Juab	10	28	20	313	516	13,517	0.71	675.85	1.48
Millard	11	31	147	144	911	7,104	4.74	48.33	20.69
Tooele	21	59	310	364	1,550	24,300	5.25	78.39	12.76
<b>Great Basin Total</b>	<b>90</b>	<b>253</b>	<b>2,042</b>	<b>2,374</b>	<b>5,807</b>	<b>101,993</b>	<b>8.07</b>	<b>49.95</b>	<b>20.02</b>
Cache	5	14	25	39	220	1,353	1.79	54.12	18.48
Davis	2	6	59	85	262	7,611	9.83	129.00	7.75
Morgan	3	8	39	68	118	1,133	4.88	29.05	34.42
Piute	2	6	14	34	99	1,184	2.33	84.57	11.82
Rich	1	3	6	28	56	564	2.00	94.00	10.64
Salt Lake	1	3	11	14	70	352	3.67	32.00	31.25
Sanpete	7	20	90	595	567	33,575	4.50	373.06	2.68
Sevier	12	34	223	290	1,956	40,042	6.56	179.56	5.57
Summit	7	20	130	90	321	4,398	6.50	33.83	29.56
Utah	9	25	166	127	330	2,892	6.64	17.42	57.40
Wasatch	5	14	85	268	499	13,560	6.07	159.53	6.27
Weber	3	8	11	28	85	564	1.38	51.27	19.50
<b>Rocky Mountain Total</b>	<b>57</b>	<b>161</b>	<b>859</b>	<b>1,666</b>	<b>4,583</b>	<b>107,228</b>	<b>5.34</b>	<b>124.83</b>	<b>8.01</b>
Daggett	3	8	39	42	237	2,537	4.88	65.05	15.37
Duchesne	5	14	417	665	1,074	59,556	29.79	142.82	7.00
Uintah	13	37	364	392	1,536	21,811	9.84	59.92	16.69
<b>Uintah Basin Total</b>	<b>21</b>	<b>59</b>	<b>820</b>	<b>1,099</b>	<b>2,847</b>	<b>83,904</b>	<b>13.90</b>	<b>102.32</b>	<b>9.77</b>
Carbon	2	6	0	0	8	0	0.00	0.00	0.00
Emery	7	20	56	107	293	5,300	2.80	94.64	10.57
Garfield	16	45	231	462	1,192	21,163	5.13	91.61	10.92
Grand	5	14	147	68	195	1,996	10.50	13.58	73.65
Kane	9	25	257	502	1,114	32,166	10.28	125.16	7.99
San Juan	13	37	493	730	1,066	32,194	13.32	65.30	15.31
Washington	9	25	104	282	609	14,975	4.16	143.99	6.94
Wayne	8	23	192	257	397	6,250	8.35	32.55	30.72
<b>Colorado Plateau Total</b>	<b>69</b>	<b>195</b>	<b>1,480</b>	<b>2,408</b>	<b>4,874</b>	<b>114,044</b>	<b>7.59</b>	<b>77.06</b>	<b>12.98</b>
Unknown	11	31	245	166	149	4,609	7.90	18.81	53.16
<b>Statewide Total**</b>	<b>203</b>	<b>572</b>	<b>5,446</b>	<b>7,713</b>	<b>18,260</b>	<b>411,778</b>	<b>9.52</b>	<b>75.61</b>	<b>13.23</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of coyote harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	10	30	485	747	1,502	61,238	16.17	126.26	7.92
Box Elder	24	71	901	794	1,249	19,679	12.69	21.84	45.78
Iron	15	45	402	425	1,443	25,792	8.93	64.16	15.59
Juab	12	36	101	173	283	3,951	2.81	39.12	25.56
Millard	8	24	71	232	268	7,229	2.96	101.82	9.82
Tooele	21	62	437	589	1,693	24,561	7.05	56.20	17.79
<b>Great Basin Total</b>	<b>90</b>	<b>268</b>	<b>2,397</b>	<b>2,960</b>	<b>6,438</b>	<b>142,450</b>	<b>8.94</b>	<b>59.43</b>	<b>16.83</b>
Cache	10	30	238	226	994	16,216	7.93	68.13	14.68
Davis	1	3	3	45	89	1,339	1.00	446.33	2.24
Morgan	5	15	36	196	223	10,799	2.40	299.97	3.33
Piute	7	21	92	297	744	18,444	4.38	200.48	4.99
Rich	4	12	170	149	280	5,652	14.17	33.25	30.08
Salt Lake	2	6	6	0	0	0	0.00	0.00	0.00
Sanpete	7	21	59	223	651	16,064	2.81	272.27	3.67
Sevier	15	45	283	794	2,674	59,988	6.29	211.97	4.72
Summit	6	18	39	59	167	1,487	2.17	38.13	26.23
Utah	12	36	768	690	1,398	100,146	21.33	130.40	7.67
Wasatch	4	12	9	0	45	0	0.75	0.00	0.00
Weber	4	12	12	36	71	500	1.00	41.67	24.00
<b>Rocky Mountain Total</b>	<b>77</b>	<b>231</b>	<b>1,715</b>	<b>2,715</b>	<b>7,336</b>	<b>230,635</b>	<b>7.42</b>	<b>134.48</b>	<b>7.44</b>
Daggett	2	6	12	18	155	714	2.00	59.50	16.81
Duchesne	8	24	271	170	711	6,747	11.29	24.90	40.17
Uintah	19	57	470	907	2,059	44,564	8.25	94.82	10.55
<b>Uintah Basin Total</b>	<b>29</b>	<b>87</b>	<b>753</b>	<b>1,095</b>	<b>2,925</b>	<b>52,025</b>	<b>8.66</b>	<b>69.09</b>	<b>14.47</b>
Carbon	7	21	27	65	196	1,208	1.29	44.74	22.35
Emery	5	15	57	122	312	4,775	3.80	83.77	11.94
Garfield	13	39	262	336	1,258	22,133	6.72	84.48	11.84
Grand	2	6	9	18	244	1,464	1.50	162.67	6.15
Kane	14	42	509	1,059	1,600	62,199	12.12	122.20	8.18
San Juan	10	30	223	461	878	20,571	7.43	92.25	10.84
Washington	11	33	149	419	1,068	23,722	4.52	159.21	6.28
Wayne	4	12	65	283	634	14,193	5.42	218.35	4.58
<b>Colorado Plateau Total</b>	<b>66</b>	<b>198</b>	<b>1,301</b>	<b>2,763</b>	<b>6,190</b>	<b>150,265</b>	<b>6.57</b>	<b>115.50</b>	<b>8.66</b>
Unknown	17	51	494	434	848	32,039	9.69	64.86	15.42
<b>Statewide Total**</b>	<b>235</b>	<b>699</b>	<b>6,660</b>	<b>9,967</b>	<b>23,737</b>	<b>607,414</b>	<b>9.53</b>	<b>91.20</b>	<b>10.96</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of coyote harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Coyote per Trapper	Set-days per Coyote	Coyote per 1000 Set-days
Beaver	10	31	555	552	1,621	35,635	17.90	64.21	15.57
Box Elder	21	65	1,199	795	2,447	180,441	18.45	150.49	6.64
Iron	19	59	527	718	1,778	35,592	8.93	67.54	14.81
Juab	16	49	339	219	718	9,909	6.92	29.23	34.21
Millard	13	40	607	770	1,285	57,590	15.18	94.88	10.54
Tooele	27	83	561	776	1,347	35,102	6.76	62.57	15.98
<b>Great Basin Total</b>	<b>106</b>	<b>327</b>	<b>3,788</b>	<b>3,830</b>	<b>9,196</b>	<b>354,269</b>	<b>11.58</b>	<b>93.52</b>	<b>10.69</b>
Cache	7	22	114	37	434	955	5.18	8.38	119.37
Davis	2	6	6	0	6	0	1.00	0.00	0.00
Morgan	8	25	49	43	493	1,328	1.96	27.10	36.90
Piute	4	12	46	308	653	17,625	3.83	383.15	2.61
Rich	5	15	465	77	592	6,163	31.00	13.25	75.45
Sanpete	4	12	99	123	357	11,093	8.25	112.05	8.92
Sevier	9	28	46	330	786	25,713	1.64	558.98	1.79
Summit	9	28	71	18	197	148	2.54	2.08	479.73
Utah	21	65	123	290	1,005	9,783	1.89	79.54	12.57
Wasatch	4	12	55	37	74	518	4.58	9.42	106.18
Weber	3	9	74	43	96	1,115	8.22	15.07	66.37
<b>Rocky Mountain Total</b>	<b>76</b>	<b>234</b>	<b>1,148</b>	<b>1,306</b>	<b>4,693</b>	<b>74,441</b>	<b>4.91</b>	<b>64.84</b>	<b>15.42</b>
Daggett	4	12	105	83	431	6,995	8.75	66.62	15.01
Duchesne	8	25	256	320	629	14,051	10.24	54.89	18.22
Uintah	14	43	259	521	616	17,147	6.02	66.20	15.10
<b>Uintah Basin Total</b>	<b>26</b>	<b>80</b>	<b>620</b>	<b>924</b>	<b>1,676</b>	<b>38,193</b>	<b>7.75</b>	<b>61.60</b>	<b>16.23</b>
Carbon	7	22	89	166	884	5,620	4.05	63.15	15.84
Emery	11	34	145	262	647	12,541	4.26	86.49	11.56
Garfield	12	37	166	478	1,245	24,496	4.49	147.57	6.78
Grand	4	12	40	37	123	1,479	3.33	36.98	27.05
Kane	11	34	265	478	533	10,994	7.79	41.49	24.10
San Juan	7	22	413	456	1,310	24,774	18.77	59.99	16.67
Washington	7	22	151	203	438	7,506	6.86	49.71	20.12
Wayne	3	9	40	77	213	2,742	4.44	68.55	14.59
<b>Colorado Plateau Total</b>	<b>62</b>	<b>192</b>	<b>1,309</b>	<b>2,157</b>	<b>5,393</b>	<b>90,152</b>	<b>6.82</b>	<b>68.87</b>	<b>14.52</b>
Unknown	17	52	308	330	314	4,039	5.92	13.28	75.32
<b>Statewide Total**</b>	<b>227</b>	<b>699</b>	<b>7,173</b>	<b>8,547</b>	<b>21,272</b>	<b>561,144</b>	<b>10.26</b>	<b>78.23</b>	<b>12.78</b>

\*Projected trappers trapping in that county, from questionnaire returns.


\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## GRAY FOX

Gray fox harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Gray Fox per Trapper	Set-days per Gray Fox	Gray Fox per 1000 Set-days	Pelt Price
1982-1983	263	1,346	195,772	5.12	145.45	6.88	\$27.75
1983-1984	233	1,367	162,394	5.87	118.80	8.42	\$25.13
1984-1985	305	1,954	250,538	6.41	128.22	7.80	\$24.64
1985-1986	256	1,407	180,454	5.50	128.25	7.80	\$15.03
1986-1987	252	1,457	134,458	5.78	92.28	10.84	\$25.29
1987-1988	273	1,633	122,271	5.98	74.88	13.36	\$21.91
1988-1989	226	1,099	90,214	4.86	82.09	12.18	\$13.50
1989-1990	233	941	63,576	4.04	67.56	14.80	\$6.19
1990-1991	65	250	24,768	3.85	99.07	10.09	\$8.24
1991-1992	110	402	39,445	3.65	98.12	10.19	\$6.87
1992-1993	214	422	37,108	1.97	87.93	11.37	\$7.08
1993-1994	136	687	36,563	5.05	53.22	18.79	\$12.00
1994-1995	207	771	38,957	3.72	50.53	19.79	\$9.62
1995-1996	147	828	36,319	5.63	43.86	22.80	\$10.65
1996-1997	102	367	16,904	3.60	46.06	21.71	\$11.60
1997-1998	87	389	26,515	4.47	68.16	14.67	\$7.76
1998-1999	135	870	83,913	6.44	96.45	10.37	\$6.96
1999-2000	140	925	54,044	6.61	58.43	17.12	\$6.62
2000-2001	187	1,159	117,117	6.20	101.05	9.90	\$8.00
2001-2002	154	1,326	129,687	8.61	97.80	10.22	\$11.58
2002-2003	299	1,942	225,810	6.49	116.28	8.60	\$12.47
2003-2004	265	1,749	223,814	6.60	127.97	7.81	\$10.84
2004-2005	203	942	94,102	4.64	99.90	10.01	\$13.81
Average	195	1,054	103,684	5.27	90.54	12.41	\$13.20

Gray fox harvest trends in Utah, 1982-1983 through 2004-2005.



Summary of gray fox harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-		Fox per 1000 Set- days
		Trappers	Harvest			days	Fox per Trapper	
Iron	6	16	48	169	286	3,702	3.00	77.13
Millard	1	3	3	8	56	167	1.00	55.67
Tooele	2	5	0	0	58	0	0.00	0.00
<b>Great Basin Total</b>	<b>9</b>	<b>24</b>	<b>51</b>	<b>177</b>	<b>400</b>	<b>3,869</b>	<b>2.13</b>	<b>75.86</b>
Sevier	1	3	5	132	132	6,610	1.67	1,322.00
<b>Rocky Mountain Total</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>132</b>	<b>132</b>	<b>6,610</b>	<b>1.67</b>	<b>1,322.00</b>
Daggett	1	3	21	0	0	0	7.00	0.00
Duchesne	1	3	16	32	0	0	5.33	0.00
Uintah	4	11	82	172	225	4,958	7.45	60.46
<b>Uintah Basin Total</b>	<b>6</b>	<b>17</b>	<b>119</b>	<b>204</b>	<b>225</b>	<b>4,958</b>	<b>7.00</b>	<b>41.66</b>
Carbon	1	3	0	0	40	0	0.00	0.00
Emery	2	5	13	8	24	34	2.60	2.62
Garfield	4	11	24	45	90	555	2.18	23.13
Grand	2	5	16	127	16	762	3.20	47.63
Kane	3	8	108	169	100	2,581	13.50	23.90
San Juan	5	13	124	122	264	2,644	9.54	21.32
Washington	12	32	272	526	1,113	21,851	8.50	80.33
Wayne	3	8	42	98	225	3,041	5.25	72.40
<b>Colorado Plateau Total</b>	<b>32</b>	<b>85</b>	<b>599</b>	<b>1,095</b>	<b>1,872</b>	<b>31,468</b>	<b>7.05</b>	<b>52.53</b>
Unknown	7	19	151	278	137	7,139	7.95	47.28
<b>Statewide Total**</b>	<b>53</b>	<b>140</b>	<b>925</b>	<b>1,886</b>	<b>2,766</b>	<b>54,044</b>	<b>6.61</b>	<b>58.43</b>
								<b>17.12</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of gray fox harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest			days	days			
Beaver	3	9	17	163	533	10,841	1,89	637.71	1.57	
Iron	5	15	178	216	758	11,599	11.87	65.16	15.35	
<b>Great Basin Total</b>	<b>8</b>	<b>24</b>	<b>195</b>	<b>379</b>	<b>1,291</b>	<b>22,440</b>	<b>8.13</b>	<b>115.08</b>	<b>8.69</b>	
Plute	2	6	15	29	64	326	2.50	21.73	46.01	
Sevier	4	12	12	189	466	9,675	1.00	806.25	1.24	
Summit	1	3	0	0	3	0	0.00	0.00	0.00	
Utah	2	6	15	111	105	2,763	2.50	184.20	5.43	
<b>Rocky Mountain Total</b>	<b>9</b>	<b>27</b>	<b>42</b>	<b>329</b>	<b>638</b>	<b>12,764</b>	<b>1.56</b>	<b>303.90</b>	<b>3.29</b>	
Daggett	3	9	67	58	175	3,497	7.44	52.19	19.16	
Duchesne	3	9	15	131	408	6,703	1.67	446.87	2.24	
Uintah	4	12	85	149	146	3,745	7.08	44.06	22.70	
<b>Uintah Basin Total</b>	<b>10</b>	<b>30</b>	<b>167</b>	<b>338</b>	<b>729</b>	<b>13,945</b>	<b>5.57</b>	<b>83.50</b>	<b>11.98</b>	
Emery	3	9	20	12	58	117	2.22	5.85	170.94	
Garfield	3	9	131	61	204	2,273	14.56	17.35	57.63	
Grand	1	3	26	117	41	1,632	8.67	62.77	15.93	
Kane	5	15	117	452	396	16,349	7.80	139.74	7.16	
San Juan	10	29	204	239	988	16,297	7.03	79.89	12.52	
Washington	10	29	175	592	973	22,644	6.03	129.39	7.73	
Wayne	1	3	6	17	131	787	2.00	131.17	7.62	
<b>Colorado Plateau Total</b>	<b>33</b>	<b>97</b>	<b>679</b>	<b>1,490</b>	<b>2,791</b>	<b>60,099</b>	<b>7.00</b>	<b>88.51</b>	<b>11.30</b>	
Unknown	3	9	76	146	291	7,869	8.44	103.54	9.66	
<b>Statewide Total**</b>	<b>63</b>	<b>187</b>	<b>1,159</b>	<b>2,682</b>	<b>5,740</b>	<b>117,117</b>	<b>6.20</b>	<b>101.05</b>	<b>9.90</b>	

\*Projected trappers trapping in that county, from questionnaire returns

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of gray fox harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest			days	Fox			
Beaver	3	10	26	178	421	11,565	2.60	444.81	2.25	
Iron	4	13	55	214	404	6,697	4.23	121.76	8.21	
Millard	1	3	3	113	194	6,794	1.00	2,264.67	0.44	
Great Basin Total	8	26	84	505	1,019	25,056	3.23	298.29	3.35	
Sevier	3	10	16	19	194	1,165	1.60	72.81	13.73	
Weber	1	3	52	129	243	9,705	17.33	186.63	5.36	
Rocky Mountain Total	4	13	68	148	437	10,870	5.23	159.85	6.26	
Duchesne	2	6	10	36	210	1,957	1.67	195.70	5.11	
Uintah	1	3	26	52	97	1,553	8.67	59.73	16.74	
Uintah Basin Total	3	9	36	88	307	3,510	4.00	97.50	10.26	
Carbon	2	6	13	16	207	427	2.17	32.85	30.44	
Emery	1	3	0	10	16	49	0.00	0.00	0.00	
Garfield	3	10	256	210	372	14,073	25.60	54.97	18.19	
Grand	1	3	65	32	97	971	21.67	14.94	66.94	
Kane	5	16	201	485	815	26,690	12.56	132.79	7.53	
San Juan	6	19	175	524	621	25,661	9.21	146.63	6.82	
Washington	5	16	159	304	498	11,996	9.94	75.45	13.25	
Wayne	3	10	68	84	421	3,429	6.80	50.43	19.83	
Colorado Plateau Total	26	83	937	1,665	3,047	83,296	11.29	88.90	11.25	
Unknown	7	23	201	142	501	6,955	8.74	34.60	28.90	
Statewide Total**	48	154	1,326	2,548	5,311	129,687	8.61	97.80	10.22	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of gray fox harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest			days	Fox per 1000 Set-days			
Beaver	3	8	25	141	257	42	3.13	1.68	595.24	
Iron	22	62	296	987	2,109	47,073	4.77	159.03	6.29	
Juab	1	3	11	141	248	12,404	3.67	1,127.64	0.89	
Millard	2	6	3	6	42	85	0.50	28.33	35.29	
Tooele	1	3	3	0	3	0	1.00	0.00	0.00	
<b>Great Basin Total</b>	<b>29</b>	<b>82</b>	<b>338</b>	<b>1,275</b>	<b>2,659</b>	<b>59,604</b>	<b>4.12</b>	<b>176.34</b>	<b>5.67</b>	
Cache	1	3	0	6	39	79	0.00	0.00	0.00	
Piute	1	3	0	0	0	0	0.00	0.00	0.00	
Sanpete	2	6	0	0	0	0	0.00	0.00	0.00	
Seyiv	3	8	8	85	254	7,611	1.00	951.38	1.05	
Wasatch	1	3	0	48	141	2,396	0.00	0.00	0.00	
<b>Rocky Mountain Total</b>	<b>8</b>	<b>23</b>	<b>8</b>	<b>139</b>	<b>434</b>	<b>10,086</b>	<b>0.35</b>	<b>1,260.75</b>	<b>0.79</b>	
Daggett	1	3	3	0	0	0	1.00	0.00	0.00	
Duchesne	2	6	17	37	338	2,791	2.83	164.18	6.09	
Uintah	6	17	118	285	702	13,405	6.94	113.60	8.80	
<b>Uintah Basin Total</b>	<b>9</b>	<b>26</b>	<b>138</b>	<b>322</b>	<b>1,040</b>	<b>16,196</b>	<b>5.31</b>	<b>117.36</b>	<b>8.52</b>	
Carbon	2	6	11	85	127	3,806	1.83	346.00	2.89	
Emery	4	11	23	45	251	1,691	2.09	73.52	13.60	
Garfield	18	51	493	1,173	1,460	44,333	9.67	89.92	11.12	
Grand	4	11	23	96	223	2,560	2.09	111.30	8.98	
Kane	9	25	178	468	1,029	28,473	7.12	159.96	6.25	
San Juan	14	39	234	801	1,066	36,140	6.00	154.44	6.47	
Washington	14	39	296	409	958	19,468	7.59	65.77	15.20	
Wayne	9	25	161	172	389	2,757	6.44	17.12	58.40	
<b>Colorado Plateau Total</b>	<b>74</b>	<b>207</b>	<b>1,419</b>	<b>3,249</b>	<b>5,503</b>	<b>139,228</b>	<b>6.86</b>	<b>98.12</b>	<b>10.19</b>	
<b>Unknown</b>	<b>5</b>	<b>14</b>	<b>39</b>	<b>39</b>	<b>107</b>	<b>696</b>	<b>2.79</b>	<b>17.85</b>	<b>56.03</b>	
<b>Statewide Total**</b>	<b>106</b>	<b>299</b>	<b>1,942</b>	<b>5,024</b>	<b>9,743</b>	<b>225,810</b>	<b>6.49</b>	<b>116.28</b>	<b>8.60</b>	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of gray fox harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest			days	Fox			
Beaver	4	12	57	110	922	6,931	4.75	121.60	8.22	
Iron	11	33	271	506	1,651	29,630	8.21	109.34	9.15	
Juab	1	3	3	0	0	0	1.00	0.00	0.00	
Millard	2	6	15	0	59	0	2.50	0.00	0.00	
<b>Great Basin Total</b>	<b>18</b>	<b>54</b>	<b>346</b>	<b>616</b>	<b>2,632</b>	<b>36,561</b>	<b>6.41</b>	<b>105.67</b>	<b>9.46</b>	
Piute	6	18	33	348	863	21,925	1.83	664.39	1.51	
Sanpete	1	3	9	89	268	8,032	3.00	892.44	1.12	
Sevier	6	18	18	107	803	8,389	1.00	466.06	2.15	
<b>Rocky Mountain Total</b>	<b>13</b>	<b>39</b>	<b>60</b>	<b>544</b>	<b>1,934</b>	<b>38,346</b>	<b>1.54</b>	<b>639.10</b>	<b>1.56</b>	
Duchesne	1	3	6	21	178	1,249	2.00	208.17	4.80	
Uintah	4	12	83	205	482	8,954	6.92	107.88	9.27	
<b>Uintah Basin Total</b>	<b>5</b>	<b>15</b>	<b>89</b>	<b>226</b>	<b>660</b>	<b>10,203</b>	<b>5.93</b>	<b>114.64</b>	<b>8.72</b>	
Carbon	3	9	21	95	155	2,927	2.33	139.38	7.17	
Emery	3	9	6	98	327	5,742	0.67	957.00	1.04	
Garfield	9	27	173	277	759	17,582	6.41	101.63	9.84	
Grand	3	9	33	59	533	4,224	3.67	128.00	7.81	
Kane	11	33	259	946	1,479	56,939	7.85	219.84	4.55	
San Juan	7	21	211	399	714	18,831	10.05	89.25	11.20	
Washington	12	36	375	610	1,014	24,260	10.42	64.69	15.46	
Wayne	5	15	54	312	515	7,842	3.60	145.22	6.89	
<b>Colorado Plateau Total</b>	<b>53</b>	<b>159</b>	<b>1,132</b>	<b>2,796</b>	<b>5,496</b>	<b>138,347</b>	<b>7.12</b>	<b>122.21</b>	<b>8.18</b>	
<b>Unknown</b>	<b>9</b>	<b>27</b>	<b>122</b>	<b>51</b>	<b>71</b>	<b>357</b>	<b>4.52</b>	<b>2.93</b>	<b>341.74</b>	
<b>Statewide Total**</b>	<b>89</b>	<b>265</b>	<b>1,749</b>	<b>4,233</b>	<b>10,793</b>	<b>223,814</b>	<b>6.60</b>	<b>127.97</b>	<b>7.81</b>	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of gray fox harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-		Fox per 1000 Set- days
		Trappers	Harvest			days	Fox per Trapper	
Box Elder	2	6	0	9	105	277	0.00	0.00
Iron	10	31	105	345	897	10,359	3.39	98.66
Juab	1	3	0	0	0	0	0.00	0.00
Millard	1	3	3	0	277	0	1.00	0.00
Tooele	1	3	0	0	6	0	0.00	0.00
<b>Great Basin Total</b>	<b>15</b>	<b>46</b>	<b>108</b>	<b>354</b>	<b>1,285</b>	<b>10,636</b>	<b>2.35</b>	<b>98.48</b>
Piute	2	6	6	77	68	1,695	1.00	282.50
Sevier	4	12	28	222	268	14,088	2.33	503.14
<b>Rocky Mountain Total</b>	<b>6</b>	<b>18</b>	<b>34</b>	<b>299</b>	<b>336</b>	<b>15,783</b>	<b>1.89</b>	<b>464.21</b>
Duchesne	2	6	6	31	176	1,541	1.00	256.83
Uintah	2	6	74	216	277	10,168	12.33	137.41
<b>Uintah Basin Total</b>	<b>4</b>	<b>12</b>	<b>80</b>	<b>247</b>	<b>453</b>	<b>11,709</b>	<b>6.67</b>	<b>146.36</b>
Carbon	1	3	0	18	49	296	0.00	0.00
Emery	3	9	15	163	370	8,689	1.67	579.27
Garfield	7	22	154	589	616	18,888	7.00	122.65
Grand	3	9	9	15	123	616	1.00	68.44
Kane	7	22	114	327	231	5,781	5.18	50.71
San Juan	6	18	126	206	570	9,151	7.00	72.63
Washington	9	28	188	280	527	8,356	6.71	44.45
Wayne	3	9	68	86	265	2,521	7.56	37.07
<b>Colorado Plateau Total</b>	<b>39</b>	<b>120</b>	<b>674</b>	<b>1,684</b>	<b>2,751</b>	<b>54,298</b>	<b>5.62</b>	<b>80.56</b>
Unknown	8	25	46	86	197	1,676	1.84	36.43
<b>Statewide Total**</b>	<b>66</b>	<b>203</b>	<b>942</b>	<b>2,670</b>	<b>5,022</b>	<b>94,102</b>	<b>4.64</b>	<b>99.90</b>


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## KIT FOX

Kit fox harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Kit Fox per Trapper	Set-days per Kit Fox	Kit Fox per 1000 Set-days	Pelt Price
1982-1983	109	363	96,880	3.33	266.89	3.75	\$11.39
1983-1984	112	698	119,504	6.23	171.21	5.84	\$11.99
1984-1985	142	651	116,133	4.58	178.39	5.61	\$11.17
1985-1986	108	609	54,928	5.64	90.19	11.09	\$7.50
1986-1987	122	547	39,872	4.48	72.89	13.72	\$9.90
1987-1988	138	538	32,630	3.90	60.65	16.49	\$10.69
1988-1989	130	643	35,528	4.95	55.25	18.10	\$6.98
1989-1990	117	365	21,926	3.12	60.07	16.65	\$3.19
1990-1991	81	186	4,815	2.30	25.89	38.63	\$4.67
1991-1992	86	187	9,869	2.17	52.78	18.95	\$2.78
1992-1993	41	191	7,363	4.66	38.55	25.94	\$4.30
1993-1994	75	301	7,415	4.01	24.63	40.59	\$4.69
1994-1995	109	531	10,292	4.87	19.38	51.59	\$6.45
1995-1996	77	218	9,826	2.83	45.07	22.19	\$6.25
1996-1997	44	162	2,591	3.68	15.99	62.52	\$6.77
1997-1998	41	96	27,046	2.34	281.73	3.55	\$3.50
1998-1999	75	168	21,557	2.24	128.32	7.79	\$7.31
1999-2000	66	183	20,890	2.77	114.15	8.76	\$2.90
2000-2001	51	161	36,574	3.16	227.17	4.40	\$6.13
2001-2002	52	171	39,215	3.29	229.33	4.36	\$10.72
2002-2003	90	302	66,826	3.36	221.28	4.52	\$5.44
2003-2004	83	638	61,572	7.69	96.51	10.36	\$5.38
2004-2005	89	259	49,454	2.91	190.94	5.24	\$8.98
Average	89	355	38,813	3.85	115.97	17.42	\$6.92



Summary of kit fox harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Box Elder	3	8	40	45	106	767	5.00	19.18	52.15
Iron	2	5	8	79	79	1,586	1.60	198.25	5.04
Juab	3	8	13	241	217	5,968	1.63	459.08	2.18
Millard	6	16	26	219	383	10,812	1.63	415.85	2.40
Tooele	7	19	21	26	122	426	1.11	20.29	49.30
<b>Great Basin Total</b>	<b>21</b>	<b>56</b>	<b>108</b>	<b>610</b>	<b>907</b>	<b>19,559</b>	<b>1.93</b>	<b>181.10</b>	<b>5.52</b>
Davis	1	3	0	3	0	0	0.00	0.00	0.00
Sevier	1	3	3	8	93	278	1.00	92.67	10.79
Summit	1	3	3	3	8	8	1.00	2.67	375.00
<b>Rocky Mountain Total</b>	<b>3</b>	<b>9</b>	<b>6</b>	<b>14</b>	<b>101</b>	<b>286</b>	<b>0.67</b>	<b>47.67</b>	<b>20.98</b>
<b>Uintah Basin Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Emery	2	5	16	8	53	93	3.20	5.81	172.04
Washington	2	5	8	16	82	476	1.60	59.50	16.81
Wayne	1	3	32	24	53	476	10.67	14.88	67.23
<b>Colorado Plateau Total</b>	<b>5</b>	<b>13</b>	<b>56</b>	<b>48</b>	<b>188</b>	<b>1,045</b>	<b>4.31</b>	<b>18.66</b>	<b>53.59</b>
Unknown	1	3	13	48	0	0	4.33	0.00	0.00
<b>Statewide Total**</b>	<b>25</b>	<b>66</b>	<b>183</b>	<b>720</b>	<b>1,196</b>	<b>20,890</b>	<b>2.77</b>	<b>114.15</b>	<b>8.76</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of kit fox harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-		Fox per 1000 Set- days
		Trappers	Harvest			days	Fox per Trapper	
Box Elder	2	6	6	15	52	204	1.00	34.00
Juab	2	6	32	204	175	12,240	5.50	382.50
Millard	2	6	9	204	233	7,286	1.50	809.56
Tooele	2	6	29	0	47	0	5.00	0.00
<b>Great Basin Total</b>	<b>8</b>	<b>24</b>	<b>76</b>	<b>423</b>	<b>507</b>	<b>19,730</b>	<b>3.17</b>	<b>259.61</b>
Sevier	1	3	0	58	73	1,457	0.00	0.00
<b>Rocky Mountain Total</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>58</b>	<b>73</b>	<b>1,457</b>	<b>0.00</b>	<b>0.00</b>
Uintah	1	3	3	15	0	0	1.00	0.00
<b>Uintah Basin Total</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>15</b>	<b>0</b>	<b>0</b>	<b>1.00</b>	<b>0.00</b>
Kane	1	3	9	0	6	0	3.00	0.00
Washington	3	9	47	265	437	15,387	5.22	327.38
Wayne	1	3	6	0	12	0	2.00	0.00
<b>Colorado Plateau Total</b>	<b>5</b>	<b>15</b>	<b>62</b>	<b>265</b>	<b>455</b>	<b>15,387</b>	<b>4.13</b>	<b>248.18</b>
Unknown	2	6	20	9	0	0	3.33	0.00
<b>Statewide Total**</b>	<b>17</b>	<b>51</b>	<b>161</b>	<b>770</b>	<b>1,035</b>	<b>36,574</b>	<b>3.16</b>	<b>227.17</b>
								<b>4.40</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of kit fox harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-		Fox per 1000 Set- days
		Trappers	Harvest			days	Fox per Trapper	
Beaver	1	3	6	129	210	8,411	2.00	1,401.83
Millard	3	10	13	210	453	14,558	1.30	1,119.85
Tooele	2	6	10	0	16	0	1.67	0.00
<b>Great Basin Total</b>	<b>6</b>	<b>19</b>	<b>29</b>	<b>339</b>	<b>679</b>	<b>22,969</b>	<b>1.53</b>	<b>792.03</b>
Sevier	2	6	6	0	0	0	1.00	0.00
Summit	1	3	0	0	32	0	0.00	0.00
Weber	1	3	26	32	243	2,426	8.67	93.31
<b>Rocky Mountain Total</b>	<b>4</b>	<b>12</b>	<b>32</b>	<b>32</b>	<b>275</b>	<b>2,426</b>	<b>2.67</b>	<b>75.81</b>
<b>Uintah Basin Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>
Emery	2	6	13	16	146	324	2.17	24.92
San Juan	1	3	6	168	133	6,897	2.00	1,149.50
Washington	1	3	49	97	194	5,823	16.33	118.84
Wayne	1	3	3	13	194	776	1.00	258.67
<b>Colorado Plateau Total</b>	<b>5</b>	<b>15</b>	<b>71</b>	<b>294</b>	<b>667</b>	<b>13,820</b>	<b>4.73</b>	<b>194.65</b>
Unknown	2	6	39	0	0	0	6.50	0.00
<b>Statewide Total**</b>	<b>17</b>	<b>52</b>	<b>171</b>	<b>665</b>	<b>1,621</b>	<b>39,215</b>	<b>3.29</b>	<b>229.33</b>
								<b>4.36</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of kit fox harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	1	3	14	14	85	423	4.67	30.21	33.10
Box Elder	1	3	3	6	85	169	1.00	56.33	17.75
Iron	3	8	3	118	17	710	0.38	236.67	4.23
Juab	3	8	20	141	259	12,404	2.50	620.20	1.61
Millard	6	17	25	34	321	1,790	1.47	71.60	13.97
<b>Great Basin Total</b>	<b>14</b>	<b>39</b>	<b>65</b>	<b>313</b>	<b>767</b>	<b>15,496</b>	<b>1.67</b>	<b>238.40</b>	<b>4.19</b>
Sanpete	1	3	0	0	0	0	0.00	0.00	0.00
Sevier	3	8	11	0	0	0	1.38	0.00	0.00
Summit	1	3	0	0	0	0	0.00	0.00	0.00
Utah	1	3	3	3	14	14	1.00	4.67	214.29
Wasatch	1	3	14	0	28	0	4.67	0.00	0.00
<b>Rocky Mountain Total</b>	<b>7</b>	<b>20</b>	<b>28</b>	<b>3</b>	<b>42</b>	<b>14</b>	<b>1.40</b>	<b>0.50</b>	<b>2,000.00</b>
<b>Uintah Basin Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Carbon	1	3	3	85	127	3,806	1.00	1,268.67	0.79
Emery	1	3	3	14	14	70	1.00	23.33	42.86
Garfield	4	11	20	479	324	15,364	1.82	768.20	1.30
Grand	2	6	17	68	166	1,996	2.83	117.41	8.52
San Juan	3	8	20	197	324	13,250	2.50	662.50	1.51
Washington	3	8	73	259	479	16,435	9.13	225.14	4.44
Wayne	4	11	70	56	56	395	6.36	5.64	177.22
<b>Colorado Plateau Total</b>	<b>18</b>	<b>50</b>	<b>206</b>	<b>1,158</b>	<b>1,490</b>	<b>51,316</b>	<b>4.12</b>	<b>249.11</b>	<b>4.01</b>
<b>Unknown</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1.00</b>	<b>0.00</b>	<b>0.00</b>
<b>Statewide Total**</b>	<b>32</b>	<b>90</b>	<b>302</b>	<b>1,474</b>	<b>2,299</b>	<b>66,826</b>	<b>3.36</b>	<b>221.28</b>	<b>4.52</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of kit fox harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest							
Beaver	2	6	393	36	535	3,213	65.50	8.18		
Iron	1	3	21	89	178	5,355	7.00	255.00		
Juab	3	9	12	0	12	0	1.33	0.00		
Millard	3	9	33	143	178	8,568	3.67	259.64		
Tooele	4	12	39	27	65	101	3.25	2.59		
<b>Great Basin Total</b>	<b>13</b>	<b>39</b>	<b>498</b>	<b>295</b>	<b>968</b>	<b>17,237</b>	<b>12.77</b>	<b>34.61</b>	<b>28.89</b>	
Morgan	1	3	9	0	6	0	3.00	0.00		
Piute	1	3	6	119	268	10,710	2.00	1,785.00		
Seyvier	3	9	6	71	178	2,856	0.67	476.00		
Utah	2	6	27	39	104	714	4.50	26.44		
<b>Rocky Mountain Total</b>	<b>7</b>	<b>21</b>	<b>48</b>	<b>229</b>	<b>556</b>	<b>14,280</b>	<b>2.29</b>	<b>297.50</b>	<b>3.36</b>	
<b>Uintah Basin Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	
Emery	2	6	12	181	42	42	2.00	3.50		
Garfield	2	6	6	125	176	4,516	1.00	752.67		
Kane	1	3	0	59	89	1,785	0.00	0.00		
Washington	4	12	68	259	431	17,239	5.67	253.51		
Wayne	2	6	3	95	202	6,473	0.50	2,157.67		
<b>Colorado Plateau Total</b>	<b>11</b>	<b>33</b>	<b>89</b>	<b>719</b>	<b>940</b>	<b>30,055</b>	<b>2.70</b>	<b>337.70</b>	<b>2.96</b>	
<b>Unknown</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1.00</b>	<b>0.00</b>	<b>0.00</b>	
<b>Statewide Total**</b>	<b>28</b>	<b>83</b>	<b>638</b>	<b>1,243</b>	<b>2,464</b>	<b>61,572</b>	<b>7.69</b>	<b>96.51</b>	<b>10.36</b>	

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of kit fox harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	1	3	9	154	0	0	3.00	0.00	#DIV/0!
Box Elder	3	9	43	15	151	462	4.78	10.74	93.07
Iron	2	6	15	68	62	616	2.50	41.07	24.35
Juab	3	9	12	9	77	185	1.33	15.42	64.86
Millard	4	12	34	401	324	19,874	2.83	584.53	1.71
Tooele	3	9	15	9	68	185	1.67	12.33	81.08
<b>Great Basin Total</b>	<b>16</b>	<b>48</b>	<b>128</b>	<b>656</b>	<b>682</b>	<b>21,322</b>	<b>2.67</b>	<b>166.58</b>	<b>6.00</b>
<b>Rocky Mountain Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
<b>Uintah Basin Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Carbon	2	6	3	74	49	296	0.50	98.67	10.14
Emery	4	12	15	169	370	8,689	1.25	579.27	1.73
Garfield	1	3	9	185	231	13,866	3.00	1,540.67	0.65
Grand	3	9	9	0	123	0	1.00	0.00	#DIV/0!
Kane	1	3	0	0	43	0	0.00	#DIV/0!	#DIV/0!
Washington	2	6	83	108	210	3,665	13.83	43.43	23.02
<b>Colorado Plateau Total</b>	<b>13</b>	<b>39</b>	<b>119</b>	<b>536</b>	<b>1,026</b>	<b>26,456</b>	<b>3.05</b>	<b>222.32</b>	<b>4.50</b>
<b>Unknown</b>	<b>3</b>	<b>9</b>	<b>12</b>	<b>203</b>	<b>105</b>	<b>1,676</b>	<b>1.33</b>	<b>139.67</b>	<b>0.00</b>
<b>Statewide Total**</b>	<b>29</b>	<b>89</b>	<b>259</b>	<b>1,395</b>	<b>1,813</b>	<b>49,454</b>	<b>2.91</b>	<b>190.94</b>	<b>5.24</b>


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## RED FOX

Red fox harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Red Fox per Trapper	Set-days per Red Fox	Red Fox per 1000 Set-days	Pelt Price
1982-1983	172	544	69,366	3.16	127.51	7.84	\$30.13
1983-1984	191	523	70,121	2.74	134.07	7.46	\$28.43
1984-1985	298	1,244	143,815	4.17	115.61	8.65	\$25.90
1985-1986	316	1,351	99,623	4.28	73.74	13.56	\$15.83
1986-1987	444	2,446	143,189	5.51	58.54	17.08	\$20.14
1987-1988	506	2,545	126,008	5.03	49.51	20.20	\$13.66
1988-1989	398	2,446	83,777	6.15	34.25	29.20	\$6.57
1989-1990	496	2,250	88,876	4.54	39.50	25.32	\$7.80
1990-1991	365	1,993	49,821	5.46	25.00	40.00	\$6.34
1991-1992	623	3,663	103,484	5.88	28.25	35.40	\$10.70
1992-1993	594	3,126	83,253	5.26	26.63	37.55	\$10.12
1993-1994	578	5,055	130,027	8.75	25.72	38.88	\$14.74
1994-1995	509	4,378	156,307	8.60	35.70	28.01	\$15.34
1995-1996	421	4,115	106,218	9.77	25.81	38.74	\$18.08
1996-1997	427	4,274	116,183	10.01	27.18	36.79	\$17.48
1997-1998	414	3,744	118,860	9.04	31.75	31.50	\$11.31
1998-1999	570	5,600	189,944	9.82	33.92	29.48	\$8.95
1999-2000	420	4,900	216,141	11.67	44.11	22.67	\$14.19
2000-2001	375	5,330	279,449	14.21	52.43	19.07	\$16.92
2001-2002	379	3,192	188,572	8.42	59.08	16.93	\$24.48
2002-2003	482	4,399	335,863	9.13	76.35	13.10	\$28.19
2003-2004	568	4,639	329,026	8.17	70.93	14.10	\$18.07
2004-2005	545	4,674	479,042	8.58	102.49	9.76	\$18.86
Average	439	3,323	161,172	7.32	56.44	23.53	\$16.62



Summary of red fox harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	2	5	151	53	79	1,586	30.20	10.50	95.21
Box Elder	18	48	500	196	677	5,182	10.42	10.36	96.49
Iron	5	13	13	69	251	497	1.00	38.23	26.16
Juab	8	21	106	547	518	14,405	5.05	135.90	7.36
Millard	2	5	37	26	132	1,322	7.40	35.73	27.99
Tooele	11	29	69	58	479	2,216	2.38	32.12	31.14
<b>Great Basin Total</b>	<b>46</b>	<b>121</b>	<b>876</b>	<b>949</b>	<b>2,136</b>	<b>25,208</b>	<b>7.24</b>	<b>28.78</b>	<b>34.75</b>
Cache	8	21	576	463	608	23,400	27.43	40.63	24.62
Davis	7	19	233	206	545	8,916	12.26	38.27	26.13
Morgan	5	13	58	40	243	735	4.46	12.67	78.91
Rich	3	8	58	132	69	2,776	7.25	47.86	20.89
Salt Lake	8	21	161	262	381	5,516	7.67	34.26	29.19
Sanpete	4	11	1,232	317	1,060	97,382	112.00	79.04	12.65
Sevier	9	24	130	130	582	4,484	5.42	34.49	28.99
Summit	5	13	63	116	238	5,251	4.85	83.35	12.00
Utah	14	37	249	280	849	5,791	6.73	23.26	43.00
Wasatch	6	16	127	77	394	2,168	7.94	17.07	58.58
Weber	10	26	270	233	471	7,054	10.38	26.13	38.28
<b>Rocky Mountain Total</b>	<b>79</b>	<b>209</b>	<b>3,157</b>	<b>2,256</b>	<b>5,440</b>	<b>163,473</b>	<b>15.11</b>	<b>51.78</b>	<b>19.31</b>
Daggett	1	3	5	11	26	106	1.67	21.20	47.17
Duchesne	5	13	45	93	34	132	3.46	2.93	340.91
Uintah	12	32	293	375	1,002	16,605	9.16	56.67	17.65
<b>Uintah Basin Total</b>	<b>18</b>	<b>48</b>	<b>343</b>	<b>479</b>	<b>1,062</b>	<b>16,843</b>	<b>7.15</b>	<b>49.10</b>	<b>20.36</b>
Carbon	6	16	42	29	116	381	2.63	9.07	110.24
Emery	6	16	233	127	283	3,601	14.56	15.45	64.70
Garfield	1	3	3	40	79	1,190	1.00	396.67	2.52
Grand	2	5	0	127	16	762	0.00	0.00	0.00
San Juan	3	8	29	79	93	595	3.63	20.52	48.74
Washington	2	5	5	5	79	159	1.00	31.80	31.45
Wayne	1	3	24	19	66	463	8.00	19.29	51.84
<b>Colorado Plateau Total</b>	<b>21</b>	<b>56</b>	<b>336</b>	<b>426</b>	<b>732</b>	<b>7,151</b>	<b>6.00</b>	<b>21.28</b>	<b>46.99</b>
Unknown	17	45	188	452	566	3,466	4.18	18.44	54.24
<b>Statewide Total**</b>	<b>159</b>	<b>420</b>	<b>4,900</b>	<b>4,562</b>	<b>9,936</b>	<b>216,141</b>	<b>11.67</b>	<b>44.11</b>	<b>22.67</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of red fox harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected		Traps Set	Trapping Days	Projected Set-days		Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
		Trappers	Harvest			days	Fox per 1000 Set-days			
Beaver	1	3	0	17	131	787	0.00	0.00	0.00	0.00
Box Elder	11	32	574	434	1,824	88,594	17.94	154.34	6.48	6.48
Iron	4	12	73	181	670	10,550	6.08	144.52	6.92	6.92
Juab	3	9	90	274	379	14,455	10.00	160.61	6.23	6.23
Millard	1	3	3	0	15	0	1.00	0.00	0.00	0.00
Tooele	8	23	154	233	376	7,962	6.70	51.70	19.34	19.34
<b>Great Basin Total</b>	<b>28</b>	<b>82</b>	<b>894</b>	<b>1,139</b>	<b>3,395</b>	<b>122,348</b>	<b>10.90</b>	<b>136.85</b>	<b>7.31</b>	<b>7.31</b>
Cache	5	15	522	233	335	12,415	34.80	23.78	42.05	42.05
Davis	6	17	239	254	463	9,527	14.06	39.86	25.09	25.09
Morgan	6	17	64	111	393	1,836	3.76	28.69	34.86	34.86
Rich	4	12	140	96	61	729	11.67	5.21	192.04	192.04
Salt Lake	6	17	143	178	347	5,170	8.41	36.15	27.66	27.66
Sanpete	5	15	1,440	157	1,443	30,003	96.00	20.84	48.00	48.00
Sevier	13	38	274	673	1,207	25,264	7.21	92.20	10.85	10.85
Summit	5	15	79	93	178	1,550	5.27	19.62	50.97	50.97
Utah	7	20	134	210	542	7,854	6.70	58.61	17.06	17.06
Wasatch	2	6	44	44	204	874	7.33	19.86	50.34	50.34
Weber	3	9	303	157	277	8,947	33.67	29.53	33.87	33.87
<b>Rocky Mountain Total</b>	<b>62</b>	<b>181</b>	<b>3,382</b>	<b>2,206</b>	<b>5,450</b>	<b>104,169</b>	<b>18.69</b>	<b>30.80</b>	<b>32.47</b>	<b>32.47</b>
Duchesne	4	12	93	163	431	6,977	7.75	75.02	13.33	13.33
Uintah	11	32	393	593	1,241	31,008	12.28	78.90	12.67	12.67
<b>Uintah Basin Total</b>	<b>15</b>	<b>44</b>	<b>486</b>	<b>756</b>	<b>1,672</b>	<b>37,985</b>	<b>11.05</b>	<b>78.16</b>	<b>12.79</b>	<b>12.79</b>
Carbon	4	12	70	58	149	1,174	5.83	16.77	59.63	59.63
Emery	5	15	122	76	318	3,010	8.13	24.67	40.53	40.53
Garfield	2	6	32	44	117	1,749	5.33	54.66	18.30	18.30
San Juan	5	15	67	154	542	8,489	4.47	126.70	7.89	7.89
Wayne	1	3	82	6	0	27.33	0.00	0.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>17</b>	<b>51</b>	<b>373</b>	<b>338</b>	<b>1,126</b>	<b>14,422</b>	<b>7.31</b>	<b>38.66</b>	<b>25.86</b>	<b>25.86</b>
<b>Unknown</b>	<b>6</b>	<b>17</b>	<b>195</b>	<b>262</b>	<b>6</b>	<b>525</b>	<b>11.47</b>	<b>2.69</b>	<b>371.43</b>	<b>371.43</b>
<b>Statewide Total**</b>	<b>128</b>	<b>375</b>	<b>5,330</b>	<b>4,701</b>	<b>11,649</b>	<b>279,449</b>	<b>14.21</b>	<b>52.43</b>	<b>19.07</b>	<b>19.07</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of red fox harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	3	10	78	139	349	8,799	7.80	112.81	8.86
Box Elder	12	39	236	246	767	16,486	6.05	69.86	14.32
Iron	5	16	100	226	285	4,629	6.25	46.29	21.60
Juab	4	13	13	165	45	45	1.00	3.46	288.89
Millard	3	10	42	123	437	7,376	4.20	175.62	5.69
Tooele	6	19	91	201	356	6,845	4.79	75.22	13.29
<b>Great Basin Total</b>	<b>33</b>	<b>107</b>	<b>560</b>	<b>1,100</b>	<b>2,239</b>	<b>44,180</b>	<b>5.23</b>	<b>78.89</b>	<b>12.68</b>
Cache	4	13	149	116	304	3,106	11.46	20.85	47.97
Davis	5	16	288	181	793	16,790	18.00	58.30	17.15
Morgan	3	10	49	45	214	1,728	4.90	35.27	28.36
Rich	1	3	71	129	23	906	23.67	12.76	78.37
Salt Lake	6	19	330	366	155	8,735	17.37	26.47	37.78
Sanpete	5	16	84	201	288	3,656	5.25	43.52	22.98
Sevier	11	36	214	230	1,116	7,586	5.94	35.45	28.21
Summit	1	3	0	0	6	0	0.00	0.00	0.00
Utah	7	23	94	171	398	2,743	4.09	29.18	34.27
Wasatch	1	3	49	26	81	647	16.33	13.20	75.73
Weber	2	6	291	171	243	8,395	48.50	28.85	34.66
<b>Rocky Mountain Total</b>	<b>46</b>	<b>148</b>	<b>1,619</b>	<b>1,636</b>	<b>3,621</b>	<b>54,292</b>	<b>10.94</b>	<b>33.53</b>	<b>29.82</b>
Daggett	2	6	52	42	226	2,038	8.67	39.19	25.52
Duchesne	5	16	146	265	631	14,021	9.13	96.03	10.41
Uintah	2	6	204	414	404	25,298	34.00	124.01	8.06
<b>Uintah Basin Total</b>	<b>9</b>	<b>28</b>	<b>402</b>	<b>721</b>	<b>1,261</b>	<b>41,357</b>	<b>14.36</b>	<b>102.88</b>	<b>9.72</b>
Carbon	3	10	71	65	120	1,643	7.10	23.14	43.21
Emery	6	19	110	139	476	4,584	5.79	41.67	24.00
Garfield	3	10	52	210	372	14,073	5.20	270.63	3.70
Kane	1	3	6	65	194	3,882	2.00	647.00	1.55
San Juan	1	3	6	226	194	13,587	2.00	2,264.50	0.44
Wayne	2	6	10	129	184	5,377	1.67	537.70	1.86
<b>Colorado Plateau Total</b>	<b>16</b>	<b>51</b>	<b>255</b>	<b>834</b>	<b>1,540</b>	<b>43,146</b>	<b>5.00</b>	<b>169.20</b>	<b>5.91</b>
Unknown	14	45	356	207	540	5,597	7.91	15.72	63.61
<b>Statewide Total**</b>	<b>118</b>	<b>379</b>	<b>3,192</b>	<b>4,498</b>	<b>9,201</b>	<b>188,572</b>	<b>8.42</b>	<b>59.08</b>	<b>16.93</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of red fox harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	2	6	48	45	333	2,007	8.00	41.81	23.92
Box Elder	19	54	1,190	598	1,531	29,896	22.04	25.12	39.80
Iron	12	34	195	366	1,021	12,689	5.74	65.07	15.37
Juab	10	28	93	440	668	14,930	3.32	160.54	6.23
Millard	2	6	20	37	155	1,254	3.33	62.70	15.95
Tooele	10	28	82	268	699	8,604	2.93	104.93	9.53
<b>Great Basin Total</b>	<b>55</b>	<b>156</b>	<b>1,628</b>	<b>1,754</b>	<b>4,407</b>	<b>69,380</b>	<b>10.44</b>	<b>42.62</b>	<b>23.46</b>
Cache	6	17	20	79	341	2,447	1.18	122.35	8.17
Davis	4	11	96	48	310	2,819	8.73	29.36	34.05
Morgan	5	14	175	118	197	2,362	12.50	13.50	74.09
Piute	2	8	39	175	333	13,419	4.88	344.08	2.91
Rich	2	6	23	56	62	620	3.83	26.96	37.10
Salt Lake	5	14	183	288	400	8,401	13.07	45.91	21.78
Sanpete	7	20	132	620	668	34,483	6.60	261.23	3.83
Sevier	14	39	347	395	1,410	26,584	8.90	76.61	13.05
Summit	7	20	79	56	161	1,015	3.95	12.85	77.83
Utah	13	37	505	319	1,147	15,846	13.65	31.38	31.87
Wasatch	5	14	101	200	507	10,515	7.21	104.11	9.61
Weber	5	14	6	0	56	0	0.43	0.00	0.00
<b>Rocky Mountain Total</b>	<b>75</b>	<b>214</b>	<b>1,706</b>	<b>2,354</b>	<b>5,592</b>	<b>118,511</b>	<b>7.97</b>	<b>69.47</b>	<b>14.40</b>
Daggett	4	11	56	42	209	2,537	5.09	45.30	22.07
Duchesne	6	17	403	868	1,184	79,159	23.71	196.42	5.09
Uintah	10	28	166	372	803	16,153	5.93	97.31	10.28
<b>Uintah Basin Total</b>	<b>20</b>	<b>56</b>	<b>625</b>	<b>1,282</b>	<b>2,196</b>	<b>97,849</b>	<b>11.16</b>	<b>156.56</b>	<b>6.39</b>
Carbon	2	6	14	93	144	3,856	2.33	275.43	3.63
Emery	12	34	180	197	815	8,936	5.29	49.64	20.14
Garfield	9	25	31	443	877	18,781	1.24	605.84	1.65
Grand	1	3	23	28	56	564	7.67	24.52	40.78
Kane	2	6	6	68	338	3,157	1.00	526.17	1.90
San Juan	7	20	11	375	395	13,588	0.55	1,235.27	0.81
Washington	1	3	37	0	0	0	12.33	0.00	0.00
Wayne	3	8	34	51	189	1,004	4.25	29.53	33.86
<b>Colorado Plateau Total</b>	<b>37</b>	<b>105</b>	<b>336</b>	<b>1,255</b>	<b>2,814</b>	<b>49,886</b>	<b>3.20</b>	<b>148.47</b>	<b>6.74</b>
Unknown	9	25	104	28	144	237	4.16	2.28	438.82
<b>Statewide Total**</b>	<b>171</b>	<b>482</b>	<b>4,399</b>	<b>6,673</b>	<b>15,153</b>	<b>335,863</b>	<b>9.13</b>	<b>76.35</b>	<b>13.10</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of red fox harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	8	24	494	223	1,342	11,644	20.58	23.57	42.43
Box Elder	16	48	565	738	1,550	38,120	11.77	67.47	14.82
Iron	7	21	223	238	1,101	12,911	10.62	57.90	17.27
Juab	6	18	36	65	149	1,130	2.00	31.39	31.86
Millard	3	9	36	30	506	1,785	4.00	49.58	20.17
Tooele	8	24	113	277	387	4,992	4.71	44.18	22.64
<b>Great Basin Total</b>	<b>48</b>	<b>144</b>	<b>1,467</b>	<b>1,571</b>	<b>5,035</b>	<b>70,582</b>	<b>10.19</b>	<b>48.11</b>	<b>20.78</b>
Cache	7	21	80	223	964	18,206	3.81	227.58	4.39
Davis	7	21	277	303	476	6,009	13.19	21.69	46.10
Morgan	3	9	208	205	280	11,203	23.11	53.86	18.57
Piute	6	18	80	280	714	16,421	4.44	205.26	4.87
Rich	5	15	48	24	74	149	3.20	3.10	322.15
Salt Lake	3	9	65	74	193	2,796	7.22	43.02	23.25
Sanpete	9	27	283	268	857	18,072	10.48	63.86	15.66
Sevier	17	51	220	345	2,261	22,921	4.31	104.19	9.60
Summit	3	9	74	140	199	7,140	8.22	96.49	10.36
Utah	15	45	399	354	482	5,432	8.87	13.61	73.45
Wasatch	4	12	107	80	280	2,713	8.92	25.36	39.44
Weber	11	33	491	205	598	8,089	14.88	16.47	60.70
<b>Rocky Mountain Total</b>	<b>90</b>	<b>270</b>	<b>2,332</b>	<b>2,501</b>	<b>7,378</b>	<b>119,151</b>	<b>8.64</b>	<b>51.09</b>	<b>19.57</b>
Daggett	1	3	27	30	119	1,190	9.00	44.07	22.69
Duchesne	7	21	226	309	892	16,778	10.76	74.24	13.47
Uintah	15	45	164	708	1,592	35,133	3.64	214.23	4.67
<b>Uintah Basin Total</b>	<b>23</b>	<b>69</b>	<b>417</b>	<b>1,047</b>	<b>2,603</b>	<b>53,101</b>	<b>6.04</b>	<b>127.34</b>	<b>7.85</b>
Carbon	4	12	27	21	101	393	2.25	14.56	68.70
Emery	7	21	181	369	997	11,781	8.62	65.09	15.36
Garfield	9	27	42	274	889	15,083	1.56	359.12	2.78
Grand	1	3	3	30	268	2,677	1.00	892.33	1.12
Kane	7	21	33	559	982	29,273	1.57	887.06	1.13
San Juan	3	9	9	253	268	7,586	1.00	842.89	1.19
Washington	2	6	24	134	223	10,040	4.00	418.33	2.39
Wayne	3	9	24	140	500	9,002	2.67	375.08	2.67
<b>Colorado Plateau Total</b>	<b>36</b>	<b>108</b>	<b>343</b>	<b>1,780</b>	<b>4,228</b>	<b>85,835</b>	<b>3.18</b>	<b>250.25</b>	<b>4.00</b>
Unknown	7	21	80	155	155	357	3.81	4.46	224.09
<b>Statewide Total**</b>	<b>191</b>	<b>568</b>	<b>4,639</b>	<b>7,054</b>	<b>19,399</b>	<b>329,026</b>	<b>8.17</b>	<b>70.93</b>	<b>14.10</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of red fox harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Fox per Trapper	Set-days per Fox	Fox per 1000 Set-days
Beaver	3	9	65	40	370	1,664	7.22	25.60	39.06
Box Elder	18	55	1,109	1,143	2,536	202,546	20.16	182.64	5.48
Iron	7	22	102	243	789	11,136	4.64	109.18	9.16
Juab	7	22	77	99	80	524	3.50	6.81	146.95
Millard	5	15	105	416	764	30,751	7.00	292.87	3.41
Tooele	9	28	148	296	585	10,963	5.29	74.07	13.50
<b>Great Basin Total</b>	<b>49</b>	<b>151</b>	<b>1,606</b>	<b>2,237</b>	<b>5,124</b>	<b>257,584</b>	<b>10.64</b>	<b>160.39</b>	<b>6.23</b>
Cache	8	25	126	173	428	3,932	5.04	31.21	32.04
Davis	4	12	114	92	324	4,006	9.50	35.14	28.46
Morgan	8	25	422	92	662	2,995	16.88	7.10	140.90
Piute	5	15	117	539	884	32,508	7.80	277.85	3.60
Rich	1	3	46	46	185	2,773	15.33	60.28	16.59
Salt Lake	5	15	15	43	117	573	1.00	38.20	26.18
Sanpete	2	6	160	148	308	11,339	26.67	70.87	14.11
Sevier	11	34	176	169	690	6,341	5.18	36.03	27.76
Summit	10	31	18	77	160	1,337	0.58	74.28	13.46
Utah	18	55	607	589	1,461	26,718	11.04	44.02	22.72
Wasatch	5	15	86	114	247	4,973	5.73	57.83	17.29
Weber	7	22	117	68	222	968	5.32	8.27	120.87
<b>Rocky Mountain Total</b>	<b>84</b>	<b>258</b>	<b>2,004</b>	<b>2,150</b>	<b>5,688</b>	<b>98,463</b>	<b>7.77</b>	<b>49.13</b>	<b>20.35</b>
Daggett	2	6	25	46	123	924	4.17	36.96	27.06
Duchesne	8	25	129	166	626	9,429	5.16	73.09	13.68
Uintah	9	28	179	638	696	29,257	6.39	163.45	6.12
<b>Uintah Basin Total</b>	<b>19</b>	<b>59</b>	<b>333</b>	<b>850</b>	<b>1,445</b>	<b>39,610</b>	<b>5.64</b>	<b>118.95</b>	<b>8.41</b>
Carbon	6	18	179	333	727	27,997	9.94	156.41	6.39
Emery	10	31	188	357	897	19,227	6.06	102.27	9.78
Garfield	5	15	40	351	438	11,721	2.67	293.03	3.41
Grand	4	12	3	0	123	0	0.25	0.00	0.00
Kane	3	9	31	219	132	4,317	3.44	139.26	7.18
San Juan	5	15	37	228	524	12,941	2.47	349.76	2.86
Wayne	1	3	6	15	92	462	2.00	77.00	12.99
<b>Colorado Plateau Total</b>	<b>34</b>	<b>103</b>	<b>484</b>	<b>1,503</b>	<b>2,933</b>	<b>76,665</b>	<b>4.70</b>	<b>158.40</b>	<b>6.31</b>
<b>Unknown</b>	<b>18</b>	<b>55</b>	<b>247</b>	<b>342</b>	<b>604</b>	<b>6,720</b>	<b>4.49</b>	<b>27.21</b>	<b>36.76</b>
<b>Statewide Total**</b>	<b>177</b>	<b>545</b>	<b>4,674</b>	<b>7,082</b>	<b>15,794</b>	<b>479,042</b>	<b>8.58</b>	<b>102.49</b>	<b>9.76</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## MARTEN

Marten harvest in Utah, 1982-1983 through 1998-1999.

Trap Year	Projected Trappers	Total Harvest	Projected Set-days	Marten per Trapper	Set-days per Marten	Marten per 1000 Set-days	Pelt Price
1982-1983	--	1	6	1.00	6.00	166.67	\$10.00
1983-1984	--	84	4,704	9.50	56.00	17.86	\$20.00
1984-1985	--	12	6,516	1.40	543.00	1.84	\$24.00
1985-1986	--	121	7,381	11.60	61.00	16.39	\$23.00
1986-1987	--	22	8,558	2.00	389.00	2.57	\$25.68
1987-1988	--	50	9,750	5.00	195.00	5.13	\$40.00
1988-1989	--	10	1,210	1.67	121.00	8.26	\$31.00
1989-1990	--	--	--	--	--	--	--
1990-1991	--	--	--	--	--	--	--
1991-1992	--	--	--	--	--	--	--
1992-1993	--	--	--	--	--	--	--
1993-1994	--	--	--	--	--	--	--
1994-1995	--	--	--	--	--	--	--
1995-1996	--	--	--	--	--	--	--
1996-1997	--	2	--	0.16	--	--	\$20.00
1997-1998	--	--	--	--	--	--	\$11.00
1998-1999	12	6	1,228	0.50	204.67	4.89	\$7.11
Average	12	34	4,919	3.65	196.96	27.95	\$21.18

Marten harvest in Utah, 1999-2000 through 2004-2005.


Trap Year	Permits Sold	Successful Trappers	Females Harvested	Males Harvested	Total Harvest	Percent Success*	Marten per Trapper*
1999-2000	5	0	0	0	0	0.0%	0.00
2000-2001	--	1	3	3	6	--	--
2001-2002	11	2	6	16	22	18.2%	2.00
2002-2003	12	1	2	3	5	8.3%	0.42
2003-2004	18	0	0	0	0	0.0%	0.00
2004-2005	12	0	0	0	0	0.0%	0.00
Total	58	4	11	22	33	--	--
Average	12	1	2	4	6	5.3%	0.48

\*Assumption: every person who possessed a marten permit trapped or hunted.

## MINK

Mink harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days	Pelt Price
1982-1983	38	405	17,841	10.66	44.05	22.70	\$10.85
1983-1984	46	379	36,144	8.24	95.37	10.49	\$9.13
1984-1985	40	542	63,252	13.55	116.70	8.57	\$10.27
1985-1986	37	837	78,306	22.62	93.56	10.69	\$6.00
1986-1987	57	828	35,135	14.53	42.43	23.57	\$10.63
1987-1988	51	1,037	44,030	20.33	42.46	23.55	\$12.25
1988-1989	42	854	51,361	20.33	60.14	16.63	\$10.69
1989-1990	29	1,114	44,850	38.41	40.26	24.84	\$6.30
1990-1991	25	543	27,406	21.72	50.47	19.81	\$6.33
1991-1992	29	723	30,219	24.93	41.80	23.93	\$6.81
1992-1993	23	380	21,615	16.52	56.88	17.58	\$7.50
1993-1994	30	472	24,958	15.73	52.88	18.91	\$8.41
1994-1995	27	350	12,695	12.96	36.27	27.57	\$8.38
1995-1996	25	529	11,767	21.16	22.24	44.96	\$10.40
1996-1997	27	269	13,583	9.96	50.49	19.80	\$10.95
1997-1998	25	337	17,339	13.48	51.45	19.44	\$5.81
1998-1999	81	345	40,110	4.26	116.26	8.60	\$7.11
1999-2000	61	419	14,408	6.87	34.39	29.08	\$6.07
2000-2001	51	468	6,875	9.18	14.69	68.07	\$4.92
2001-2002	30	284	15,076	9.47	53.08	18.84	\$5.20
2002-2003	59	268	4,481	4.54	16.72	59.81	\$2.07
2003-2004	59	673	49,004	11.41	72.81	13.73	\$8.00
2004-2005	68	317	11,540	4.66	36.40	27.47	\$8.98
Average	42	538	29,217	14.59	53.99	24.29	\$7.96



Summary of mink harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Cache	3	8	122	106	212	5,238	15.25	43.34	23.07
Davis	1	3	21	26	119	1,190	7.00	56.67	17.65
Morgan	3	8	90	71	209	1,967	11.25	21.86	45.75
Salt Lake	2	5	11	42	29	280	2.20	25.45	39.29
Summit	2	5	5	11	53	212	1.00	42.40	23.58
Utah	4	11	93	156	254	5,346	8.45	57.48	17.40
Weber	3	8	11	3	34	19	1.38	1.73	578.95
<b>Rocky Mountain Total</b>	<b>18</b>	<b>48</b>	<b>353</b>	<b>415</b>	<b>910</b>	<b>14,302</b>	<b>7.35</b>	<b>40.52</b>	<b>24.68</b>
Duchesne	3	8	21	11	13	0	2.63	0.00	0.00
Uintah	1	3	42	0	119	0	14.00	0.00	0.00
<b>Uintah Basin Total</b>	<b>4</b>	<b>11</b>	<b>63</b>	<b>11</b>	<b>132</b>	<b>0</b>	<b>5.73</b>	<b>0.00</b>	<b>#DIV/0!</b>
San Juan	1	3	0	0	0	0	0.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Unknown	1	3	3	11	26	106	1.00	35.33	28.30
<b>Statewide Total**</b>	<b>23</b>	<b>61</b>	<b>419</b>	<b>437</b>	<b>1,068</b>	<b>14,408</b>	<b>6.87</b>	<b>34.39</b>	<b>29.08</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of mink harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days
Box Elder	1	3	0	3	9	9	0.00	0.00	0.00
<b>Great Basin Total</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>3</b>	<b>9</b>	<b>9</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Cache	4	12	102	15	29	146	8.50	1.43	698.63
Davis	2	6	117	96	140	2,343	19.50	20.03	49.94
Morgan	3	9	187	73	137	1,868	20.78	9.99	100.11
Rich	1	3	15	9	6	17	5.00	1.13	882.35
Sevier	1	3	0	58	73	1,457	0.00	0.00	0.00
Summit	1	3	3	15	20	102	1.00	34.00	29.41
Utah	2	6	29	17	58	350	4.83	12.07	82.86
<b>Rocky Mountain Total</b>	<b>14</b>	<b>42</b>	<b>453</b>	<b>283</b>	<b>463</b>	<b>6,283</b>	<b>10.79</b>	<b>13.87</b>	<b>72.10</b>
Duchesne	1	3	12	12	87	350	4.00	29.17	34.29
Uintah	1	3	3	23	29	233	1.00	77.67	12.88
<b>Uintah Basin Total</b>	<b>2</b>	<b>6</b>	<b>15</b>	<b>35</b>	<b>116</b>	<b>583</b>	<b>2.50</b>	<b>38.87</b>	<b>25.73</b>
<b>Colorado Plateau Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
<b>Statewide Total**</b>	<b>17</b>	<b>51</b>	<b>468</b>	<b>321</b>	<b>588</b>	<b>6,875</b>	<b>9.18</b>	<b>14.69</b>	<b>68.07</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of mink harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Cache	2	6	45	26	113	534	7.50	11.87	84.27
Davis	1	3	23	0	0	0	7.67	0.00	0.00
Morgan	1	3	113	65	194	3,882	37.67	34.35	29.11
Summit	1	3	0	0	32	0	0.00	0.00	0.00
Utah	2	6	39	162	388	9,705	6.50	248.85	4.02
Weber	2	6	58	61	81	809	9.67	13.95	71.69
<b>Rocky Mountain Total</b>	<b>9</b>	<b>27</b>	<b>278</b>	<b>314</b>	<b>808</b>	<b>14,930</b>	<b>10.30</b>	<b>53.71</b>	<b>18.62</b>
Uintah	1	3	6	10	49	146	2.00	24.33	41.10
<b>Uintah Basin Total</b>	<b>1</b>	<b>3</b>	<b>6</b>	<b>10</b>	<b>49</b>	<b>146</b>	<b>2.00</b>	<b>24.33</b>	<b>41.10</b>
<b>Colorado Plateau Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Unknown	0	0	0	0	0	0	0.00	0.00	0.00
<b>Statewide Total**</b>	<b>10</b>	<b>30</b>	<b>284</b>	<b>324</b>	<b>857</b>	<b>15,076</b>	<b>9.47</b>	<b>53.08</b>	<b>18.84</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of mink harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Cache	2	6	17	3	14	14	2.83	0.82	1,214.29
Morgan	4	11	169	65	451	2,805	15.36	16.60	60.25
Salt Lake	2	6	6	23	39	316	1.00	52.67	18.99
Sevier	2	6	20	11	42	169	3.33	8.45	118.34
Summit	2	6	6	6	0	0	1.00	0.00	0.00
Utah	4	11	8	8	73	70	0.73	8.75	114.29
Weber	2	6	8	8	25	1.33	3.13	3.13	320.00
<b>Rocky Mountain Total</b>	<b>18</b>	<b>52</b>	<b>234</b>	<b>124</b>	<b>627</b>	<b>3,399</b>	<b>4.50</b>	<b>14.53</b>	<b>68.84</b>
Duchesne	2	6	17	17	127	761	2.83	44.76	22.34
Uintah	3	8	6	14	110	321	0.75	53.50	18.69
<b>Uintah Basin Total</b>	<b>5</b>	<b>14</b>	<b>23</b>	<b>31</b>	<b>237</b>	<b>1,082</b>	<b>1.64</b>	<b>47.04</b>	<b>21.26</b>
<b>Colorado Plateau Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Unknown	2	6	11	17	0	0	1.83	0.00	0.00
<b>Statewide Total**</b>	<b>21</b>	<b>59</b>	<b>268</b>	<b>172</b>	<b>864</b>	<b>4,481</b>	<b>4.54</b>	<b>16.72</b>	<b>59.81</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of mink harvest by county and management unit, 2003-2004.

	County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per days
Box Elder		1	3	3	0	0	0	1.00	0.00	0.00
Juab		1	3	3	3	3	3	1.00	1.00	1,000.00
<b>Great Basin Total</b>		<b>2</b>	<b>6</b>	<b>6</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>1.00</b>	<b>0.50</b>	<b>2,000.00</b>
Cache		4	12	30	39	527	1,276	2.50	42.53	23.51
Morgan		2	6	71	95	268	8,032	11.83	113.13	8.84
Sevier		2	6	30	9	193	208	5.00	6.93	144.23
Summit		2	6	152	122	181	7,143	25.33	46.99	21.28
Utah		4	12	321	351	363	30,260	26.75	94.27	10.61
Weber		1	3	6	30	12	119	2.00	19.83	50.42
<b>Rocky Mountain Total</b>		<b>15</b>	<b>45</b>	<b>610</b>	<b>646</b>	<b>1,544</b>	<b>47,038</b>	<b>13.56</b>	<b>77.11</b>	<b>12.97</b>
Duchesne		1	3	30	18	178	1,071	10.00	35.70	28.01
Uintah		1	3	18	30	89	892	6.00	49.56	20.18
<b>Uintah Basin Total</b>		<b>2</b>	<b>6</b>	<b>48</b>	<b>48</b>	<b>267</b>	<b>1,963</b>	<b>8.00</b>	<b>40.90</b>	<b>24.45</b>
Colorado Plateau Total		0	0	0	0	0	0	0.00	0.00	0.00
Unknown		1	3	9	0	0	0	3.00	0.00	0.00
<b>Statewide Total**</b>		<b>20</b>	<b>59</b>	<b>673</b>	<b>697</b>	<b>1,814</b>	<b>49,004</b>	<b>11.41</b>	<b>72.81</b>	<b>13.73</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of mink harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Mink per Trapper	Set-days per Mink	Mink per 1000 Set-days
Box Elder	1	3	22	0	0	0	7.33	0.00	0.00
Great Basin Total	1	3	22	0	0	0	7.33	0.00	0.00
Cache	6	18	40	102	308	2,237	2.22	55.93	17.88
Morgan	4	12	151	83	530	5,978	12.58	39.59	25.26
Rich	1	3	3	0	0	0	1.00	0.00	0.00
Salt Lake	3	9	18	22	231	555	2.00	30.83	32.43
Sevier	2	6	3	12	9	9	0.50	3.00	333.33
Summit	3	9	25	83	262	1,941	2.78	77.64	12.88
Utah	3	9	18	31	68	357	2.00	19.83	50.42
Wasatch	1	3	6	6	200	401	2.00	66.83	14.96
Weber	2	6	25	0	0	0	4.17	0.00	0.00
Rocky Mountain Total	25	75	289	339	1,608	11,478	3.85	39.72	25.18
Duchesne	1	3	0	31	6	62	0.00	0.00	0.00
Uintah Basin Total	1	3	0	31	6	62	0.00	0.00	0.00
Colorado Plateau Total	0	0	0	0	0	0	0.00	0.00	0.00
Unknown	1	3	6	0	46	0	2.00	0.00	0.00
Statewide Total**	22	68	317	370	1,660	11,540	4.66	36.40	27.47


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## MUSKRAT

Muskrat harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days	Pelt Price
1982-1983	258	55,137	301,146	213.71	5.46	183.09	\$2.16
1983-1984	309	55,298	215,836	178.96	3.90	256.20	\$2.46
1984-1985	400	54,526	324,435	136.32	5.95	168.06	\$2.45
1985-1986	282	39,195	246,641	138.99	6.29	158.92	\$1.86
1986-1987	416	59,368	235,861	142.71	3.97	251.71	\$2.66
1987-1988	432	58,560	321,448	135.56	5.49	182.18	\$2.46
1988-1989	303	33,400	167,542	110.23	5.02	199.35	\$1.40
1989-1990	253	16,898	112,946	66.79	6.68	149.61	\$0.89
1990-1991	85	7,102	52,769	83.55	7.43	134.59	\$0.91
1991-1992	186	19,547	120,128	105.09	6.15	162.72	\$1.60
1992-1993	105	11,623	56,443	110.70	4.86	205.92	\$1.18
1993-1994	157	22,488	101,514	143.24	4.51	221.53	\$1.89
1994-1995	195	28,369	157,144	145.48	5.54	180.53	\$1.74
1995-1996	181	26,260	144,096	145.08	5.49	182.24	\$2.09
1996-1997	179	23,371	87,251	130.56	3.73	267.86	\$3.59
1997-1998	203	26,907	169,547	132.55	6.30	158.70	\$2.01
1998-1999	186	21,895	163,222	117.72	7.45	134.14	\$1.73
1999-2000	151	21,086	137,152	139.64	6.50	153.74	\$1.00
2000-2001	108	10,376	148,608	96.07	14.32	69.82	\$1.58
2001-2002	115	14,979	178,362	130.25	11.91	83.98	\$2.60
2002-2003	135	6,334	55,261	46.92	8.72	114.62	\$1.59
2003-2004	176	10,777	139,915	61.23	12.98	77.03	\$1.57
2004-2005	151	15,016	282,593	99.44	18.82	53.14	\$1.57
Average	216	27,761	170,429	122.21	7.28	163.03	\$1.87



Summary of muskrat harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
Box Elder	4	11	785	151	63	2,832	71.36	3.61	277.19
Iron	2	5	21	24	24	114	4.20	5.43	184.21
Tooele	1	3	45	32	21	254	15.00	5.64	177.17
<b>Great Basin Total</b>	<b>7</b>	<b>19</b>	<b>851</b>	<b>207</b>	<b>108</b>	<b>3,200</b>	<b>44.79</b>	<b>3.76</b>	<b>265.94</b>
Cache	6	16	9,334	1,084	487	47,805	583.38	5.12	195.25
Davis	3	8	2,832	701	383	41,116	354.00	14.52	68.88
Morgan	4	11	434	167	95	1,285	39.45	2.96	337.74
Piute	1	3	5	5	26	53	1.67	10.60	94.34
Rich	1	3	333	24	21	190	111.00	0.57	1,752.63
Salt Lake	5	13	93	71	61	381	7.15	4.10	244.09
Sanpete	2	5	8	16	5	32	1.60	4.00	250.00
Sevier	2	5	132	58	56	592	26.40	4.48	222.97
Summit	2	5	16	32	53	635	3.20	39.69	25.20
Utah	8	21	333	246	193	2,123	15.86	6.38	156.85
Weber	5	13	1,951	843	370	26,729	150.08	13.70	72.99
<b>Rocky Mountain Total</b>	<b>39</b>	<b>103</b>	<b>15,471</b>	<b>3,247</b>	<b>1,750</b>	<b>120,941</b>	<b>150.20</b>	<b>7.82</b>	<b>127.92</b>
Duchesne	4	11	291	95	29	79	26.45	0.27	3,683.54
Uintah	8	21	3,577	299	444	7,961	170.33	2.23	449.32
<b>Uintah Basin Total</b>	<b>12</b>	<b>32</b>	<b>3,868</b>	<b>394</b>	<b>473</b>	<b>8,040</b>	<b>120.88</b>	<b>2.08</b>	<b>481.09</b>
Kane	1	3	58	32	66	793	19.33	13.67	73.14
San Juan	1	3	0	0	0	0	0.00	0.00	0.00
Washington	1	3	111	132	26	1,322	37.00	11.91	83.96
<b>Colorado Plateau Total</b>	<b>3</b>	<b>9</b>	<b>169</b>	<b>164</b>	<b>92</b>	<b>2,115</b>	<b>18.78</b>	<b>12.51</b>	<b>79.91</b>
Unknown	3	8	727	32	238	2,856	90.88	3.93	254.55
<b>Statewide Total**</b>	<b>57</b>	<b>151</b>	<b>21,086</b>	<b>4,044</b>	<b>2,661</b>	<b>137,152</b>	<b>139.64</b>	<b>6.50</b>	<b>153.74</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of muskrat harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
Box Elder	3	9	341	140	117	3,497	37.89	10.26	97.51
<b>Great Basin Total</b>	<b>3</b>	<b>9</b>	<b>341</b>	<b>140</b>	<b>117</b>	<b>3,497</b>	<b>37.89</b>	<b>10.26</b>	<b>97.51</b>
Cache	5	15	3,424	720	548	39,990	228.27	11.68	85.62
Davis	2	6	3,066	801	169	23,897	511.00	7.79	128.30
Morgan	3	9	26	29	108	373	2.89	14.35	69.71
Rich	1	3	35	0	0	0	11.67	0.00	0.00
Salt Lake	1	3	364	146	102	5,100	121.33	14.01	71.37
Sevier	3	9	734	219	146	4,444	81.56	6.05	165.17
Summit	1	3	17	0	29	0	5.67	0.00	0.00
Utah	5	15	207	219	303	5,794	13.80	27.99	35.73
Weber	2	6	1,131	889	216	52,661	188.50	46.56	21.48
<b>Rocky Mountain Total</b>	<b>23</b>	<b>69</b>	<b>9,004</b>	<b>3,023</b>	<b>1,621</b>	<b>132,259</b>	<b>130.49</b>	<b>14.69</b>	<b>68.08</b>
Duchesne	1	3	20	15	87	437	6.67	21.85	45.77
Uintah	2	6	122	52	38	321	20.33	2.63	380.06
<b>Uintah Basin Total</b>	<b>3</b>	<b>9</b>	<b>142</b>	<b>67</b>	<b>125</b>	<b>758</b>	<b>15.78</b>	<b>5.34</b>	<b>187.34</b>
Emery	1	3	583	146	175	8,743	194.33	15.00	66.68
San Juan	1	3	58	29	29	291	19.33	5.02	199.31
<b>Colorado Plateau Total</b>	<b>2</b>	<b>6</b>	<b>641</b>	<b>175</b>	<b>204</b>	<b>9,034</b>	<b>106.83</b>	<b>14.09</b>	<b>70.95</b>
Unknown	5	15	248	437	20	3,060	16.53	12.34	81.05
<b>Statewide Total**</b>	<b>36</b>	<b>108</b>	<b>10,376</b>	<b>3,842</b>	<b>2,087</b>	<b>148,608</b>	<b>96.07</b>	<b>14.32</b>	<b>69.82</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of muskrat harvest by county and management unit, 2001-2002.

	County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
Box Elder		4	13	3,714	1,019	307	58,960	285.69	15.88	62.99
Millard		1	3	26	78	45	1,087	8.67	41.81	23.92
<b>Great Basin Total</b>		<b>5</b>	<b>16</b>	<b>3,740</b>	<b>1,097</b>	<b>352</b>	<b>60,047</b>	<b>233.75</b>	<b>16.06</b>	<b>62.28</b>
Cache		3	10	650	204	175	4,044	65.00	6.22	160.73
Davis		3	10	1,676	343	314	13,432	167.60	8.01	124.78
Morgan		4	13	476	262	246	5,587	36.62	11.74	85.20
Rich		2	6	136	39	26	311	22.67	2.29	437.30
Salt Lake		3	10	1,165	304	23	686	116.50	0.59	1,698.25
Seyvier		2	6	1,420	226	197	10,061	236.67	7.09	141.14
Utah		3	10	958	356	582	21,352	95.80	22.29	44.87
Wasatch		1	3	10	10	45	272	3.33	27.20	36.76
Weber		3	10	4,497	1,013	278	58,850	449.70	13.09	76.41
<b>Rocky Mountain Total</b>		<b>24</b>	<b>78</b>	<b>10,988</b>	<b>2,757</b>	<b>1,886</b>	<b>114,595</b>	<b>140.87</b>	<b>10.43</b>	<b>95.89</b>
Duchesne		1	3	6	6	23	45	2.00	7.50	133.33
Uintah		2	6	39	39	100	977	6.50	25.05	39.92
<b>Uintah Basin Total</b>		<b>3</b>	<b>9</b>	<b>45</b>	<b>45</b>	<b>123</b>	<b>1,022</b>	<b>5.00</b>	<b>22.71</b>	<b>44.03</b>
Emery		1	3	6	6	6	13	2.00	2.17	461.54
Grand		1	3	113	49	32	485	37.67	4.29	232.99
San Juan		1	3	55	58	97	1,747	18.33	31.76	31.48
Washington		1	3	32	32	155	453	10.67	14.16	70.64
<b>Colorado Plateau Total</b>		<b>4</b>	<b>12</b>	<b>206</b>	<b>145</b>	<b>290</b>	<b>2,698</b>	<b>17.17</b>	<b>13.10</b>	<b>76.35</b>
Unknown		0	0	0	0	0	0	0.00	0.00	0.00
<b>Statewide Total**</b>		<b>36</b>	<b>115</b>	<b>14,979</b>	<b>4,044</b>	<b>2,651</b>	<b>178,362</b>	<b>130.25</b>	<b>11.91</b>	<b>83.98</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of muskrat harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
Box Elder	4	11	443	149	279	4,637	40.27	10.47	95.54
Iron	1	3	8	17	20	118	2.67	14.75	67.80
Juab	1	3	3	28	20	197	1.00	65.67	15.23
Great Basin Total	6	17	454	194	319	4,952	26.71	10.91	91.68
Cache	4	11	767	226	293	11,389	69.73	14.85	67.35
Morgan	6	17	679	116	234	2,588	39.94	3.81	262.36
Salt Lake	4	11	11	45	141	586	1.00	53.27	18.77
Sanpete	1	3	668	141	169	8,457	222.67	12.66	78.99
Seyvier	2	6	8	6	6	11	1.33	1.38	727.27
Summit	3	8	39	20	14	85	4.88	2.18	458.82
Utah	5	14	130	54	144	1,029	9.29	7.92	126.34
Weber	7	20	347	307	268	17,458	17.35	50.31	19.88
Rocky Mountain Total	32	90	2,649	915	1,269	41,603	29.43	15.71	63.67
Duchesne	5	14	259	192	147	2,013	18.50	7.77	128.66
Uintah	4	11	2,890	147	228	3,637	262.73	1.26	794.61
Uintah Basin Total	9	25	3,149	339	375	5,650	125.96	1.79	557.35
Emery	4	11	65	96	383	3,056	5.91	47.02	21.27
Colorado Plateau Total	4	11	65	96	383	3,056	5.91	47.02	21.27
Unknown	2	6	17	17	0	0	2.83	0.00	0.00
Statewide Total**	48	135	6,334	1,561	2,346	55,261	46.92	8.72	114.62

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of muskrat harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
Beaver	2	6	12	24	535	2,142	2.00	178.50	5.60
Box Elder	4	12	2,121	818	131	12,048	176.75	5.68	176.05
<b>Great Basin Total</b>	<b>6</b>	<b>18</b>	<b>2,133</b>	<b>842</b>	<b>666</b>	<b>14,190</b>	<b>118.50</b>	<b>6.65</b>	<b>150.32</b>
Cache	5	15	345	143	625	8,330	23.00	24.14	41.42
Davis	1	3	0	0	6	0	0.00	0.00	0.00
Morgan	4	12	556	247	235	6,149	46.33	11.06	90.42
Rich	1	3	24	30	45	446	8.00	18.58	53.81
Salt Lake	7	21	1,416	259	303	8,580	67.43	6.06	165.03
Sevier	3	9	57	30	223	1,011	6.33	17.74	56.38
Summit	2	6	158	202	184	10,757	26.33	68.08	14.69
Utah	9	27	119	95	92	574	4.41	4.82	207.32
Weber	7	21	845	399	550	15,707	40.24	18.59	53.80
<b>Rocky Mountain Total</b>	<b>39</b>	<b>117</b>	<b>3,520</b>	<b>1,405</b>	<b>2,263</b>	<b>51,554</b>	<b>30.09</b>	<b>14.65</b>	<b>68.28</b>
Daggett	1	3	6	6	12	2.00	2.00	500.00	500.00
Duchesne	2	6	30	24	71	190	5.00	6.33	157.89
Uintah	2	6	4,668	1,220	268	72,289	778.00	15.49	64.57
<b>Uintah Basin Total</b>	<b>5</b>	<b>15</b>	<b>4,704</b>	<b>1,250</b>	<b>345</b>	<b>72,491</b>	<b>313.60</b>	<b>15.41</b>	<b>64.89</b>
Carbon	1	3	9	6	59	119	3.00	13.22	75.63
Emery	3	9	18	54	110	779	2.00	43.28	23.11
Washington	1	3	6	3	9	9	2.00	1.50	666.67
<b>Colorado Plateau Total</b>	<b>5</b>	<b>15</b>	<b>33</b>	<b>63</b>	<b>178</b>	<b>907</b>	<b>2.20</b>	<b>27.48</b>	<b>36.38</b>
Unknown	6	18	387	297	104	773	21.50	2.00	500.65
<b>Statewide Total**</b>	<b>59</b>	<b>176</b>	<b>10,777</b>	<b>3,857</b>	<b>3,556</b>	<b>139,915</b>	<b>61.23</b>	<b>12.98</b>	<b>77.03</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of muskrat harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Muskrat per Trapper	Set-days per Muskrat	Muskrat per 1000 Set-days
<u>Box Elder</u>	4	12	7,793	1,753	736	216,018	649.42	27.72	36.08
<u>Great Basin Total</u>	4	12	7,793	1,753	736	216,018	649.42	27.72	36.08
Cache	9	28	3,121	974	844	26,974	111.46	8.64	115.70
Davis	2	6	92	46	92	1,387	15.33	15.08	66.33
Morgan	5	15	629	160	320	3,399	41.93	5.40	185.05
Rich	1	3	77	0	0	0	25.67	0.00	0.00
Salt Lake	4	12	401	136	419	2,582	33.42	6.44	155.31
Sevier	4	12	65	265	89	3,784	5.42	58.22	17.18
Summit	2	6	185	18	200	1,202	30.83	6.50	153.91
Utah	2	6	15	12	3	12	2.50	0.80	1,250.00
Wasatch	4	12	268	160	228	1,411	22.33	5.26	189.94
Weber	4	12	681	280	354	10,578	56.75	15.53	64.38
<u>Rocky Mountain Total</u>	37	112	5,534	2,051	2,549	51,329	49.41	9.28	107.81
Daggett	1	3	62	28	22	194	20.67	3.13	319.59
Duchesne	3	9	68	83	148	2,148	7.56	31.59	31.66
Uintah	2	6	34	34	18	157	5.67	4.62	216.56
<u>Uintah Basin Total</u>	6	18	164	145	188	2,499	9.11	15.24	65.63
Carbon	1	3	3	9	12	37	1.00	12.33	81.08
Emery	1	3	6	0	3	0	2.00	0.00	0.00
Wayne	1	3	431	77	139	3,466	143.67	8.04	124.35
<u>Colorado Plateau Total</u>	3	9	440	86	154	3,503	48.89	7.96	125.61
Unknown	3	9	1,085	314	99	9,244	120.56	8.52	117.37
<u>Statewide Total**</u>	49	151	15,016	4,349	3,726	282,593	99.44	18.82	53.14


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## RACCOON

Raccoon harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per 1000 Set-days	Pelt Price
1982-1983	178	853	16,617	4.79	19.48	51.33	\$12.34
1983-1984	192	822	32,915	4.28	40.04	24.97	\$13.51
1984-1985	329	1,417	66,860	4.31	47.18	21.19	\$12.85
1985-1986	290	1,485	72,525	5.12	48.84	20.48	\$9.26
1986-1987	418	2,412	94,408	5.77	39.14	25.55	\$12.62
1987-1988	434	2,619	107,978	6.03	41.23	24.25	\$9.41
1988-1989	350	3,104	43,183	8.87	13.91	71.88	\$7.71
1989-1990	430	2,464	41,877	5.73	17.00	58.84	\$5.78
1990-1991	214	1,156	21,288	5.40	18.42	54.30	\$4.65
1991-1992	368	2,273	45,211	6.18	19.89	50.28	\$4.72
1992-1993	272	1,851	31,094	6.81	16.80	59.53	\$2.57
1993-1994	306	2,259	42,294	7.38	18.72	53.41	\$6.98
1994-1995	364	3,025	69,048	8.31	22.83	43.81	\$6.06
1995-1996	293	2,914	29,099	9.95	9.99	100.14	\$8.07
1996-1997	330	4,228	54,794	12.81	12.96	77.16	\$13.35
1997-1998	365	4,989	144,575	13.67	28.98	34.51	\$9.98
1998-1999	468	7,765	170,840	16.59	22.00	45.45	\$4.95
1999-2000	349	5,317	178,583	15.23	33.59	29.77	\$5.67
2000-2001	327	5,678	162,999	17.36	28.71	34.83	\$5.16
2001-2002	321	3,785	121,253	11.79	32.04	31.22	\$8.04
2002-2003	378	4,001	104,282	10.58	26.06	38.37	\$5.62
2003-2004	434	5,634	210,607	12.98	37.38	26.75	\$10.63
2004-2005	391	6,405	225,776	16.38	35.25	28.37	\$6.54
Average	339	3,324	90,787	9.41	27.41	43.76	\$8.11



Summary of raccoon harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per 1000 Set-days
Beaver	2	5	11	0	21	0	2.20	0.00	0.00
Box Elder	7	19	241	161	447	11,843	12.68	49.14	20.35
Iron	4	11	34	32	79	307	3.09	9.03	110.75
Juab	2	5	116	222	79	1,904	23.20	16.41	60.92
Millard	1	3	16	0	53	0	5.33	0.00	0.00
Tooele	1	3	5	29	159	1,745	1.67	349.00	2.87
<b>Great Basin Total</b>	<b>17</b>	<b>46</b>	<b>423</b>	<b>444</b>	<b>838</b>	<b>15,799</b>	<b>9.20</b>	<b>37.35</b>	<b>26.77</b>
Cache	8	21	288	256	595	11,444	13.71	39.74	25.17
Davis	6	16	214	153	537	8,474	13.38	39.60	25.25
Morgan	8	21	272	63	386	2,827	12.95	10.39	96.22
Rich	1	3	19	0	0	0	6.33	0.00	0.00
Salt Lake	7	19	193	148	291	3,823	10.16	19.81	50.48
Sanpete	5	13	1,597	291	1,103	97,070	122.85	60.78	16.45
Sevier	9	24	140	153	375	6,116	5.83	43.69	22.89
Summit	5	13	48	32	259	1,745	3.69	36.35	27.51
Utah	20	53	479	299	1,092	9,133	9.04	19.07	52.45
Wasatch	4	11	108	53	312	370	9.82	3.43	291.89
Weber	13	34	582	219	293	8,366	17.12	14.37	69.57
<b>Rocky Mountain Total</b>	<b>86</b>	<b>228</b>	<b>3,940</b>	<b>1,667</b>	<b>5,243</b>	<b>149,368</b>	<b>17.28</b>	<b>37.91</b>	<b>26.38</b>
Duchesne	6	16	169	69	40	161	10.56	0.95	1,049.69
Uintah	9	24	280	177	624	9,040	11.67	32.29	30.97
<b>Uintah Basin Total</b>	<b>15</b>	<b>40</b>	<b>449</b>	<b>246</b>	<b>664</b>	<b>9,201</b>	<b>11.23</b>	<b>20.49</b>	<b>48.80</b>
Carbon	3	8	21	13	77	93	2.63	4.43	225.81
Emery	7	19	140	16	71	103	7.37	0.74	1,359.22
Grand	1	3	19	3	13	13	6.33	0.68	1,461.54
San Juan	2	5	3	0	0	0	0.60	0.00	0.00
Washington	5	13	79	137	592	2,459	6.08	31.13	32.13
Wayne	2	5	24	40	66	555	4.80	23.13	43.24
<b>Colorado Plateau Total</b>	<b>20</b>	<b>53</b>	<b>286</b>	<b>209</b>	<b>819</b>	<b>3,223</b>	<b>5.40</b>	<b>11.27</b>	<b>88.74</b>
Unknown	12	32	219	190	66	992	6.84	4.53	220.77
<b>Statewide Total**</b>	<b>132</b>	<b>349</b>	<b>5,317</b>	<b>2,756</b>	<b>7,630</b>	<b>178,583</b>	<b>15.23</b>	<b>33.59</b>	<b>29.77</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of raccoon harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per 1000 Set-days
Beaver	2	6	0	6	44	29	0.00	0.00	0.00
Box Elder	9	26	423	367	586	21,158	16.27	50.02	19.99
Juab	3	9	82	29	29	0	9.11	0.00	0.00
Tooele	4	12	32	47	76	420	2.67	13.13	76.19
<b>Great Basin Total</b>	<b>18</b>	<b>53</b>	<b>537</b>	<b>449</b>	<b>735</b>	<b>21,607</b>	<b>10.13</b>	<b>40.24</b>	<b>24.85</b>
Cache	9	26	373	67	679	1,148	14.35	3.08	324.91
Davis	5	15	172	85	245	1,632	11.47	9.49	105.39
Morgan	7	20	490	125	428	7,055	24.50	14.40	69.45
Rich	2	6	12	0	0	0	2.00	0.00	0.00
Salt Lake	7	20	315	210	338	5,164	15.75	16.39	61.00
Sanpete	6	17	2,043	434	1,454	43,636	120.18	21.36	46.82
Sevier	9	26	181	391	682	15,865	6.96	87.65	11.41
Summit	1	3	35	12	52	210	11.67	6.00	166.67
Utah	14	41	443	268	495	3,963	10.80	8.95	111.78
Wasatch	1	3	35	15	29	146	11.67	4.17	239.73
Weber	6	17	376	210	446	8,597	22.12	22.86	43.74
<b>Rocky Mountain Total</b>	<b>67</b>	<b>194</b>	<b>4,475</b>	<b>1,817</b>	<b>4,848</b>	<b>87,416</b>	<b>23.07</b>	<b>19.53</b>	<b>51.19</b>
Duchesne	3	9	82	73	332	5,304	9.11	64.68	15.46
Uintah	7	20	341	469	1,040	29,595	17.05	86.79	11.52
<b>Uintah Basin Total</b>	<b>10</b>	<b>29</b>	<b>423</b>	<b>542</b>	<b>1,372</b>	<b>34,899</b>	<b>14.59</b>	<b>82.50</b>	<b>12.12</b>
Carbon	4	12	12	29	41	12	1.00	1.00	1,000.00
Emery	3	9	79	44	233	2,040	8.78	25.82	38.73
San Juan	1	3	3	0	0	0	1.00	0.00	0.00
Washington	4	12	50	323	472	17,025	4.17	340.50	2.94
<b>Colorado Plateau Total</b>	<b>12</b>	<b>36</b>	<b>144</b>	<b>396</b>	<b>746</b>	<b>19,077</b>	<b>4.00</b>	<b>132.48</b>	<b>7.55</b>
<b>Unknown</b>	<b>5</b>	<b>15</b>	<b>99</b>	<b>0</b>	<b>87</b>	<b>0</b>	<b>6.60</b>	<b>0.00</b>	<b>0.00</b>
<b>Statewide Total**</b>	<b>112</b>	<b>327</b>	<b>5,678</b>	<b>3,204</b>	<b>7,788</b>	<b>162,999</b>	<b>17.36</b>	<b>28.71</b>	<b>34.83</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of raccoon harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per 1000 Set-days
Beaver	1	3	6	49	210	3,154	2.00	525.67	1.90
Box Elder	9	29	129	49	243	1,051	4.45	8.15	122.74
Juab	1	3	13	26	49	388	4.33	29.85	33.51
Millard	1	3	23	6	97	194	7.67	8.43	118.56
Tooele	4	13	58	45	139	776	4.46	13.38	74.74
<b>Great Basin Total</b>	<b>16</b>	<b>51</b>	<b>229</b>	<b>175</b>	<b>738</b>	<b>5,563</b>	<b>4.49</b>	<b>24.29</b>	<b>41.16</b>
Cache	7	23	236	74	317	1,323	10.26	5.61	178.38
Davis	7	23	171	181	815	12,730	7.43	74.44	13.43
Morgan	3	10	388	97	146	4,367	38.80	11.26	88.85
Rich	2	6	36	19	32	123	6.00	3.42	292.68
Salt Lake	5	16	191	126	252	1,863	11.94	9.75	102.52
Sanpete	2	6	107	175	155	5,532	17.83	51.70	19.34
Sevier	8	26	201	116	437	3,284	7.73	16.34	61.21
Summit	1	3	0	0	32	0	0.00	0.00	0.00
Utah	8	26	207	278	890	14,380	7.96	69.47	14.39
Wasatch	4	13	107	120	214	3,190	8.23	29.81	33.54
Weber	5	16	311	265	340	10,191	19.44	32.77	30.52
<b>Rocky Mountain Total</b>	<b>52</b>	<b>168</b>	<b>1,955</b>	<b>1,451</b>	<b>3,630</b>	<b>56,983</b>	<b>11.64</b>	<b>29.15</b>	<b>34.31</b>
Duchesne	5	16	602	139	712	7,764	37.63	12.90	77.54
Uintah	6	19	362	463	873	36,654	19.05	101.25	9.88
<b>Uintah Basin Total</b>	<b>11</b>	<b>35</b>	<b>964</b>	<b>602</b>	<b>1,585</b>	<b>44,418</b>	<b>27.54</b>	<b>46.08</b>	<b>21.70</b>
Carbon	4	13	301	19	469	550	23.15	1.83	547.27
Emery	4	13	97	58	162	1,100	7.46	11.34	88.18
Grand	1	3	16	0	0	0	5.33	0.00	0.00
Kane	1	3	3	65	194	3,882	1.00	1,294.00	0.77
San Juan	1	3	6	168	133	6,897	2.00	1,149.50	0.87
Washington	2	6	55	52	142	828	9.17	15.05	66.43
<b>Colorado Plateau Total</b>	<b>13</b>	<b>41</b>	<b>478</b>	<b>362</b>	<b>1,100</b>	<b>13,257</b>	<b>11.66</b>	<b>27.73</b>	<b>36.06</b>
Unknown	8	26	159	55	74	1,032	6.12	6.49	154.07
<b>Statewide Total**</b>	<b>100</b>	<b>321</b>	<b>3,785</b>	<b>2,645</b>	<b>7,127</b>	<b>121,253</b>	<b>11.79</b>	<b>32.04</b>	<b>31.22</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of raccoon harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per Set-days
Beaver	1	3	6	127	0	0	2.00	0.00	0.00
Box Elder	12	34	293	178	355	3,535	8.62	12.06	82.89
Iron	9	25	48	141	634	8,973	1.92	186.94	5.35
Juab	2	6	6	20	296	296	1.00	49.33	20.27
Tooele	2	6	11	20	42	127	1.83	11.55	86.61
<b>Great Basin Total</b>	<b>26</b>	<b>74</b>	<b>364</b>	<b>486</b>	<b>1,327</b>	<b>12,931</b>	<b>4.92</b>	<b>35.52</b>	<b>28.15</b>
Cache	6	17	149	25	352	818	8.76	5.49	182.15
Davis	4	11	189	37	282	1,173	17.18	6.21	161.13
Morgan	6	17	510	217	493	8,852	30.00	17.36	57.61
Rich	1	3	6	6	6	11	2.00	1.83	545.45
Salt Lake	5	14	28	65	135	677	2.00	24.18	41.36
Sanpete	4	11	31	31	197	902	2.82	29.10	34.37
Sevier	12	34	479	361	730	3,800	14.09	7.93	126.05
Summit	6	17	45	48	93	454	2.65	10.09	99.12
Utah	21	59	713	321	1,094	14,716	12.08	20.64	48.45
Wasatch	5	14	110	39	231	987	7.86	8.97	111.45
Weber	9	25	248	51	395	1,116	9.92	4.50	222.22
<b>Rocky Mountain Total</b>	<b>79</b>	<b>222</b>	<b>2,508</b>	<b>1,201</b>	<b>4,008</b>	<b>33,506</b>	<b>11.30</b>	<b>13.36</b>	<b>74.85</b>
Daggett	2	6	31	17	169	1,015	5.17	32.74	30.54
Duchesne	9	25	395	578	812	45,556	15.80	115.33	8.67
Uintah	9	25	251	124	671	3,716	10.04	14.80	67.55
<b>Uintah Basin Total</b>	<b>20</b>	<b>56</b>	<b>677</b>	<b>719</b>	<b>1,652</b>	<b>50,287</b>	<b>12.09</b>	<b>74.28</b>	<b>13.46</b>
Carbon	2	6	37	6	39	45	6.17	1.22	822.22
Emery	5	14	192	118	544	2,988	13.71	15.56	64.26
Garfield	1	3	3	3	14	14	1.00	4.67	214.29
Grand	1	3	6	34	39	474	2.00	79.00	12.66
San Juan	2	6	6	56	99	1,973	1.00	328.83	3.04
Washington	3	8	34	62	118	2,013	4.25	59.21	16.89
Wayne	1	3	8	0	0	0	2.67	0.00	0.00
<b>Colorado Plateau Total</b>	<b>15</b>	<b>43</b>	<b>286</b>	<b>279</b>	<b>853</b>	<b>7,507</b>	<b>6.65</b>	<b>26.25</b>	<b>38.10</b>
Unknown	8	23	166	25	20	51	7.22	0.31	3,254.90
<b>Statewide Total**</b>	<b>134</b>	<b>378</b>	<b>4,001</b>	<b>2,710</b>	<b>7,860</b>	<b>104,282</b>	<b>10.58</b>	<b>26.06</b>	<b>38.37</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of raccoon harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Raccoon	Set-days per Raccoon	Raccoon per 1000 Set-days
Beaver	1	3	6	59	119	2,380	2.00	396.67	2.52
Box Elder	9	27	887	881	889	23,040	32.85	25.98	38.50
Iron	7	21	54	92	414	4,929	2.57	91.28	10.96
Juab	2	6	36	0	24	0	6.00	0.00	0.00
Millard	1	3	59	59	268	5,355	19.67	90.76	11.02
Tooele	6	18	125	65	110	601	6.94	4.81	207.99
<b>Great Basin Total</b>	<b>26</b>	<b>78</b>	<b>1,167</b>	<b>1,156</b>	<b>1,824</b>	<b>36,305</b>	<b>14.96</b>	<b>31.11</b>	<b>32.14</b>
Cache	8	24	173	181	776	10,552	7.21	60.99	16.39
Davis	7	21	164	152	360	3,153	7.81	19.23	52.01
Morgan	6	18	232	300	1,000	17,480	12.89	75.34	13.27
Pruite	6	18	122	271	922	19,723	6.78	161.66	6.19
Rich	5	15	45	30	110	446	3.00	9.91	100.90
Salt Lake	5	15	101	62	176	497	6.73	4.92	203.22
Sanpete	5	15	143	223	643	16,064	9.53	112.34	8.90
Sevier	11	33	461	184	714	11,929	13.97	25.88	38.65
Summit	4	12	83	98	220	5,382	6.92	64.84	15.42
Utah	18	54	1,407	473	985	15,121	26.06	10.75	93.05
Wasatch	2	6	51	42	131	869	8.50	17.04	58.69
Weber	9	27	461	247	464	9,317	17.07	20.21	49.48
<b>Rocky Mountain Total</b>	<b>86</b>	<b>258</b>	<b>3,443</b>	<b>2,263</b>	<b>6,501</b>	<b>110,533</b>	<b>13.34</b>	<b>32.10</b>	<b>31.15</b>
Daggett	1	3	3	3	119	119	1.00	39.67	25.21
Duchesne	6	18	229	98	473	5,355	12.72	23.38	42.76
Uintah	12	36	232	366	1,127	13,036	6.44	56.19	17.80
<b>Uintah Basin Total</b>	<b>19</b>	<b>57</b>	<b>464</b>	<b>467</b>	<b>1,719</b>	<b>18,510</b>	<b>8.14</b>	<b>39.89</b>	<b>25.07</b>
Carbon	3	9	48	21	30	77	5.33	1.60	623.38
Emery	6	18	68	253	51	616	3.78	9.06	110.39
Garfield	3	9	21	74	178	4,462	2.33	212.48	4.71
Grand	1	3	6	3	30	30	2.00	5.00	200.00
Kane	1	3	6	119	268	10,710	2.00	1,785.00	0.56
Washington	4	12	36	134	357	10,040	3.00	278.89	3.59
Wayne	3	9	92	137	470	8,704	10.22	94.61	10.57
<b>Colorado Plateau Total</b>	<b>21</b>	<b>63</b>	<b>277</b>	<b>741</b>	<b>1,384</b>	<b>34,639</b>	<b>4.40</b>	<b>125.05</b>	<b>8.00</b>
Unknown	9	27	283	309	437	10,620	10.48	37.53	26.65
<b>Statewide Total**</b>	<b>146</b>	<b>434</b>	<b>5,624</b>	<b>4,936</b>	<b>11,865</b>	<b>210,607</b>	<b>12.98</b>	<b>37.38</b>	<b>26.75</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of raccoon harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Raccoon per Trapper	Set-days per Raccoon	Raccoon per Set-days
Box Elder	14	43	1,082	367	977	17,656	25.16	16.32	61.28
Iron	1	3	6	18	92	555	2.00	92.50	10.81
Juab	4	12	111	114	185	2,773	9.25	24.98	40.03
Millard	1	3	15	0	0	0	5.00	0.00	0.00
Tooele	4	12	123	80	354	3,497	10.25	28.43	35.17
Great Basin Total	24	73	1,337	579	1,608	24,481	18.32	18.31	54.61
Cache	9	28	927	1,149	915	44,402	33.11	47.90	20.88
Davis	6	18	213	126	299	2,619	11.83	12.30	81.33
Morgan	9	28	453	203	940	15,188	16.18	33.53	29.83
Piute	2	6	12	0	0	0	2.00	0.00	0.00
Rich	1	3	25	0	0	0	8.33	0.00	0.00
Salt Lake	8	25	139	96	780	3,402	5.56	24.47	40.86
Sanpete	5	15	154	123	391	11,093	10.27	72.03	13.88
Sevier	8	25	250	324	548	23,079	10.00	92.32	10.83
Summit	4	12	71	71	416	1,833	5.92	25.82	38.73
Utah	22	68	613	413	1,365	17,637	9.01	28.77	34.76
Wasatch	4	12	99	12	268	413	8.25	4.17	239.71
Weber	5	15	478	145	616	10,137	31.87	21.21	47.15
Rocky Mountain Total	83	255	3,434	2,662	6,538	129,803	13.47	37.80	26.46
Duchesne	4	12	210	68	296	2,527	17.50	12.03	83.10
Uintah	9	28	345	434	767	24,003	12.32	69.57	14.37
Uintah Basin Total	13	40	555	502	1,063	26,530	13.88	47.80	20.92
Carbon	3	9	102	197	370	13,311	11.33	130.50	7.66
Emery	9	28	391	280	813	17,070	13.96	43.66	22.91
Garfield	1	3	6	77	74	1,849	2.00	308.17	3.24
Grand	1	3	0	0	0	0	0.00	0.00	0.00
Washington	3	9	43	65	296	2,311	4.78	53.74	18.61
Wayne	1	3	136	92	185	5,546	45.33	40.78	24.52
Colorado Plateau Total	18	55	678	711	1,738	40,087	12.33	59.13	16.91
Unknown	12	37	401	234	419	4,875	10.84	12.16	82.26
Statewide Total**	127	391	6,405	4,688	11,366	225,776	16.38	35.25	28.37


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## RINGTAIL

Ringtail harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days	Pelt Price
1982-1983	90	325	57,319	3.10	176.37	5.67	\$4.40
1983-1984	90	378	76,599	3.80	202.64	4.93	\$3.96
1984-1985	85	252	54,987	2.60	218.20	4.58	\$3.15
1985-1986	68	161	18,398	2.30	114.27	8.75	\$2.69
1986-1987	79	205	21,456	2.60	104.66	9.55	\$3.64
1987-1988	79	268	16,748	2.90	62.49	16.00	\$2.40
1988-1989	62	186	11,335	2.90	60.94	16.41	\$5.70
1989-1990	66	132	12,313	1.90	93.28	10.72	\$2.65
1990-1991	18	99	2,314	5.50	23.37	42.78	\$3.50
1991-1992	46	220	4,570	3.70	20.77	48.14	\$3.22
1992-1993	27	107	6,349	3.90	59.34	16.85	\$3.97
1993-1994	37	64	5,096	1.70	79.63	12.56	\$4.04
1994-1995	69	159	11,141	2.17	70.07	14.27	\$6.41
1995-1996	44	136	4,970	3.17	36.54	27.36	\$6.96
1996-1997	32	46	5,597	1.65	121.67	8.22	\$11.68
1997-1998	21	57	12,919	2.71	226.65	4.41	\$2.99
1998-1999	66	138	18,510	2.09	134.13	7.46	\$4.17
1999-2000	61	101	9,432	1.66	93.39	10.71	\$7.03
2000-2001	51	118	22,886	2.31	193.95	5.16	\$6.00
2001-2002	40	101	23,803	2.53	235.67	4.24	\$10.29
2002-2003	56	115	54,456	2.05	473.53	2.11	\$5.20
2003-2004	42	96	21,380	2.29	222.71	4.49	\$6.83
2004-2005	59	127	20,966	2.15	165.09	6.06	\$11.12
Average	56	156	21,458	2.68	138.67	12.67	\$5.30



Summary of ringtail harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Iron	1	3	3	8	53	159	1.00	53.00	18.87
Juab	2	5	5	238	198	5,949	1.00	1,189.80	0.84
Tooele	1	3	0	0	0	0	0.00	0.00	0.00
<b>Great Basin Total</b>	<b>4</b>	<b>11</b>	<b>8</b>	<b>246</b>	<b>251</b>	<b>6,108</b>	<b>0.73</b>	<b>763.50</b>	<b>1.31</b>
Sanpete	2	5	13	50	8	151	2.60	11.62	86.09
Sevier	1	3	0	0	3	0	0.00	0.00	0.00
Weber	1	3	3	11	53	212	1.00	70.67	14.15
<b>Rocky Mountain Total</b>	<b>4</b>	<b>11</b>	<b>16</b>	<b>61</b>	<b>64</b>	<b>363</b>	<b>1.45</b>	<b>22.69</b>	<b>44.08</b>
Uintah	4	11	26	66	177	1,922	2.36	73.92	13.53
<b>Uintah Basin Total</b>	<b>4</b>	<b>11</b>	<b>26</b>	<b>66</b>	<b>177</b>	<b>1,922</b>	<b>2.36</b>	<b>73.92</b>	<b>13.53</b>
Garfield	1	3	3	0	0	0	1.00	0.00	0.00
Grand	1	3	0	13	13	66	0.00	0.00	0.00
San Juan	1	3	0	0	0	0	0.00	0.00	0.00
Washington	4	11	16	145	82	814	1.45	50.88	19.66
Wayne	2	5	8	16	53	159	1.60	19.88	50.31
<b>Colorado Plateau Total</b>	<b>9</b>	<b>25</b>	<b>27</b>	<b>174</b>	<b>148</b>	<b>1,039</b>	<b>1.08</b>	<b>38.48</b>	<b>25.99</b>
Unknown	3	8	24	0	0	0	3.00	0.00	0.00
<b>Statewide Total**</b>	<b>23</b>	<b>61</b>	<b>101</b>	<b>547</b>	<b>640</b>	<b>9,432</b>	<b>1.66</b>	<b>93.39</b>	<b>10.71</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of ringtail harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Iron	1	3	6	29	146	1,457	2.00	242.83	4.12
Great Basin Total	1	3	6	29	146	1,457	2.00	242.83	4.12
Sanpete	1	3	15	73	70	1,749	5.00	116.60	8.58
Sevier	4	12	12	140	481	7,577	1.00	631.42	1.58
Rocky Mountain Total	5	15	27	213	551	9,326	1.80	345.41	2.90
Uintah	1	3	9	76	102	2,652	3.00	294.67	3.39
Uintah Basin Total	1	3	9	76	102	2,652	3.00	294.67	3.39
Carbon	1	3	6	6	12	23	2.00	3.83	260.87
San Juan	2	6	9	32	131	1,443	1.50	160.33	6.24
Washington	2	6	20	93	233	3,614	3.33	180.70	5.53
Colorado Plateau Total	5	15	35	131	376	5,080	2.33	145.14	6.89
Unknown	5	15	41	73	175	4,371	2.73	106.61	9.38
Statewide Total**	17	51	118	522	1,350	22,886	2.31	193.95	5.16

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of ringtail harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Beaver	1	3	6	129	210	8,411	2.00	1,401.83	0.71
Iron	1	3	3	6	13	26	1.00	8.67	115.38
Juab	1	3	6	0	0	0	2.00	0.00	0.00
Millard	1	3	3	97	259	7,764	1.00	2,588.00	0.39
<b>Great Basin Total</b>	<b>4</b>	<b>12</b>	<b>18</b>	<b>232</b>	<b>482</b>	<b>16,201</b>	<b>1.50</b>	<b>900.06</b>	<b>1.11</b>
Sevier	3	10	26	32	113	1,132	2.60	43.54	22.97
<b>Rocky Mountain Total</b>	<b>3</b>	<b>10</b>	<b>26</b>	<b>32</b>	<b>113</b>	<b>1,132</b>	<b>2.60</b>	<b>43.54</b>	<b>22.97</b>
Duchesne	1	3	19	36	129	1,423	6.33	74.89	13.35
<b>Uintah Basin Total</b>	<b>1</b>	<b>3</b>	<b>19</b>	<b>36</b>	<b>129</b>	<b>1,423</b>	<b>6.33</b>	<b>74.89</b>	<b>13.35</b>
Emery	1	3	3	0	0	0	1.00	0.00	0.00
Grand	1	3	16	0	0	0	5.33	0.00	0.00
Washington	1	3	13	97	129	3,882	4.33	298.62	3.35
Wayne	1	3	3	19	194	1,165	1.00	388.33	2.58
<b>Colorado Plateau Total</b>	<b>4</b>	<b>12</b>	<b>35</b>	<b>116</b>	<b>323</b>	<b>5,047</b>	<b>2.92</b>	<b>144.20</b>	<b>6.93</b>
Unknown	1	3	3	0	0	0	1.00	0.00	0.00
<b>Statewide Total**</b>	<b>13</b>	<b>40</b>	<b>101</b>	<b>416</b>	<b>1,047</b>	<b>23,803</b>	<b>2.53</b>	<b>235.67</b>	<b>4.24</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of ringtail harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Beaver	1	3	3	127	0	0	1.00	0.00	0.00
Box Elder	1	3	6	0	0	0	2.00	0.00	0.00
Iron	3	8	6	76	254	3,298	0.75	549.67	1.82
Millard	1	3	3	141	248	12,404	1.00	4,134.67	0.24
Juab	1	3	0	0	0	0	0.00	0.00	0.00
Tooele	1	3	3	8	42	127	1.00	42.33	23.62
<b>Great Basin Total</b>	<b>8</b>	<b>23</b>	<b>21</b>	<b>352</b>	<b>544</b>	<b>15,829</b>	<b>0.91</b>	<b>753.76</b>	<b>1.33</b>
Pitme	1	3	0	0	0	0	0.00	0.00	0.00
Sanpete	1	3	0	0	0	0	0.00	0.00	0.00
Sevier	1	3	0	0	0	0	0.00	0.00	0.00
<b>Rocky Mountain Total</b>	<b>3</b>	<b>9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>
Duchesne	1	3	23	28	254	2,537	7.67	110.30	9.07
Uintah	2	6	6	99	381	6,343	1.00	1,057.17	0.95
<b>Uintah Basin Total</b>	<b>3</b>	<b>9</b>	<b>29</b>	<b>127</b>	<b>635</b>	<b>8,880</b>	<b>3.22</b>	<b>306.21</b>	<b>3.27</b>
Garfield	3	8	23	265	254	13,870	2.88	603.04	1.66
San Juan	2	6	8	85	169	5,074	1.33	634.25	1.58
Washington	4	11	28	203	553	10,521	2.55	375.75	2.66
Wayne	1	3	0	0	0	0	0.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>10</b>	<b>28</b>	<b>59</b>	<b>553</b>	<b>976</b>	<b>29,465</b>	<b>2.11</b>	<b>499.41</b>	<b>2.00</b>
Unknown	2	6	6	56	14	282	1.00	47.00	0.00
<b>Statewide Total**</b>	<b>20</b>	<b>56</b>	<b>115</b>	<b>1,088</b>	<b>2,169</b>	<b>54,456</b>	<b>2.05</b>	<b>473.53</b>	<b>2.11</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of ringtail harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Sevier	3	9	9	0	0	0	1.00	0.00	0.00
Utah	2	6	12	446	6	892	2.00	74.33	13.45
Rocky Mountain Total	5	15	21	446	6	892	1.40	42.48	23.54
Duchesne	2	6	12	42	253	1,642	2.00	136.83	7.31
Uintah	1	3	3	36	178	2,142	1.00	714.00	1.40
Uintah Basin Total	3	9	15	78	431	3,784	1.67	252.27	3.96
Garfield	1	3	6	74	178	4,462	2.00	743.67	1.34
San Juan	1	3	3	0	0	0	1.00	0.00	0.00
Washington	3	9	48	199	387	12,242	5.33	255.04	3.92
Colorado Plateau Total	5	15	57	273	565	16,704	3.80	293.05	3.41
Unknown	1	3	3	0	0	0	1.00	0.00	0.00
Statewide Total**	14	42	96	797	1,002	21,380	2.29	222.71	4.49

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of ringtail harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Ringtail per Trapper	Set-days per Ringtail	Ringtail per 1000 Set-days
Beaver	1	3	0	0	0	0	0.00	0.00	0.00
Iron	2	6	15	92	92	2,773	2.50	184.87	5.41
Great Basin Total	3	9	15	92	92	2,773	1.67	184.87	5.41
Morgan	1	3	0	12	22	86	0.00	0.00	0.00
Platte	3	9	12	154	216	10,785	1.33	898.75	1.11
Sanpete	1	3	6	25	31	247	2.00	41.17	24.29
Sevier	1	3	0	0	0	0	0.00	0.00	0.00
Rocky Mountain Total	6	18	18	191	269	11,118	1.00	617.67	1.62
Duchesne	1	3	18	9	123	370	6.00	20.56	48.65
Uintah	1	3	3	6	6	12	1.00	4.00	250.00
Uintah Basin Total	2	6	21	15	129	382	3.50	18.19	54.97
Emery	1	3	3	6	37	74	1.00	24.67	40.54
Garfield	2	6	15	197	92	2,219	2.50	147.93	6.76
Washington	1	3	15	62	117	2,342	5.00	156.13	6.40
Colorado Plateau Total	4	12	33	265	246	4,635	2.75	140.45	7.12
Unknown	6	18	40	62	200	2,058	2.22	51.45	19.44
Statewide Total**	19	59	127	625	936	20,966	2.15	165.09	6.06

\*Projected trappers trapping in that county, from questionnaire returns.


\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## SKUNK

Skunk harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days	Pelt Price*
1982-1983	140	1,540	30,862	9.60	20.04	49.90	\$3.00
1983-1984	144	1,262	57,379	8.20	45.47	21.99	\$2.85
1984-1985	111	1,097	47,084	8.90	42.92	23.30	\$2.17
1985-1986	195	1,741	59,745	8.90	34.32	29.14	--
1986-1987	188	1,851	42,416	9.40	22.92	43.64	--
1987-1988	185	2,404	34,235	12.20	14.24	70.22	\$1.05
1988-1989	132	966	18,409	7.30	19.06	52.47	\$0.30
1989-1990	173	1,289	20,279	6.90	15.73	63.56	\$0.30
1990-1991	82	645	8,183	7.90	12.69	78.82	\$0.30
1991-1992	151	1,037	18,802	6.20	18.13	55.15	\$4.00
1992-1993	132	922	29,638	7.00	32.15	31.11	\$5.30
1993-1994	175	1,465	23,185	8.40	15.83	63.19	\$7.35
1994-1995	183	1,438	24,744	7.86	17.21	58.12	\$9.29
1995-1996	175	1,753	20,650	10.00	11.78	84.89	\$6.63
1996-1997	142	1,726	25,728	12.50	14.91	67.09	\$6.00
1997-1998	182	2,890	36,040	15.88	12.47	80.19	\$4.11
1998-1999	219	3,227	58,578	14.74	18.15	55.09	\$5.67
1999-2000	188	2,730	52,166	14.52	19.11	52.33	\$8.50
2000-2001	220	3,857	113,545	17.53	29.44	33.97	\$8.69
2001-2002	214	1,798	100,936	8.40	56.14	17.81	\$6.79
2002-2003	237	1,732	72,927	7.31	42.11	23.75	\$4.24
2003-2004	295	2,305	119,328	7.81	51.77	19.32	\$10.00
2004-2005	280	4,264	148,611	15.23	34.85	28.69	\$4.64
Average	180	1,910	50,586	10.12	26.15	47.99	\$4.82

\*Beginning with trap year 2000-2001, pelt price is based on striped skunk.



Summary of skunk harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Box Elder	7	19	315	206	547	13,895	16.58	44.11	22.67
Iron	1	3	21	79	32	952	7.00	45.33	22.06
Juab	4	11	159	241	235	5,986	14.45	37.65	26.56
Millard	4	11	32	26	26	264	2.91	8.25	121.21
Tooele	5	13	5	21	93	719	0.38	143.80	6.95
<b>Great Basin Total</b>	<b>21</b>	<b>57</b>	<b>532</b>	<b>573</b>	<b>933</b>	<b>21,816</b>	<b>9.33</b>	<b>41.01</b>	<b>24.39</b>
Cache	5	13	153	122	193	2,639	11.77	17.25	57.98
Davis	3	8	106	50	246	3,588	13.25	33.85	29.54
Morgan	2	5	13	5	45	74	2.60	5.69	175.68
Salt Lake	2	5	74	32	79	952	14.80	12.86	77.73
Sanpete	3	8	1,177	77	87	944	147.13	0.80	1,246.82
Sevier	3	8	32	0	0	0	4.00	0.00	0.00
Summit	2	5	11	37	90	677	2.20	61.55	16.25
Utah	7	19	63	114	267	1,280	3.32	20.32	49.22
Weber	5	13	188	135	397	6,187	14.46	32.91	30.39
<b>Rocky Mountain Total</b>	<b>32</b>	<b>84</b>	<b>1,817</b>	<b>572</b>	<b>1,404</b>	<b>16,341</b>	<b>21.63</b>	<b>8.99</b>	<b>111.19</b>
Duchesne	2	5	37	8	13	40	7.40	1.08	925.00
Uintah	8	21	140	153	772	9,040	6.67	64.57	15.49
<b>Uintah Basin Total</b>	<b>10</b>	<b>26</b>	<b>177</b>	<b>161</b>	<b>785</b>	<b>9,080</b>	<b>6.81</b>	<b>51.30</b>	<b>19.49</b>
Emery	4	11	48	50	77	328	4.36	6.83	146.34
Grand	1	3	3	0	0	0	1.00	0.00	0.00
San Juan	2	5	13	0	0	0	2.60	0.00	0.00
Washington	2	5	13	40	79	1,190	2.60	91.54	10.92
Wayne	1	3	0	0	0	0	0.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>10</b>	<b>27</b>	<b>77</b>	<b>90</b>	<b>156</b>	<b>1,518</b>	<b>2.85</b>	<b>19.71</b>	<b>50.72</b>
<b>Unknown</b>	<b>8</b>	<b>21</b>	<b>127</b>	<b>159</b>	<b>114</b>	<b>3,411</b>	<b>6.05</b>	<b>26.86</b>	<b>37.23</b>
<b>Statewide Total**</b>	<b>71</b>	<b>188</b>	<b>2,730</b>	<b>1,555</b>	<b>3,392</b>	<b>52,166</b>	<b>14.52</b>	<b>19.11</b>	<b>52.33</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of skunk harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Box Elder	9	26	446	367	536	18,022	17.15	40.41	24.75
Iron	1	3	9	29	146	1,457	3.00	161.89	6.18
Juab	1	3	6	20	87	612	2.00	102.00	9.80
Millard	1	3	3	0	3	0	1.00	0.00	0.00
Tooele	2	6	15	0	3	0	2.50	0.00	0.00
<b>Great Basin Total</b>	<b>14</b>	<b>41</b>	<b>479</b>	<b>416</b>	<b>775</b>	<b>20,091</b>	<b>11.68</b>	<b>41.94</b>	<b>23.84</b>
Cache	3	9	82	47	47	443	9.11	5.40	185.10
Davis	5	15	131	79	169	1,792	8.73	13.68	73.10
Morgan	3	9	213	41	192	1,819	23.67	8.54	117.10
Salt Lake	2	6	41	15	38	189	6.83	4.61	216.93
Sanpete	4	12	2,043	119	1,361	28,831	170.25	14.11	70.86
Sevier	8	23	230	201	449	8,696	10.00	37.81	26.45
Summit	1	3	17	6	29	58	5.67	3.41	293.10
Utah	6	17	82	32	90	309	4.82	3.77	265.37
Weber	2	6	50	85	262	4,721	8.33	94.42	10.59
<b>Rocky Mountain Total</b>	<b>34</b>	<b>100</b>	<b>2,889</b>	<b>625</b>	<b>2,637</b>	<b>46,858</b>	<b>28.89</b>	<b>16.22</b>	<b>61.65</b>
Daggett	1	3	3	0	0	0	1.00	0.00	0.00
Duchesne	3	9	32	131	356	7,869	3.56	245.91	4.07
Uintah	6	17	198	157	1,282	16,786	11.65	84.78	11.80
<b>Uintah Basin Total</b>	<b>10</b>	<b>29</b>	<b>233</b>	<b>288</b>	<b>1,638</b>	<b>24,655</b>	<b>8.03</b>	<b>105.82</b>	<b>9.45</b>
Emery	2	6	55	6	52	105	9.17	1.91	523.81
San Juan	4	12	50	119	455	9,311	4.17	186.22	5.37
Washington	2	6	26	195	262	11,103	4.33	427.04	2.34
<b>Colorado Plateau Total</b>	<b>8</b>	<b>24</b>	<b>131</b>	<b>320</b>	<b>769</b>	<b>20,519</b>	<b>5.46</b>	<b>156.63</b>	<b>6.38</b>
Unknown	9	26	125	64	125	1,422	4.81	11.38	87.90
<b>Statewide Total**</b>	<b>75</b>	<b>220</b>	<b>3,857</b>	<b>1,713</b>	<b>5,944</b>	<b>113,545</b>	<b>17.53</b>	<b>29.44</b>	<b>33.97</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of skunk harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Beaver	2	6	52	178	421	11,565	8.67	222.40	4.50
Box Elder	3	10	13	3	10	3	1.30	0.23	4,333.33
Iron	3	10	97	42	126	641	9.70	6.61	151.33
Juab	2	6	42	275	194	6,794	7.00	161.76	6.18
Millard	1	3	6	129	146	5,823	2.00	970.50	1.03
Tooele	4	13	49	159	155	5,969	3.77	121.82	8.21
<b>Great Basin Total</b>	<b>15</b>	<b>48</b>	<b>259</b>	<b>786</b>	<b>1,052</b>	<b>30,795</b>	<b>5.40</b>	<b>118.90</b>	<b>8.41</b>
Cache	1	3	162	32	97	971	54.00	5.99	166.84
Davis	4	13	71	126	453	10,838	5.46	152.65	6.55
Morgan	2	6	84	16	146	728	14.00	8.67	115.38
Salt Lake	4	13	233	81	210	1,456	17.92	6.25	160.03
Sanpete	1	3	26	19	49	291	8.67	11.19	89.35
Sevier	7	23	91	71	272	1,559	3.96	17.13	58.37
Utah	1	3	32	97	32	971	10.67	30.34	32.96
Wasatch	1	3	19	97	97	2,912	6.33	153.26	6.52
Weber	2	6	55	129	243	9,705	9.17	176.45	5.67
<b>Rocky Mountain Total</b>	<b>23</b>	<b>73</b>	<b>773</b>	<b>668</b>	<b>1,599</b>	<b>29,431</b>	<b>10.59</b>	<b>38.07</b>	<b>26.26</b>
Duchesne	2	6	110	32	194	1,941	18.33	17.65	56.67
Uintah	6	19	223	181	466	8,534	11.74	38.27	26.13
<b>Uintah Basin Total</b>	<b>8</b>	<b>25</b>	<b>333</b>	<b>213</b>	<b>660</b>	<b>10,475</b>	<b>13.32</b>	<b>31.46</b>	<b>31.79</b>
Carbon	2	6	6	3	3	3	1.00	0.50	2,000.00
Emery	3	10	107	29	129	631	10.70	5.90	169.57
Kane	4	13	58	437	718	25,234	4.46	435.07	2.30
Wayne	1	3	6	0	0	0	2.00	0.00	0.00
<b>Colorado Plateau Total</b>	<b>10</b>	<b>32</b>	<b>177</b>	<b>469</b>	<b>850</b>	<b>25,868</b>	<b>5.53</b>	<b>146.15</b>	<b>6.84</b>
<b>Unknown</b>	<b>11</b>	<b>36</b>	<b>256</b>	<b>171</b>	<b>146</b>	<b>4,367</b>	<b>7.11</b>	<b>17.06</b>	<b>58.62</b>
<b>Statewide Total**</b>	<b>67</b>	<b>214</b>	<b>1,798</b>	<b>2,307</b>	<b>4,307</b>	<b>100,936</b>	<b>8.40</b>	<b>56.14</b>	<b>17.81</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of skunk harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Beaver	1	3	56	0	248	0	18.67	0.00	0.00
Box Elder	9	25	226	135	262	4,059	9.04	17.96	55.68
Iron	6	17	87	39	378	2,565	5.12	29.48	33.92
Juab	3	8	42	186	417	15,110	5.25	359.76	2.78
Millard	1	3	0	0	0	0.00	0.00	0.00	0.00
Tooele	5	14	175	96	358	3,755	12.50	21.46	46.60
<b>Great Basin Total</b>	<b>25</b>	<b>70</b>	<b>586</b>	<b>456</b>	<b>1,663</b>	<b>25,489</b>	<b>8.37</b>	<b>43.50</b>	<b>22.99</b>
Cache	3	8	59	8	127	381	7.38	6.46	154.86
Davis	3	8	31	11	8	23	3.88	0.74	1,347.83
Morgan	1	3	70	70	169	4,229	23.33	60.41	16.55
Piute	1	3	0	0	0	0	0.00	0.00	0.00
Salt Lake	4	11	82	45	149	1,173	7.45	14.30	69.91
Sanpete	2	6	28	11	0	0	4.67	0.00	0.00
Sevier	11	31	231	85	474	5,469	7.45	23.68	42.24
Summit	1	3	3	0	0	0	1.00	0.00	0.00
Utah	4	11	28	6	68	39	2.55	1.39	717.95
Wasatch	2	6	45	118	183	6,794	7.50	150.98	6.62
Weber	3	8	28	0	39	0	3.50	0.00	0.00
<b>Rocky Mountain Total</b>	<b>35</b>	<b>98</b>	<b>605</b>	<b>354</b>	<b>1,217</b>	<b>18,108</b>	<b>6.17</b>	<b>29.93</b>	<b>33.41</b>
Daggett	1	3	8	8	169	507	2.67	63.38	15.78
Duchesne	4	11	172	152	530	12,776	15.64	74.28	13.46
Uintah	8	23	118	85	381	2,193	5.13	18.58	53.81
<b>Uintah Basin Total</b>	<b>13</b>	<b>37</b>	<b>298</b>	<b>245</b>	<b>1,080</b>	<b>15,476</b>	<b>8.05</b>	<b>51.93</b>	<b>19.26</b>
Carbon	1	3	6	3	23	23	2.00	3.83	260.87
Emery	2	6	39	0	248	0	6.50	0.00	0.00
Garfield	1	3	11	68	85	2,030	3.67	184.55	5.42
Grand	1	3	3	34	39	474	1.00	158.00	6.33
Kane	1	6	6	79	127	3,552	1.00	592.00	1.69
San Juan	2	6	3	183	118	7,696	0.50	2,565.33	0.39
Wayne	3	8	34	23	20	79	4.25	2.32	430.38
<b>Colorado Plateau Total</b>	<b>11</b>	<b>35</b>	<b>102</b>	<b>390</b>	<b>660</b>	<b>13,854</b>	<b>2.91</b>	<b>135.82</b>	<b>7.36</b>
Unknown	9	25	141	17	0	0	5.64	0.00	0.00
<b>Statewide Total**</b>	<b>84</b>	<b>237</b>	<b>1,732</b>	<b>1,462</b>	<b>4,620</b>	<b>72,927</b>	<b>7.31</b>	<b>42.11</b>	<b>23.75</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of skunk harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Beaver	2	6	77	0	119	0	12.83	0.00	0.00
Box Elder	9	27	193	170	372	9,282	7.15	48.09	20.79
Iron	5	15	62	30	65	244	4.13	3.94	254.10
Juab	1	3	6	3	3	3	2.00	0.50	2,000.00
Tooele	3	9	45	0	0	0	5.00	0.00	0.00
<b>Great Basin Total</b>	<b>20</b>	<b>60</b>	<b>383</b>	<b>203</b>	<b>559</b>	<b>9,529</b>	<b>6.38</b>	<b>24.88</b>	<b>40.19</b>
Cache	3	9	48	30	226	785	5.33	16.35	61.15
Davis	4	12	178	208	402	8,032	14.83	45.12	22.16
Morgan	4	12	51	71	494	3,130	4.25	61.37	16.29
Piute	3	9	71	134	535	12,048	7.89	169.69	5.89
Rich	3	9	12	30	45	446	1.33	37.17	26.91
Salt Lake	3	9	77	54	187	2,692	8.56	34.96	28.60
Sanpete	3	9	89	134	446	10,710	9.89	120.34	8.31
Sevier	16	48	425	238	1,080	15,666	8.85	36.86	27.13
Summit	1	3	0	0	0	0	0.00	0.00	0.00
Utah	7	21	372	211	399	10,049	17.71	27.01	37.02
Wasatch	2	6	21	18	30	178	3.50	8.48	117.98
Weber	5	15	116	116	297	4,804	7.73	41.41	24.15
<b>Rocky Mountain Total</b>	<b>54</b>	<b>162</b>	<b>1,460</b>	<b>1,244</b>	<b>4,141</b>	<b>68,540</b>	<b>9.01</b>	<b>46.95</b>	<b>21.30</b>
Duchesne	4	12	113	131	535	7,854	9.42	69.50	14.39
Uintah	7	21	77	247	586	6,902	3.67	89.64	11.16
<b>Uintah Basin Total</b>	<b>11</b>	<b>33</b>	<b>190</b>	<b>378</b>	<b>1,121</b>	<b>14,756</b>	<b>5.76</b>	<b>77.66</b>	<b>12.88</b>
Carbon	3	9	15	68	143	2,692	1.67	179.47	5.57
Emery	1	3	3	0	3	0	1.00	0.00	0.00
Garfield	4	12	39	89	208	6,247	3.25	160.18	6.24
San Juan	2	6	33	0	0	0	5.50	0.00	0.00
Washington	4	12	45	262	544	17,207	3.75	382.38	2.62
Wayne	3	9	21	178	0	0	2.33	0.00	0.00
<b>Colorado Plateau Total</b>	<b>17</b>	<b>51</b>	<b>156</b>	<b>597</b>	<b>898</b>	<b>26,146</b>	<b>3.06</b>	<b>167.60</b>	<b>5.97</b>
Unknown	7	21	116	62	59	357	5.52	3.08	324.93
<b>Statewide Total**</b>	<b>99</b>	<b>295</b>	<b>2,305</b>	<b>2,484</b>	<b>6,778</b>	<b>119,328</b>	<b>7.81</b>	<b>51.77</b>	<b>19.32</b>

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of skunk harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Skunk per Trapper	Set-days per Skunk	Skunk per 1000 Set-days
Beaver	1	3	3	0	0	1.00	0.00	0.00	0.00
Box Elder	3	9	444	231	678	21,005	49.33	47.31	21.14
Iron	3	9	49	43	43	173	5.44	3.53	283.24
Juab	1	3	25	22	0	0	8.33	0.00	0.00
Millard	1	3	9	0	0	0	3.00	0.00	0.00
Tooele	8	25	222	262	160	2,348	8.88	10.58	94.55
<b>Great Basin Total</b>	<b>17</b>	<b>52</b>	<b>752</b>	<b>564</b>	<b>881</b>	<b>23,526</b>	<b>14.46</b>	<b>31.28</b>	<b>31.96</b>
Cache	3	9	59	12	52	105	6.56	1.78	561.90
Davis	3	9	71	71	283	2,508	7.89	35.32	28.31
Morgan	5	15	302	71	401	3,944	20.13	13.06	76.57
Piute	4	12	314	401	801	57,620	26.17	183.50	5.45
Rich	2	6	71	0	0	0	11.83	0.00	0.00
Salt Lake	7	22	123	74	339	348	5.59	2.83	353.45
Sanpete	3	9	25	28	34	247	2.78	9.88	101.21
Sevier	7	22	108	59	253	875	4.91	8.10	123.43
Summit	3	9	18	0	203	0	2.00	0.00	0.00
Utah	4	12	142	92	142	1,417	11.83	9.98	100.21
Wasatch	2	6	6	0	200	0	1.00	0.00	0.00
Weber	4	12	243	102	462	4,992	20.25	20.54	48.68
<b>Rocky Mountain Total</b>	<b>47</b>	<b>143</b>	<b>1,482</b>	<b>910</b>	<b>3,170</b>	<b>72,056</b>	<b>10.36</b>	<b>48.62</b>	<b>20.57</b>
Duchesne	4	12	148	18	206	277	12.33	1.87	534.30
Uintah	6	18	262	428	607	25,411	14.56	96.99	10.31
<b>Uintah Basin Total</b>	<b>10</b>	<b>30</b>	<b>410</b>	<b>446</b>	<b>813</b>	<b>25,688</b>	<b>13.67</b>	<b>62.65</b>	<b>15.96</b>
Carbon	1	3	9	74	92	2,219	3.00	246.56	4.06
Emery	4	12	206	105	813	8,985	17.17	43.62	22.93
Garfield	4	12	37	367	308	8,843	3.08	239.00	4.18
Grand	1	3	3	0	123	0	1.00	0.00	0.00
Kane	2	6	34	0	0	0	5.67	0.00	0.00
Washington	1	3	12	62	117	2,342	4.00	195.17	5.12
<b>Colorado Plateau Total</b>	<b>13</b>	<b>39</b>	<b>301</b>	<b>608</b>	<b>1,453</b>	<b>22,389</b>	<b>7.72</b>	<b>74.38</b>	<b>13.44</b>
Unknown	16	49	1,319	256	604	4,952	26.92	3.75	266.36
<b>Statewide Total**</b>	<b>91</b>	<b>280</b>	<b>4,264</b>	<b>2,784</b>	<b>6,921</b>	<b>148,611</b>	<b>15.23</b>	<b>34.85</b>	<b>28.69</b>


\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

## WEASEL

Weasel harvest in Utah, 1982-1983 through 2004-2005.

Trap Year	Projected Trappers	Projected Harvest	Projected Set-days	Weasel per Trapper	Set-days per Weasel	Weasel per 1000 Set-days	Pelt Price
1982-1983	19	59	959	3.00	16.25	61.52	\$1.00
1983-1984	22	33	3,872	1.50	117.33	8.52	\$0.00
1984-1985	46	75	7,956	1.60	106.08	9.43	\$0.75
1985-1986	33	67	9,992	2.00	149.13	6.71	\$0.00
1986-1987	50	123	5,205	2.50	42.32	23.63	\$1.50
1987-1988	61	212	5,874	3.50	27.71	36.09	\$1.18
1988-1989	24	91	791	3.80	8.69	115.04	\$0.25
1989-1990	25	33	5,492	1.30	166.42	6.01	\$0.25
1990-1991	14	31	1,248	2.20	40.26	24.84	\$0.30
1991-1992	17	19	168	1.10	8.84	113.10	\$0.30
1992-1993	24	28	284	1.10	10.14	98.59	\$0.30
1993-1994	20	31	208	1.50	6.71	149.04	\$5.11
1994-1995	18	13	15,451	0.72	1,188.54	0.84	\$1.57
1995-1996	24	299	20,482	12.45	68.50	14.60	\$3.08
1996-1997	11	13	312	1.18	24.00	41.67	\$7.40
1997-1998	20	28	3,101	1.40	110.75	9.03	\$3.03
1998-1999	15	33	5,190	2.20	157.27	6.36	\$5.50
1999-2000	34	66	1,058	1.94	16.03	62.38	--
2000-2001	36	155	5,288	4.31	34.12	29.31	\$8.50
2001-2002	6	13	0	2.17	0.00	0.00	--
2002-2003	6	3	118	0.50	39.33	25.42	\$4.76
2003-2004	18	58	4,215	3.22	72.67	13.76	--
2004-2005	25	85	1,935	3.40	22.76	43.93	\$2.90
Average	25	68	4,313	2.55	105.82	39.12	\$2.36



Summary of weasel harvest by county and management unit, 1999-2000.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Weasel per Trapper	Set-days per Weasel	Weasel per 1000 Set-days
Box Elder	2	5	3	34	40	447	0.60	149.00	6.71
Great Basin Total	2	5	3	34	40	447	0.60	149.00	6.71
Cache	2	5	16	19	40	159	3.20	9.94	100.63
Morgan	1	3	5	0	0	0	1.67	0.00	0.00
Salt Lake	2	5	21	42	74	370	4.20	17.62	56.76
Summit	1	3	0	0	0	0	0.00	0.00	0.00
Weber	2	5	5	13	34	66	1.00	13.20	75.76
Rocky Mountain Total	8	21	47	74	148	595	2.24	12.66	78.99
Duchesne	1	3	3	11	0	0	1.00	0.00	0.00
Uintah Basin Total	1	3	3	11	0	0	1.00	0.00	0.00
Carbon	1	3	13	5	8	16	4.33	1.23	812.50
San Juan	1	3	0	0	0	0	0.00	0.00	0.00
Colorado Plateau Total	2	6	13	5	8	16	2.17	1.23	812.50
Statewide Total**	13	34	66	124	196	1,058	1.94	16.03	62.38

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of weasel harvest by county and management unit, 2000-2001.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Weasel per Trapper	Set-days per Weasel	Weasel per 1000 Set-days
Box Elder	2	6	3	9	44	85	0.50	28.33	35.29
Iron	1	3	6	29	35	350	2.00	58.33	17.14
Great Basin Total	3	9	9	38	79	435	1.00	48.33	20.69
Cache	2	6	9	3	3	3	1.50	0.33	3,000.00
Davis	1	3	0	44	58	874	0.00	0.00	0.00
Sanpete	1	3	90	73	70	1,749	30.00	19.43	51.46
Sevier	1	3	0	58	73	1,457	0.00	0.00	0.00
Wasatch	1	3	35	35	35	420	11.67	12.00	83.33
Rocky Mountain Total	6	18	134	213	239	4,503	7.44	33.60	29.76
Duchesne	2	6	9	12	90	350	1.50	38.89	25.71
Uintah Basin Total	2	6	9	12	90	350	1.50	38.89	25.71
Colorado Plateau Total	0	0	0	0	0	0	0.00	0.00	0.00
Unknown	1	3	3	0	0	0	1.00	0.00	0.00
Statewide Total**	12	36	155	263	408	5,288	4.31	34.12	29.31

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of weasel harvest by county and management unit, 2001-2002.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Weasel per Trapper	Set-days per Weasel	Weasel per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Davis	1	3	13	0	0	0	4.33	0.00	0.00
Summit	1	3	0	0	32	0	0.00	0.00	0.00
Rocky Mountain Total	2	6	13	0	32	0	2.17	0.00	0.00
Uintah Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Colorado Plateau Total	0	0	0	0	0	0	0.00	0.00	0.00
Statewide Total**	2	6	13	0	32	0	2.17	0.00	0.00

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of weasel harvest by county and management unit, 2002-2003.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-days	Weasel per Trapper	Set-days per Weasel	Weasel per 1000 Set-days
Great Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Utah	1	3	0	8	39	118	0.00	0.00	0.00
Rocky Mountain Total	1	3	0	8	39	118	0.00	0.00	0.00
Uintah Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Colorado Plateau Total	0	0	0	0	0	0	0.00	0.00	0.00
Unknown	1	3	3	17	0	0	1.00	0.00	0.00
Statewide Total**	2	6	3	25	39	118	0.50	39.33	25.42

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of weasel harvest by county and management unit, 2003-2004.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-Days	Weasel per Trapper	Set-Days per Weasel	Weasel per 1000 Set-Days
Box Elder	1	3	9	0	0	0	3.00	0.00	0.00
Great Basin Total	1	3	10	0	0	0	3.33	0.00	0.00
Cache	1	3	0	9	27	80	0.00	0.00	0.00
Morgan	1	3	0	36	42	500	0.00	0.00	0.00
Summit	1	3	6	36	178	2,142	2.00	357.00	2.80
Rocky Mountain Total	3	9	6	81	247	2,722	0.67	453.67	2.20
Uintah Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
San Juan	1	3	12	18	89	535	4.00	44.58	22.43
Colorado Plateau Total	1	3	12	18	89	535	4.00	44.58	22.43
Unknown	1	3	30	42	68	958	10.00	31.93	31.32
Statewide Total**	6	18	58	141	404	4,215	3.22	72.67	13.76

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.

Summary of weasel harvest by county and management unit, 2004-2005.

County	Sample Size*	Projected Trappers	Projected Harvest	Traps Set	Trapping Days	Projected Set-Days	Weasel per Trapper	Set-Days per Weasel	Weasel per 1000 Set-Days
Box Elder	1	3	18	6	92	185	6.00	10.28	97.30
Great Basin Total	1	3	18	6	92	185	6.00	10.28	97.30
Cache	3	9	18	46	179	826	2.00	45.89	21.79
Morgan	1	3	0	12	22	86	0.00	0.00	0.00
Sevier	1	3	3	9	92	277	1.00	92.33	10.83
Wasatch	1	3	40	40	43	561	13.33	14.03	71.30
Rocky Mountain Total	6	18	61	107	336	1,750	3.39	28.69	34.86
Uintah Basin Total	0	0	0	0	0	0	0.00	0.00	0.00
Colorado Plateau Total	0	0	0	0	0	0	0.00	0.00	0.00
Unknown	1	3	6	0	0	0	2.00	0.00	0.00
Statewide Total**	8	25	85	113	428	1,935	3.40	22.76	43.93

\*Projected trappers trapping in that county, from questionnaire returns.

\*\*State totals for sample size and projected trappers are not the total of the columns because many trappers trapped in more than one county.



