


UTAH UPLAND GAME ANNUAL REPORT 2024–25



Publication No. 25-17



Utah Upland Game Annual Report 2024–25

Prepared by:

Heather H. Bernales
Biometrician

Jason Jones
Migratory Birds Program Coordinator

and

Heather Talley
Upland Game Program Coordinator

Publication No. 25-17

Annual Performance Report for Federal Aid Project W-65-M-72 & 73

State of Utah
Department of Natural Resources
DIVISION OF WILDLIFE RESOURCES

Riley Peck
Director

TABLE OF CONTENTS

Definitions	1
Introduction	2
Methods	3
Results	3
American crow	8
Band-tailed pigeon	13
California quail	18
Chukar partridge	24
Cottontail rabbit	35
Dove (mourning and white-winged)	44
Forest grouse (dusky and ruffed)	51
Gambel's quail.....	60
Gray (Hungarian) partridge.....	68
Ring-necked pheasant	74
Sage-grouse (greater and Gunnison)	81
Sandhill crane	104
Sharp-tailed grouse	109
Snowshoe hare	118
White-tailed ptarmigan	124
Wild turkey	130
Appendix A: Weather conditions	139
Appendix B: Hunter survey response summary	144
Appendix C: License sales	147
Appendix D: Permit numbers, season dates, bag and possession limits and areas open.....	149

DEFINITIONS

General upland game: Upland game species that can be hunted with a basic hunting or combination license and do not require any additional, species-specific permit. Upland game species in this category include American crow, chukar partridge, cottontail rabbit (desert and mountain), doves (mourning and white-winged), forest grouse (dusky and ruffed), gray (Hungarian) partridge, quail (Gambel's and California), ring-necked pheasant, and snowshoe hare.

Special permit upland game: Upland game species for which an additional, species-specific hunting permit is required, in addition to a basic hunting or combination license. Species in this category include band-tailed pigeon, greater sage-grouse, sandhill crane, sharp-tailed grouse, white-tailed ptarmigan, and wild turkey.

Year: This annual report covers the state fiscal year period July 1, 2024 through June 30, 2025 (hereafter referred to as 2024–25). All upland game surveys, inventories, and hunting seasons within this time frame are presented here. This report presents all data from the hunting seasons outlined in the 2024–25 Upland Game and Turkey Guidebook. Year designations in specific tables refer to the actual time frame of that survey/hunting season. For example, hunting seasons that occurred in the fall or the spring will have single year designations (e.g., 2024 or 2025, respectively), while fall/winter seasons will have an overlapping year designation (e.g., 2024–25).

SAGE-GROUSE AND SHARP-TAILED GROUSE DEFINITIONS

Lek: Sage-grouse or sharp-tailed grouse strutting ground.

Strutting grounds visited: Total number of known sage-grouse or sharp-tailed grouse strutting grounds (leks) that were visited during spring counts, regardless of whether or not birds were actually present.

Strutting grounds occupied: Number of sharp-tailed or sage-grouse strutting grounds (leks) that were active within the last five or ten years, i.e., grounds where male birds were present during spring counts.

Average males / occupied ground: Average number of male sage-grouse or sharp-tailed grouse that were counted at occupied or “active” grounds.

INTRODUCTION

The objective of Utah's upland game management program is to provide recreational hunting opportunity for sportsmen within the limits of the annual harvestable surplus for each species. It is based on the knowledge that populations of upland game experience relatively high rates of annual turnover. High reproductive rates are naturally compensated for by high rates of mortality, whether hunting is allowed or not. Annual surveys are conducted to measure the production, trend, and harvest of each upland game population.

This is the 51st Annual Upland Game Report. It is an annual performance report of information compiled during inventory and harvest surveys conducted under Federal Aid Project W-65-M, segments 72 & 73. Information contained herein was collected and compiled by biologists, conservation officers, wildlife managers, and upland game management staff of the Utah Division of Wildlife Resources. This report covers the 2024–25 upland game hunting seasons, 2024 fall turkey management seasons, 2025 spring turkey seasons, as well as inventory and trend surveys that took place from July 2024 through June 2025.

This report serves as a handbook of inventory and harvest data. It is designed primarily for the use of those concerned with the management of upland game. A separate section is devoted to each species of upland game in Utah. Data are presented primarily in tabular form with limited figures.

The upland game harvest survey is designed to monitor statewide harvest trends from year to year. The more extensively a species is hunted, the more accurately the survey measures the trend data. To improve the accuracy of the indices for species that receive very little hunting pressure, have low densities, and/or a limited distribution, a unique survey is used. Each species of that type must be hunted using a special permit so that hunter information can be obtained for survey purposes. Species falling into this category include band-tailed pigeon, greater sage-grouse, sandhill crane, sharp-tailed grouse, white-tailed ptarmigan, and wild turkey.

Report users should recognize that the accuracy of upland game surveys is based on 4 basic assumptions: (1) the survey sample is completely random; (2) respondents clearly understood the question; (3) respondents recorded or remembered data accurately, and did not guess or lie; and (4) respondents correctly identified the species hunted. If those assumptions are not met, projections or harvest by county may be over-estimated due to non-response or memory biases. Extreme caution should be used in the interpretation of estimated harvest and hunters for specific species in specific counties. Rather, the long-term trend of these indices should be used in managing the populations. Presently, the Upland Game Annual Report contains the best data available and therefore constitutes the basic facts of upland game management. Although this report has its limitations, the trend data is valuable in making professional judgments regarding upland game populations and harvest.

The annual report is used in wildlife planning. It can be used to establish relative importance among species and for developing new resources through transplants or habitat developments. It points out areas of needed research by indicating problems and possible causes. It documents population trends and it combines all this inventory information into one easily accessible

publication. It will become increasingly more important in developing management plans and assessing impacts on wildlife habitat.

METHODS

General upland game harvest statistics were obtained from a random sample of licensed hunters using a web-based survey, followed by a telephone survey to adjust for non-response bias. The sample was stratified by license type and then the data were projected by the total number of license holders within each stratum. Hunters with permits for band-tailed pigeon, greater sage-grouse, sandhill crane, sharp-tailed grouse, white-tailed ptarmigan, and wild turkey were surveyed through a separate mixed-mode web/telephone survey.

In Utah, hunters were required to purchase either a combination license or a basic hunting license before purchasing a species-specific hunting permit or before applying in any drawings. Therefore, only a fraction of hunters who purchased a license actually hunted upland game, and a much larger sample of license holders was required for the upland game harvest survey.

RESULTS

The percent of Utah residents who had any type of resident license valid for the 2024–25 upland game hunting season was 6.6% (U.S. Census Bureau’s 2024 Utah population estimate: 3,506,838). 272,502 resident and nonresident hunting and combination licenses were valid for the 2024–25 Utah upland game hunting seasons. 64,741 people were randomly selected for participation in the general upland game harvest survey, representing a 24% sample. These hunters were sent two emails inviting them to participate in the web-based harvest survey. Of those hunters contacted, 13,060 (20%) submitted an online harvest survey. A random sample of 4,970 hunters who did not respond to the online survey were contacted by telephone for the non-response bias correction survey. Survey information for turkey and other upland game species are presented in the table on the following page.

A total of 32,586 hunters went afield in 2024–25 in pursuit of various general upland game species. 11,233 hunters hunted wild turkey in spring 2025 and 2,065 hunters hunted wild turkey in fall 2024. Detailed information describing the upland game harvest can be found in the following tables. Regulations for the 2024–25 upland game and 2024 and 2025 wild turkey hunting seasons were published in the 2024–25 Utah Upland Game and Turkey Guidebook.

Upland game survey methods and response rates, 2024–25.

Species	Survey method	Licenses / permits sold	Sample size
Band-tailed pigeon	Web/phone	222	108
General upland game	Web/phone	272502	18030
Greater sage-grouse	Web/phone	726	418
Sandhill crane	Web/phone	516	323
Sharp-tailed grouse	Web/phone	257	156
White-tailed ptarmigan	Web/phone	418	161
Wild turkey (fall management 2024)	Web/phone	2808	1622
Wild turkey (spring 2025 limited entry/CWMU)	Web/phone	2122	816
Wild turkey (spring 2025 general season)	Web/phone	11789	2524

Summary of upland game harvest statistics, Utah 2024–25.

Species	Hunters afield	Total harvest	Hunter-days afield	Bag per hunter-day	Bag per hunter per season
American crow	485	2295	3939	0.6	4.7
Band-tailed pigeon	35	4	70	0.1	0.1
California quail	1837	7959	4434	1.8	4.3
Chukar partridge	7974	61412	44197	1.4	7.7
Cottontail rabbit	3492	7029	13471	0.5	2.0
Dove	6121	68900	28812	2.4	11.3
Mourning	—	64068	—	—	—
White-winged	—	1491	—	—	—
Unknown	—	3345	—	—	—
Forest grouse	10020	38669	53956	0.7	3.9
Dusky	—	20433	—	—	—
Ruffed	—	16975	—	—	—
Unknown	—	1260	—	—	—
Gambel's quail	301	1373	1087	1.3	4.6
Gray (Hungarian) partridge	1963	3677	12057	0.3	1.9
Greater sage-grouse	562	687	1200	0.6	1.2
Ring-necked pheasant	17181	35459	70361	0.5	2.1
Sandhill crane	402	262	987	0.3	0.7
Sharp-tailed grouse	150	148	301	0.5	1.0
Snowshoe hare	532	995	1397	0.7	1.9
White-tailed ptarmigan	75	70	213	0.3	0.9
Wild turkey (fall management 2024)	2065	1123	9780	0.1	0.5
Wild turkey (spring 2025 limited entry/CWMU)	1805	966	—	—	0.5
Wild turkey (spring 2025 general season)	10678	3296	—	—	0.3

Number of general upland game hunters afield by species or species group, Utah 2015–2025.

Species	Year									
	2015–16	2016–17	2017–18	2018–19	2019–20	2020–21	2021–22	2022–23	2023–24	2024–25
American crow	638	540	449	476	186	343	239	1229	169	485
California quail	1201	1378	1223	1111	1346	1552	1112	1415	854	1837
Chukar partridge	7256	7940	6884	6539	6283	8780	5390	7184	6029	7974
Cottontail rabbit	15448	12873	8478	8223	6327	5333	4367	5631	2813	3492
Dove	10451	11511	7617	9338	8233	7470	7483	4165	5633	6121
Forest grouse	11052	12401	10336	10392	9100	10177	8957	10067	8725	10020
Gambel's quail	724	539	847	869	438	801	676	612	347	301
Gray (Hungarian) partridge	751	1047	815	685	577	868	570	418	1723	1963
Ring-necked pheasant	19855	22299	22062	18582	18635	18802	17892	13634	16734	17181
Snowshoe hare	1192	1326	720	732	1059	351	634	590	266	532
Total hunters*	41340	43038	39371	36227	35516	37825	32584	27788	29980	32586

*Total hunters is not the total of the column because many upland game hunters hunted multiple species.

Number of special permit upland game hunters afield by species, Utah 2015–2025.

Species	Year									
	2015–16	2016–17	2017–18	2018–19	2019–20	2020–21	2021–22	2022–23	2023–24	2024–25
Band-tailed pigeon	44	16	31	80	40	38	43	44	47	35
Greater sage-grouse	935	888	593	519	299	420	205	286	342	562
Sandhill crane	122	105	295	268	199	195	329	359	286	402
Sharp-tailed grouse	159	121	78	103	113	162	190	134	79	150
White-tailed ptarmigan	99	106	88	120	145	157	98	84	90	75
Wild turkey (fall management)	597	875	713	2756	1235	5904	3517	2116	1838	2065
Wild turkey (spring)	11155	11060	11262	10783	10589	14169	10127	9545	10586	12483


Percent of general upland game hunters afield who reported hunting each species or species group, Utah 2015–2025.

Species	Year									
	2015–16	2016–17	2017–18	2018–19	2019–20	2020–21	2021–22	2022–23	2023–24	2024–25
American crow	1.5	1.3	1.1	1.3	0.5	0.9	0.1	4.4	0.6	1.5
California quail	3.3	3.2	3.1	3.1	3.8	4.1	3.4	5.1	2.8	5.6
Chukar partridge	17.6	18.4	17.5	18.0	17.7	23.2	16.5	25.9	20.1	24.5
Cottontail rabbit	37.4	29.9	21.5	22.7	17.8	14.1	13.4	20.3	9.4	10.7
Dove	25.3	26.7	19.3	25.8	23.2	19.7	23.0	15.0	18.8	18.8
Forest grouse	26.7	28.8	26.3	28.7	25.6	26.9	27.5	36.2	29.1	30.7
Gambel's quail	1.5	1.3	2.2	1.9	1.2	2.1	2.1	2.2	1.2	0.9
Gray (Hungarian) partridge	1.8	2.4	2.1	1.9	1.6	2.3	1.7	1.5	5.7	6.0
Ring-necked pheasant	48.0	51.8	56.0	51.3	52.5	49.7	54.9	49.1	55.8	52.7
Snowshoe hare	2.9	3.1	1.8	2.0	3.0	0.9	1.9	2.1	0.9	1.6


AMERICAN CROW



Statewide trends in American crow harvest statistics, Utah 2014–2024.



Statewide trends in American crow hunter success, Utah 2014–2024.



American crow harvest statistics by region and county, Utah 2024.


Region and county	n	Hunters afield	Hunter-days afield	Crows bagged	Crows / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	1	15	11	23	2.1	0.3	1.0
Cache	0	0	—	—	—	0.0	0.0
Davis	9	136	753	1918	2.5	19.1	83.6
Morgan	1	15	109	0	0.0	2.8	0.0
Rich	0	0	—	—	—	0.0	0.0
Summit	0	0	—	—	—	0.0	0.0
Weber	4	61	426	129	0.3	10.8	5.6
Regional total	15	227	1299	2070	1.6	33.0	90.2
Central Region							
Juab	2	30	1102	11	0.0	28.0	0.5
Salt Lake	0	0	—	—	—	0.0	0.0
Sanpete	0	0	—	—	—	0.0	0.0
Tooele	2	30	142	56	0.4	3.6	2.5
Utah	4	61	185	6	0.0	4.7	0.2
Wasatch	0	0	—	—	—	0.0	0.0
Regional total	8	121	1429	73	0.1	36.3	3.2
Southern Region							
Beaver	0	0	—	—	—	0.0	0.0
Garfield	0	0	—	—	—	0.0	0.0
Iron	1	15	218	6	0.0	5.5	0.2
Kane	0	0	—	—	—	0.0	0.0
Millard	1	15	109	11	0.1	2.8	0.5
Piute	0	0	—	—	—	0.0	0.0
Sevier	0	0	—	—	—	0.0	0.0
Washington	2	30	175	17	0.1	4.4	0.7
Wayne	0	0	—	—	—	0.0	0.0
Regional total	4	60	502	34	0.1	12.7	1.5
Northeastern Region							
Daggett	0	0	—	—	—	0.0	0.0
Duchesne	4	61	556	118	0.2	14.1	5.1
Uintah	3	45	153	0	0.0	3.9	0.0
Regional total	7	106	709	118	0.2	18.0	5.1
Southeastern Region							
Carbon	0	0	—	—	—	0.0	0.0
Emery	0	0	—	—	—	0.0	0.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Unknown	0	0	—	—	—	0.0	0.0
Statewide total*	32	485	3939	2295	0.6	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.


Statewide American crow harvest statistics, Utah 2014–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Crows / hunter-day	Crows / hunter
2014	581	4368	3265	1.3	7.5
2015	638	1821	2909	0.6	2.9
2016	540	1394	6487	0.2	2.6
2017	449	9540	3685	2.6	21.2
2018	476	1245	1705	0.7	2.6
2019	186	589	722	0.8	3.2
2020	343	3085	2276	1.4	9.0
2021	239	1352	1222	1.1	5.7
2022	1229	6265	4346	1.4	5.1
2023	169	691	612	1.1	4.1
2024	485	2295	3939	0.6	4.7
Average (2014–2023)	485	3035	2723	1.1	6.4
% change from previous year	187	232	544	-48	16
% change from average	0	-24	45	-49	-26

BAND-TAILED PIGEON




Statewide trends in band-tailed pigeon harvest statistics, Utah 1970–2024.



No data available 1983–1987.

Statewide trends in band-tailed pigeon hunter success, Utah 1970–2024.



No data available 1983–1987.

Statewide band-tailed pigeon harvest statistics, Utah 1970–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Pigeons / hunter-day	Pigeons / hunter
1970	34	109	53	2.1	3.2
1971	54	156	110	1.4	2.9
1972	61	211	122	1.7	3.5
1973	25	18	42	0.4	0.7
1974	74	95	141	0.7	1.3
1975	54	116	119	1.0	2.1
1976	54	119	162	0.7	2.2
1977	70	435	225	1.9	6.2
1978	78	264	238	1.1	3.4
1979	62	117	133	0.9	1.9
1980	62	182	175	1.0	2.9
1981	67	101	142	0.7	1.5
1982*	51	113	125	0.9	2.2
1988	11	101	109	0.9	9.2
1989	23	24	159	0.2	1.0
1990	9	7	28	0.3	0.8
1991	15	31	20	1.6	2.1
1992	18	73	70	1.0	4.1
1993	8	0	13	0.0	0.0
1994	13	51	27	1.9	3.9
1995	59	121	171	0.7	2.1
1996	37	92	125	0.7	2.5
1997	58	98	209	0.5	1.7
1998	68	67	120	0.6	1.0
1999	49	103	156	0.7	2.1
2000	53	158	159	1.0	3.0
2001	86	94	208	0.5	1.1
2002	58	67	188	0.4	1.2
2003	107	128	281	0.5	1.2
2004	60	38	120	0.3	0.6
2005	52	37	162	0.2	0.7
2006	71	54	161	0.3	0.8
2007	69	43	231	0.2	0.6
2008	63	19	183	0.1	0.3
2009	78	6	212	0.0	0.1
2010	51	24	151	0.2	0.5
2011	90	21	305	0.1	0.2
2012	70	45	235	0.2	0.6
2013	54	27	132	0.2	0.5


*No data from 1983 to 1987.

Statewide band-tailed pigeon harvest statistics, Utah 1970–2024 (continued).


Year	Total hunters	Total harvest*	Hunter-days afield	Pigeons / hunter-day	Pigeons / hunter
2014	44	24	89	0.3	0.5
2015	44	0	173	0.0	0.0
2016	16	0	24	0.0	0.0
2017	31	0	80	0.0	0.0
2018	80	0	261	0.0	0.0
2019	40	4	79	0.1	0.1
2020	38	2	87	0.0	0.1
2021	43	0	156	0.0	0.0
2022	44	0	41	0.0	0.0
2023	47	11	156	0.1	0.2
2024	35	4	70	0.1	0.1
Average (1970–2023)	51	74	140	0.6	1.6
% change from previous year	-26	-64	-55	-19	-51
% change from average	-31	-95	-50	-90	-93

*Decrease in harvest beginning in 2015 was likely due to changes in survey methodology to help hunters better identify rare upland game species. Harvest data in previous years were likely biased high due to misidentification.

CALIFORNIA QUAIL




Statewide trends of California quail harvest statistics, Utah 1962–2024.



*Includes Gambel's quail hunters and days-afield.

Statewide trends of California quail hunter success, Utah 1962–2024.



*Includes Gambel's quail hunters and days-afield.

California quail harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Quail bagged	Quail / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	3	57	137	67	0.5	3.1	0.8
Cache	0	0	—	—	—	0.0	0.0
Davis	1	19	12	67	5.6	0.3	0.8
Morgan	2	38	87	101	1.2	2.0	1.3
Rich	0	0	—	—	—	0.0	0.0
Summit	0	0	—	—	—	0.0	0.0
Weber	10	189	425	1108	2.6	9.6	13.9
Regional total	16	303	661	1343	2.0	14.9	16.9
Central Region							
Juab	4	76	62	336	5.4	1.4	4.2
Salt Lake	2	38	50	168	3.4	1.1	2.1
Sanpete	0	0	—	—	—	0.0	0.0
Tooele	6	114	187	269	1.4	4.2	3.4
Utah	25	473	1449	1545	1.1	32.7	19.4
Wasatch	0	0	—	—	—	0.0	0.0
Regional total	37	701	1748	2318	1.3	39.4	29.1
Southern Region							
Beaver	1	19	62	504	8.1	1.4	6.3
Garfield	0	0	—	—	—	0.0	0.0
Iron	1	19	62	0	0.0	1.4	0.0
Kane	0	0	—	—	—	0.0	0.0
Millard	3	57	75	201	2.7	1.7	2.5
Piute	0	0	—	—	—	0.0	0.0
Sevier	6	114	200	470	2.4	4.5	5.9
Washington	0	0	—	—	—	0.0	0.0
Wayne	0	0	—	—	—	0.0	0.0
Regional total	11	209	399	1175	2.9	9.0	14.8
Northeastern Region							
Daggett	0	0	—	—	—	0.0	0.0
Duchesne	12	227	400	1175	2.9	9.0	14.8
Uintah	13	246	400	974	2.4	9.0	12.2
Regional total	25	473	800	2149	2.7	18.0	27.0
Southeastern Region							
Carbon	0	0	—	—	—	0.0	0.0
Emery	9	170	687	806	1.2	15.5	10.1
Grand	0	0	—	—	—	0.0	0.0
San Juan	2	38	37	101	2.7	0.8	1.3
Regional total	11	208	724	907	1.3	16.3	11.4
Unknown	3	57	100	67	0.7	2.3	0.8
Statewide total*	97	1837	4434	7959	1.8	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide California quail harvest statistics, Utah 1962–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Quail / hunter-day	Quail / hunter
1962	5980	16074	13856	1.2	2.7
1963	7557	25366	15326	1.7	3.4
1964	8526	28186	19745	1.4	3.3
1965	5700	16084	15814	1.0	2.8
1966	5834	17700	15180	1.2	3.0
1967	7470	20030	20709	1.0	2.7
1968	8118	18918	19248	1.0	2.3
1969	8005	19931	19105	1.0	2.5
1970	5299	15240	14193	1.1	2.9
1971	7120	15160	18410	0.8	2.1
1972	6520	13494	18972	0.7	2.1
1973	4854	10889	15651	0.7	2.2
1974	5356	9175	12669	0.7	1.7
1975	5098	8719	12892	0.7	1.7
1976	4305	8652	10653	0.8	2.0
1977	3662	6964	8093	0.9	1.9
1978	5324	12629	12428	1.0	2.4
1979	4802	11789	11571	1.0	2.5
1980	3172	6566	6871	1.0	2.1
1981	4012	8045	10062	0.8	2.0
1982	3632	7817	8844	0.9	2.2
1983	3370	8507	8440	1.0	2.5
1984	2883	4446	7857	0.6	1.5
1985	2336	4544	5958	0.8	1.9
1986	2020	3235	5276	0.6	1.6
1987	1985	4388	6521	0.7	2.2
1988	2387	6395	7614	0.8	2.7
1989	2530	4999	6720	0.7	2.0
1990	2161	5021	6771	0.7	2.3
1991	1913	3775	5010	0.8	2.0
1992	2470	5847	7162	0.8	2.4
1993	2851	5815	8532	0.7	2.0
1994	2250	4746	6399	0.7	2.1
1995	3474	9272	9252	1.0	2.7
1996	3925	14726	14446	1.0	3.8
1997	3055	7857	9146	0.9	2.6
1998	2257	5606	6747	0.8	2.5
1999	3346	9575	9937	1.0	2.9
2000	3005	9382	10072	0.9	3.1
2001	2659	7433	8683	0.9	2.8

Statewide California quail harvest statistics, Utah 1962–2024 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Quail / hunter-day	Quail / hunter
2002	1855	4311	5807	0.7	2.3
2003	2089	6717	7672	0.9	3.2
2004	1636	3768	5648	0.7	2.3
2005	1989	7344	8996	0.8	3.7
2006	2181	13626	10070	1.4	6.2
2007	1848	8595	10434	0.8	4.7
2008	1664	6655	8213	0.8	4.0
2009	1588	4275	6314	0.7	2.7
2010	1043	4427	3634	1.2	4.2
2011	1082	3741	5790	0.6	3.5
2012	1212	5578	6917	0.8	4.6
2013	1006	2626	4663	0.6	2.6
2014	1478*	3822	7197*	0.5	2.6
2015	1201	5653	7984	0.7	4.7
2016	1378	5739	4861	1.2	4.2
2017	1223	6137	4065	1.5	5.0
2018	1111	2342	5319	0.4	2.1
2019	1346	3459	4619	0.7	2.6
2020	1552	16617	12105	1.4	10.7
2021	1112	1432	2408	0.6	1.3
2022	1415	5124	4563	1.1	3.6
2023	854	2355	2391	1.0	2.8
2024	1837	7959	4434	1.8	4.3
Average (1951–2023)	3276	8833	9525	0.9	2.9
% change from previous year	115	238	85	82	57
% change from average	-44	-10	-53	102	50

*Includes Gambel's quail hunters and days-afield.

CHUKAR PARTRIDGE



Chukar partridge aerial survey trends, Northeast Cedar Mountains, Tooele County, Utah 1996–2018*.

Year	Coveys flushed	Total chukars observed	Square miles Surveyed	Chukars / square mile
1996	12	103	6.5	15.9
1997	18	295	8.0	36.9
1998	52	939	8.0	117.4
1999	65	623	8.0	77.9
2000	23	96	8.0	12.0
2001	9	68	8.0	8.5
2002	5	36	8.0	4.5
2003	27	238	8.0	29.8
2004	15	167	8.0	20.9
2005	36	566	8.0	70.8
2006	50	779	8.0	97.4
2007	24	144	8.0	18.0
2008	22	94	5.0	18.8
2009	19	107	5.0	21.4
2010	6	22	5.0	4.4
2011	11	88	5.0	17.6
2012	25	229	5.0	45.8
2013	14	91	10.0	9.1
2014	27	298	12.7	23.5
2015	73	1215	12.0	101.3
2016	67	995	10.5	94.8
2017	35	205	7.8	26.3
2018	14	71	7.5	9.5
Average (1996–2017)	29	336	7.8	39.7
% change from previous year	-60	-65	-4	-64
% change from average	-51	-79	-4	-76

*Aerial surveys for chukar partridge were discontinued in 2019.

Chukar partridge aerial survey trends, Box Elder County, Utah 2009–2018*.

Year	Coveys flushed	Total chukars observed	Square miles Surveyed	Chukars / square mile
2009	5	41	8.5	4.8
2010	14	125	8.5	14.7
2011	19	233	8.5	27.4
2012	18	76	8.5	8.9
2013	12	13g3	8.5	15.6
2014	8	125	8.0	15.6
2015	16	204	8.0	25.5
2016	12	268	8.0	33.5
2017	6	93	8.0	11.6
2018	7	65	8.0	8.1
Average (2009–2017)	12	136	8.3	17.5
% change from previous year	17	-30	0	-30
% change from average	-40	-52	-3	-54

*Aerial surveys for chukar partridge were discontinued in 2019.

Chukar partridge waterhole counts, Washington County, Utah 2015–2024.

Year	Total young	Total adults	Total chukars	Young/100 adults
2015	239	92	331	260
2016	111	84	195	132
2017	371	102	473	364
2018	14	49	63	29
2019	130	38	168	342
2020	30	38	68	79
2021	4	24	28	17
2022	9	19	28	47
2023	59	11	70	536
2024	113	19	132	595
Average (2015–2023)	107	51	158	201
% change from previous year	92	73	89	11
% change from average	5	-63	-17	196

Chukar partridge at water sites, camera counts, Central Region, Utah 2019–2024.

Year	Total cameras	Cameras with visits	Cameras with chicks	Chicks per adult
2019	—	—	—	4.8
2020	20	13	12	1.0
2021	20	12	6	0.1
2022	18	12	12	3.5
2023	10	10	10	1.6
2024	13	11	4	2.1
Average (2019–2023)	15	12	10	2.2
% change from previous year	30	10	-60	31
% change from average	-14	-6	-60	-3

Chukar partridge at water sites, camera counts, Northern Region, Utah 2019–2024.

Year	Total cameras	Cameras with visits	Cameras with chicks	Chicks per adult
2019	—	—	—	2.5
2020	5	2	2	1.3
2021	5	4	2	0.1
2022	7	5	3	2.4
2023	3	3	2	0.7
2024	4	4	4	3.0
Average (2019–2023)	4	4	2	1.4
% change from previous year	33	33	100	358
% change from average	-9	14	78	114


Chukar partridge at water sites, camera counts, Southeastern Region, Utah 2019–2024.

Year	Total cameras	Cameras with visits	Cameras with chicks	Chicks per adult
2019	—	—	—	3.0
2020	5	2	2	1.5
2021	4	2	0	0.0
2022	5	4	3	0.7
2023	1	1	1	6.6
2024	4	2	1	0.3
Average (2019–2023)	9	7	6	1.2
% change from previous year	13	13	14	-18
% change from average	-4	33	45	35


Chukar partridge at water sites, camera counts, Southern Region, Utah 2019–2024.

Year	Total cameras	Cameras with visits	Cameras with chicks	Chicks per adult
2019	—	—	—	1.9
2020	10	7	7	0.6
2021	11	4	1	0.0
2022	11	8	7	1.5
2023	8	8	7	2.0
2024	9	9	8	1.6
Average (2019–2023)	9	7	6	1.2
% change from previous year	13	13	14	-18
% change from average	-4	33	45	35

Statewide trends of chukar partridge harvest statistics, Utah 1958–59 to 2024–25.



Statewide trends of chukar partridge hunter success, Utah 1958–59 to 2024–25.



Chukar partridge harvest statistics by region and county, Utah 2024–25.

Region and county	n	Hunters afield	Hunter-days afield	Chukars bagged	Chukars / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	191	2170	10999	18764	1.7	24.9	30.6
Cache	31	352	1413	1395	1.0	3.2	2.3
Davis	3	34	130	66	0.5	0.3	0.1
Morgan	14	159	436	447	1.0	1.0	0.7
Rich	4	45	59	132	2.2	0.1	0.2
Summit	10	114	459	316	0.7	1.0	0.5
Weber	7	80	236	132	0.6	0.5	0.2
Regional total	260	2954	13732	21252	1.5	31.1	34.6
Central Region							
Juab	73	829	3662	5211	1.4	8.3	8.5
Salt Lake	3	34	71	184	2.6	0.2	0.3
Sanpete	36	409	1696	2211	1.3	3.8	3.6
Tooele	144	1636	7902	12014	1.5	17.9	19.6
Utah	96	1090	4463	5145	1.2	10.1	8.4
Wasatch	8	91	259	211	0.8	0.6	0.3
Regional total	360	4089	18053	24976	1.4	40.8	40.7
Southern Region							
Beaver	30	341	1248	2158	1.7	2.8	3.5
Garfield	1	11	12	26	2.2	0.0	0.0
Iron	10	114	212	105	0.5	0.5	0.2
Kane	0	0	—	—	—	0.0	0.0
Millard	60	682	2779	4935	1.8	6.3	8.0
Piute	16	182	506	513	1.0	1.1	0.8
Sevier	43	488	2614	2579	1.0	5.9	4.2
Washington	17	193	848	1013	1.2	1.9	1.6
Wayne	3	34	71	53	0.7	0.2	0.1
Regional total	180	2045	8290	11382	1.4	18.8	18.5
Northeastern Region							
Daggett	3	34	106	289	2.7	0.2	0.5
Duchesne	14	159	436	329	0.8	1.0	0.5
Uintah	7	80	200	79	0.4	0.5	0.1
Regional total	24	273	742	697	0.9	1.7	1.1
Southeastern Region							
Carbon	12	136	577	566	1.0	1.3	0.9
Emery	23	261	1095	382	0.3	2.5	0.6
Grand	8	91	553	342	0.6	1.3	0.6
San Juan	3	34	59	13	0.2	0.1	0.0
Regional total	46	522	2284	1303	0.6	5.2	2.1
Unknown	21	239	1095	1803	1.6	2.5	2.9
Statewide total*	702	7974	44197	61412	1.4	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide chukar partridge harvest statistics, Utah 1958–59 to 2024–25.

Year	Total hunters	Total harvest	Hunter-days afield	Chukars / hunter-day	Chukars / hunter
1958–59	11124	19578	25100	0.8	1.8
1959–60	11154	8700	26364	0.3	0.8
1960–61	13252	21733	30610	0.7	1.6
1961–62	14046	20821	35675	0.6	1.5
1962–63	11638	33500	35010	1.0	2.9
1963–64	14532	42806	40824	1.1	3.0
1964–65	16090	42974	39971	1.1	2.7
1965–66	16431	35335	45067	0.8	2.2
1966–67	17133	61370	54448	1.1	3.6
1967–68	17485	48906	50671	1.0	2.8
1968–69	20744	73218	61402	1.2	3.5
1969–70	22529	80917	71674	1.1	3.6
1970–71	18013	56053	49911	1.1	3.1
1971–72	17917	61151	55378	1.1	3.4
1972–73	16685	36925	46502	0.8	2.2
1973–74	13888	48135	50677	1.0	3.5
1974–75	16412	44658	48856	0.9	2.7
1975–76	16156	41151	51083	0.8	2.6
1976–77	14171	43726	47143	0.9	3.1
1977–78	12691	34155	38873	0.9	2.7
1978–79	16291	65747	54239	1.2	4.0
1979–80	15210	51918	42254	1.2	3.4
1980–81	15100	51511	47778	1.1	3.4
1981–82	12907	44983	36662	1.2	3.5
1982–83	11326	24460	32691	0.8	2.2
1983–84	10418	29649	31904	0.9	2.9
1984–85	9846	20179	30715	0.7	2.1
1985–86	7930	20938	24346	0.9	2.6
1986–87	9397	25346	31672	0.8	2.7
1987–88	11276	32848	39099	0.8	2.9
1988–89	11237	32057	40088	0.8	2.9
1989–90	10910	27628	40384	0.7	2.5
1990–91	11195	26486	38463	0.7	2.4
1991–92	10577	24355	34010	0.7	2.3
1992–93	11125	28599	37463	0.8	2.6
1993–94	10128	18774	34147	0.6	1.9
1994–95	8455	18721	28389	0.7	2.2
1995–96	9097	20954	31140	0.7	2.3

Statewide chukar partridge harvest statistics, Utah 1958–59 to 2024–25 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Chukars / hunter-day	Chukars / hunter
1996–97	10197	26594	37116	0.7	2.6
1997–98	9665	23840	34711	0.7	2.5
1998–99	9283	36013	33082	1.1	3.9
1999–00	14388	64727	53842	1.2	4.5
2000–01	14056	36458	45096	0.8	2.6
2001–02	7338	22941	29032	0.8	3.1
2002–03	6944	25294	30351	0.8	3.6
2003–04	8118	37007	31696	1.2	4.6
2004–05	6265	32718	26421	1.2	5.2
2005–06	11565	71134	67373	1.1	6.2
2006–07	6245	41618	33175	1.3	6.7
2007–08	4971	26758	24291	1.1	5.4
2008–09	6627	22777	30867	0.7	3.4
2009–10	6562	27860	27858	1.0	4.2
2010–11	6272	32799	30766	1.1	5.2
2011–12	5572	27553	31431	0.9	4.9
2012–13	5448	25696	29068	0.9	4.7
2013–14	5527	25973	28437	0.9	4.7
2014–15	5678	23028	24447	0.9	4.1
2015–16	7256	40915	35264	1.2	5.6
2016–17	7940	52547	49900	1.1	6.6
2017–18	6884	33661	41803	0.8	4.9
2018–19	6539	24710	32417	0.8	3.8
2019–20	6283	24732	32851	0.8	3.9
2020–21	8780	25965	35976	0.7	3.0
2021–22	5390	25424	33681	0.8	4.7
2022–23	7184	42681	48698	0.9	5.9
2023–24	6029	33432	35983	0.9	5.5
2024–25	7974	61412	44197	1.4	7.7
Average (1958–2023)	11023	35694	38732	0.9	3.5
% change from previous year	32	84	23	50	39
% change from average	-28	72	14	54	123

COTTONTAIL RABBIT

(Desert & Mountain)



CLARK BRANSON

Statewide trends of cottontail rabbit summer roadside counts, Utah 1967–2024.

Year	Miles driven	Total rabbits observed	Young / 100 adults	Rabbits / mile
1967	—	—	106	0.35
1968	—	—	96	0.41
1969	—	—	110	0.32
1970	—	—	102	0.50
1971	2702	1184	123	0.44
1972	2643	1140	99	0.43
1973	1968	361	86	0.18
1974	2402	700	105	0.29
1975	2850	635	132	0.22
1976	3068	1163	132	0.38
1977	2907	914	89	0.31
1978	2745	1303	112	0.47
1979	2486	1094	121	0.44
1980	1909	591	107	0.31
1981	2423	1234	116	0.51
1982	2102	1111	78	0.53
1983	1932	787	72	0.41
1984	1069	170	100	0.16
1985	1656	211	73	0.13
1986	1610	284	75	0.18
1987	1552	521	96	0.34
1988	1472	825	67	0.56
1989	872	408	64	0.47
1990	879	344	73	0.39
1991	558	94	64	0.17
1992	857	207	71	0.24
1993	750	84	35	0.11
1994	148	54	18	0.36
1995	444	87	114	0.20
1996	498	283	163	0.57
1997	521	127	98	0.24
1998	1401	351	88	0.25
1999	1639	442	79	0.27
2000	1029	550	115	0.53
2010*	1279	109	49	0.09
2011	997	119	53	0.12
2012	1243	248	51	0.14

*Cottontail rabbit roadside counts were discontinued from 2001–2009.


Statewide trends of cottontail rabbit summer roadside counts, Utah 1967–2024 (continued).

Year	Miles driven	Total rabbits observed	Young / 100 adults	Rabbits / mile
2013	1416	453	44	0.32
2014	1327	784	54	0.59
2015	1378	1381	55	1.00
2016	1494	1121	32	0.75
2017	1370	458	42	0.33
2018	1367	235	25	0.17
2019	1534	172	48	0.11
2020	451	74	37	0.16
2021	645	60	26	0.09
2022	1350	238	43	0.18
2023	1350	74	46	0.05
2024	1025	208	73	0.20
Average (1967–2023)	1157	378	65	0.31
% change from previous year	-24	181	58	300
% change from average	-11	-45	12	-35


Cottontail rabbit summer roadside count summary, Utah 2024.

Region and county	Miles driven	Rabbits observed				Young / 100 adults	Rabbits / Mile
		Adults	Young	Unclassified	Total		
Northern Region							
Box Elder	90	12	14	5	31	117	0.35
Cache	—	—	—	—	—	—	—
Davis	—	—	—	—	—	—	—
Morgan	—	—	—	—	—	—	—
Rich	43	2	0	1	3	0	0.07
Summit	—	—	—	—	—	—	—
Weber	—	—	—	—	—	—	—
Regional total	133	14	14	6	34	100	0.26
Central Region							
Juab	—	—	—	—	—	—	—
Salt Lake	—	—	—	—	—	—	—
Sanpete	90	2	0	0	2	0	0.02
Tooele	62	3	2	0	5	67	0.08
Utah	—	—	—	—	—	—	—
Wasatch	—	—	—	—	—	—	—
Regional total	152	5	2	0	7	40	0.05
Southern Region							
Beaver	—	—	—	—	—	—	—
Garfield	90	4	1	0	5	25	0.06
Iron	90	29	11	1	41	38	0.46
Kane	—	—	—	—	—	—	—
Millard	25	0	1	0	1	—	0.04
Piute	—	—	—	—	—	—	—
Sevier	30	1	0	1	2	0	0.07
Washington	—	—	—	—	—	—	—
Wayne	90	5	3	0	8	60	0.09
Regional total	325	39	16	2	57	41	0.18
Northeastern Region							
Daggett	54	6	9	2	17	150	0.31
Duchesne	112	18	9	0	27	50	0.24
Uintah	87	12	8	6	26	67	0.30
Regional total	253	36	26	8	70	72	0.28
Southeastern Region							
Carbon	90	7	8	0	15	114	0.17
Emery	11	4	7	2	13	175	1.19
Grand	—	—	—	—	—	—	—
San Juan	61	5	7	0	12	140	0.20
Regional total	162	16	22	2	40	138	0.25
Statewide total	1025	110	80	18	208	73	0.20

Statewide trends of cottontail rabbit harvest statistics, Utah 1967–68 to 2024–25.



Statewide trends of cottontail rabbit hunter success, Utah 1967–68 to 2024–25.



Cottontail rabbit harvest statistics by region and county, Utah 2024–25.

Region and county	n	Hunters afield	Hunter-days afield	Rabbits bagged	Rabbits / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	48	486	1447	1076	0.7	10.7	15.3
Cache	14	142	585	152	0.3	4.3	2.2
Davis	3	30	114	36	0.3	0.8	0.5
Morgan	7	71	146	54	0.4	1.1	0.8
Rich	3	30	285	99	0.3	2.1	1.4
Summit	5	51	89	126	1.4	0.7	1.8
Weber	4	40	41	27	0.7	0.3	0.4
Regional total	84	850	2707	1570	0.6	20.1	22.3
Central Region							
Juab	30	304	1065	430	0.4	7.9	6.1
Salt Lake	4	40	138	54	0.4	1.0	0.8
Sanpete	14	142	325	108	0.3	2.4	1.5
Tooele	44	445	951	305	0.3	7.1	4.3
Utah	29	294	1293	448	0.3	9.6	6.4
Wasatch	7	71	171	45	0.3	1.3	0.6
Regional total	128	1296	3943	1390	0.4	29.3	19.8
Southern Region							
Beaver	7	71	122	54	0.4	0.9	0.8
Garfield	2	20	24	27	1.1	0.2	0.4
Iron	17	172	463	188	0.4	3.4	2.7
Kane	3	30	81	45	0.6	0.6	0.6
Millard	13	132	366	350	1.0	2.7	5.0
Piute	2	20	24	63	2.6	0.2	0.9
Sevier	9	91	309	108	0.3	2.3	1.5
Washington	16	162	439	224	0.5	3.3	3.2
Wayne	0	0	—	—	—	0.0	0.0
Regional total	69	698	1828	1059	0.6	13.6	15.1
Northeastern Region							
Daggett	7	71	374	484	1.3	2.8	6.9
Duchesne	26	263	1106	780	0.7	8.2	11.1
Uintah	27	273	821	278	0.3	6.1	4.0
Regional total	60	607	2301	1542	0.7	17.1	21.9
Southeastern Region							
Carbon	14	142	634	242	0.4	4.7	3.4
Emery	14	142	667	430	0.6	4.9	6.1
Grand	6	61	203	108	0.5	1.5	1.5
San Juan	8	81	797	108	0.1	5.9	1.5
Regional total	42	426	2301	888	0.4	17.1	12.6
Unknown	20	202	390	583	1.5	2.9	8.3
Statewide total*	345	3492	13471	7029	0.5	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide cottontail rabbit harvest statistics, Utah 1967–68 to 2024–25.

Year	Total hunters	Total harvest	Hunter-days afield	Rabbits / hunter-day	Rabbits / hunter
1967–68	23249	181812	92681	2.0	7.8
1968–69	26889	225450	93126	2.4	8.4
1969–70	29760	184034	119596	1.5	6.2
1970–71	24486	195248	103725	1.9	8.0
1971–72	30824	239511	145287	1.6	7.8
1972–73	22835	155102	105941	1.5	6.8
1973–74	20109	88603	87036	1.0	4.4
1974–75	22737	86506	85499	1.0	3.8
1975–76	24803	154182	116707	1.3	6.2
1976–77	28239	235952	126737	1.9	8.4
1977–78	35831	269263	157257	1.7	7.5
1978–79	35590	401071	163019	2.5	11.3
1979–80	33385	200223	127497	1.6	6.0
1980–81	25156	127652	87051	1.5	5.1
1981–82	25906	149765	104183	1.4	5.8
1982–83	26714	156696	105644	1.5	5.9
1983–84	22467	180767	96151	1.9	8.0
1984–85	18616	69186	67643	1.0	3.7
1985–86	14059	31397	48371	0.6	2.2
1986–87	13992	40636	48694	0.8	2.9
1987–88	20322	110411	77047	1.4	5.4
1988–89	24076	150386	97190	1.5	6.2
1989–90	22878	120075	91264	1.3	5.2
1990–91	23070	127389	93515	1.4	5.5
1991–92	21137	111407	82772	1.3	5.3
1992–93	20509	117454	83154	1.4	5.7
1993–94	17578	64400	77968	0.8	3.7
1994–95	12709	47322	53175	0.9	3.7
1995–96	13840	67295	58042	1.2	4.9
1996–97	14470	82803	63943	1.3	5.7
1997–98	12263	61109	52587	1.2	5.0
1998–99	10585	57137	45947	1.2	5.4
1999–00	15475	66142	54894	1.2	4.3
2000–01	15797	62330	60895	1.0	3.9
2001–02	8620	54506	60401	0.9	6.3
2002–03	7483	35320	36994	1.0	4.7
2003–04	8685	45210	45693	1.0	5.2
2004–05	6358	30586	28828	1.1	4.8
2005–06	12575	98827	85059	1.2	7.9


Statewide cottontail rabbit harvest statistics, Utah 1967–68 to 2024–25 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Rabbits / hunter-day	Rabbits / hunter
2006–07	7401	64476	43334	1.5	8.7
2007–08	6794	45902	38886	1.2	6.8
2008–09	8543	47077	51673	0.9	5.5
2009–10	6517	30946	34026	0.9	4.7
2010–11	7684	34532	31869	1.1	4.5
2011–12	6189	22293	35520	0.6	3.6
2012–13	6618	28665	30548	0.9	4.3
2013–14	6519	29353	33383	0.9	4.5
2014–15	6678	35120	32753	1.1	5.3
2015–16	15448	121981	90125	1.4	7.9
2016–17	12873	123302	84967	1.5	9.6
2017–18	8478	35650	31178	1.1	4.2
2018–19	8223	39684	61955	0.6	4.8
2019–20	6327	23111	31394	0.7	3.7
2020–21	5333	17720	19405	0.9	3.3
2021–22	4367	17417	19207	0.9	4.0
2022–23	5631	14611	24840	0.6	2.6
2023–24	2813	3423	12443	0.3	1.2
2024–25	3492	7029	13471	0.5	2.0
Average (1967–2023)	16255	98569	70855	1.2	5.5
% change from previous year	24	105	8	90	65
% change from average	-79	-93	-81	-58	-63


DOVE
(Mourning and White-winged)



Statewide trends of dove (mourning and white-winged) harvest statistics, Utah 1951–2024.



Statewide trends of dove (mourning and white-winged) hunter success, Utah 1951–2024.



Dove (mourning and white-winged) harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Doves bagged	Doves / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	53	753	4405	7473	1.7	15.3	10.8
Cache	33	469	1623	4259	2.6	5.6	6.2
Davis	8	114	912	1333	1.5	3.2	1.9
Morgan	2	28	216	470	2.2	0.8	0.7
Rich	4	57	247	157	0.6	0.9	0.2
Summit	3	43	108	183	1.7	0.4	0.3
Weber	19	270	1237	1777	1.4	4.3	2.6
Regional total	122	1734	8748	15652	1.8	30.4	22.7
Central Region							
Juab	31	440	2040	4311	2.1	7.1	6.3
Salt Lake	5	71	232	157	0.7	0.8	0.2
Sanpete	15	213	835	3580	4.3	2.9	5.2
Tooele	47	667	2303	4990	2.2	8.0	7.2
Utah	92	1307	5518	12463	2.3	19.2	18.1
Wasatch	4	57	541	209	0.4	1.9	0.3
Regional total	194	2755	11469	25710	2.2	39.8	37.3
Southern Region							
Beaver	17	241	1128	5356	4.7	3.9	7.8
Garfield	2	28	46	26	0.6	0.2	0.0
Iron	14	199	572	2299	4.0	2.0	3.3
Kane	2	28	139	209	1.5	0.5	0.3
Millard	44	625	2133	8753	4.1	7.4	12.7
Piute	1	14	46	157	3.4	0.2	0.2
Sevier	15	213	897	3005	3.4	3.1	4.4
Washington	18	256	1638	3318	2.0	5.7	4.8
Wayne	1	14	31	105	3.4	0.1	0.2
Regional total	114	1618	6630	23228	3.5	23.0	33.7
Northeastern Region							
Daggett	0	0	—	—	—	0.0	0.0
Duchesne	11	156	526	914	1.7	1.8	1.3
Uintah	9	128	541	1150	2.1	1.9	1.7
Regional total	20	284	1067	2064	1.9	3.7	3.0
Southeastern Region							
Carbon	5	71	309	444	1.4	1.1	0.6
Emery	5	71	464	1359	2.9	1.6	2.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	1	14	15	131	8.7	0.1	0.2
Regional total	11	156	788	1934	2.5	2.7	2.8
Unknown	4	57	108	314	2.9	0.4	0.5
Statewide total*	431	6121	28812	68900	2.4	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide dove (mourning and white-winged) harvest statistics, Utah 1951–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Doves / hunter-day	Doves / hunter
1951	3007	20448	4455	4.6	6.8
1952	6420	49498	10784	4.6	7.7
1953	9887	75636	17797	4.2	7.7
1954	9901	75941	19724	3.9	7.7
1955	9653	79444	19282	4.1	8.2
1956	10744	95729	20411	4.7	8.9
1957	11298	86769	18620	4.7	7.7
1958	11853	85934	21591	4.0	7.2
1959	12142	110856	24911	4.5	9.1
1960	12440	108477	25766	4.2	8.7
1961	15192	128001	33434	3.8	8.4
1962	14663	144826	34281	4.2	9.9
1963	18258	162769	40490	4.0	8.9
1964	19829	193538	51671	3.7	9.8
1965	18710	164087	48835	3.4	8.8
1966	20594	212696	60608	3.5	10.3
1967	25161	263949	74171	3.6	10.5
1968	25105	207922	70186	3.0	8.3
1969	29131	279311	90965	3.1	9.6
1970	23908	232469	73984	3.1	9.7
1971	26064	226645	81271	2.8	8.7
1972	29341	238354	94046	2.5	8.1
1973	27435	307062	97788	3.1	11.2
1974	34021	306076	112967	2.7	9.0
1975	37378	420308	131312	3.2	11.2
1976	31293	298505	108780	2.7	9.5
1977	26905	267487	83218	3.2	9.9
1978	35985	383696	130173	2.9	10.7
1979	34903	351161	120459	2.9	10.1
1980	32627	343851	97644	3.5	10.5
1981	30060	310068	101728	3.0	10.3
1982	31756	282188	107728	2.6	8.9
1983	28258	272979	100568	2.7	9.7
1984	30573	282307	108793	2.6	9.2
1985	28183	256045	96507	2.7	9.1
1986	26583	226985	87084	2.6	8.5
1987	22553	204030	89378	2.3	9.0
1988	22457	178469	76219	2.3	7.9
1989	21696	190328	76372	2.5	8.8
1990	22700	199007	80076	2.5	8.8
1991	22632	178853	78405	2.3	7.9

Statewide dove (mourning and white-winged) harvest statistics, Utah 1951–2024 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Doves / hunter-day	Doves / hunter
1992	18021	161902	68937	2.3	9.0
1993	19725	170834	68143	2.5	8.7
1994	20743	195089	78594	2.5	9.4
1995	20896	186336	80688	2.3	8.9
1996	23180	200167	85613	2.3	8.6
1997	22594	208331	84638	2.5	9.2
1998	18030	160014	67234	2.4	8.9
1999	20926	153487	63796	2.4	7.3
2000	23916	227148	79356	2.9	9.5
2001	13715	86998	53736	1.6	6.3
2002	13619	108051	50644	2.1	7.9
2003	14625	108521	55067	2.0	7.4
2004*	13210	104105	46606	2.2	7.9
2005	15849	147903	71138	2.1	9.3
2006	10904	98159	42453	2.3	9.0
2007	10017	80554	37971	2.1	8.0
2008	13430	107929	56898	1.9	8.0
2009	11023	101608	47205	2.2	9.2
2010	11372	97155	43761	2.2	8.5
2011	8891	71217	38689	1.8	8.0
2012	9784	80150	38985	2.1	8.2
2013	9367	77618	43076	1.8	8.3
2014	8113	58962	35477	1.7	7.3
2015	10451	84634	55290	1.5	8.1
2016	11511	134040	71686	1.9	11.6
2017	7617	67329	38240	1.8	8.8
2018	9338	79837	36573	2.2	8.5
2019	8233	82863	35039	2.4	10.1
2020	7470	78560	58006	1.4	10.5
2021	7483	49160	27769	1.8	6.6
2022	4165	47936	16043	3.0	11.5
2023	5633	35732	16039	2.2	6.3
2024	6121	68900	28812	2.4	11.3
Average (1951–2023)	18290	166507	61861	2.8	8.9
% change from previous year	9	93	80	7	77
% change from average	-67	-59	-53	-15	27


*Beginning in 2004, hunters were allowed to harvest mourning doves, white-winged doves, and collared-doves. Harvest numbers do not include collared-doves.

Dove harvest by species, Utah 2006–2024.

Year	Mourning dove		White-winged dove		Collared-dove		Unknown		Total harvest
	Harvest	%	Harvest	%	Harvest	%	Harvest	%	
2006	91628	91.3	3954	3.9	2220	2.2	2577	2.6	100379
2007	73807	88.8	1948	2.3	2545	3.1	4799	5.8	83099
2008	102560	85.6	2584	2.2	11948	10.0	2785	2.3	119877
2009	96392	86.2	2650	2.4	10256	9.2	2566	2.3	111864
2010	87827	69.8	6242	5.0	28723	22.8	3086	2.5	125878
2011	67401	69.4	2017	2.1	25910	26.7	1799	1.9	97127
2012	74028	63.8	4357	3.8	35803	30.9	1764	1.5	115952
2013	70967	53.8	4249	3.2	54309	41.2	2400	1.8	131925
2014	53521	60.5	3489	3.9	29455	33.3	1952	2.2	88417
2015	82244	44.8	608*	0.3	98826	53.9	1781	1.0	183459
2016	119145	62.2	2601	1.4	57402	30.0	12291	6.4	191439
2017	62933	65.5	1075	1.1	28757	29.9	3325	3.5	96090
2018	73377	66.0	2189	2.0	31398	28.2	4266	3.8	111230
2019	77741	68.9	2432	2.2	29964	26.6	2688	2.4	112825
2020	75136	71.7	1696	1.6	26215	25.0	1730	1.7	104777
2021	47118	67.5	619	0.9	20606	29.5	1426	2.0	69769
2022	44415	76.2	1591	2.7	10376	17.8	1930	3.3	58312
2023	34242	68.1	525	1.0	14581	29.0	964	1.9	50312
2024	64068	84.0	1491	2.0	7403	9.7	3345	4.4	76307
Average (2006–2023)	74138	70.0	2490	2.3	28850	25.0	3007	2.7	108485
% change from previous year	87	23	184	87	-49	-67	247	129	52
% change from average	-16	17	-67	-19	-290	-157	10	38	-42

*Decrease in harvest was likely due to changes in survey methodology to help hunters to better identify rare upland game species. Harvest in previous years was likely biased high due to misidentification.

FOREST GROUSE (Dusky and Ruffed)



CLARK BRONSON



CLARK BRONSON


Dusky grouse wing barrel production counts, Northeastern Region, Utah 2022–2024.

Year	Total chicks	Total adult females	Total adult males	Total adults	Chicks / adult
2022	33	11	10	21	1.6
2023	24	11	5	16	1.5
2024	79	23	26	49	1.6
Average (2022-2023)	29	11	8	19	1.6
% change from previous year	229	109	420	206	7
% change from average	177	109	247	165	4


Ruffed grouse wing barrel production counts, Northeastern Region, Utah 2022–2024.

Year	Total chicks	Total adult females	Total adult males	Total adults	Chicks / yearling and adults
2022	38	—	—	20	1.9
2023	22	—	—	14	1.6
2024	74	—	—	44	1.7
Average (2022-2023)	30	—	—	17	1.7
% change from previous year	236	—	—	214	7
% change from average	147	—	—	159	-3

Statewide trends of forest grouse harvest statistics, Utah 1963–2024.



Statewide trends of forest grouse hunter success, Utah 1963–2024.



Forest grouse (dusky and ruffed) harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Grouse bagged	Grouse / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	37	411	2095	1166	0.6	3.9	3.0
Cache	197	2188	10522	9644	0.9	19.5	24.9
Davis	32	355	1065	948	0.9	2.0	2.5
Morgan	23	255	874	864	1.0	1.6	2.2
Rich	27	300	1356	1094	0.8	2.5	2.8
Summit	84	933	4561	3947	0.9	8.5	10.2
Weber	46	511	1490	1198	0.8	2.8	3.1
Regional total	446	4953	21963	18861	0.9	40.7	48.8
Central Region							
Juab	16	178	997	542	0.5	1.8	1.4
Salt Lake	10	111	538	156	0.3	1.0	0.4
Sanpete	61	678	2163	1687	0.8	4.0	4.4
Tooele	28	311	1042	687	0.7	1.9	1.8
Utah	103	1144	5256	3822	0.7	9.7	9.9
Wasatch	101	1122	5457	3291	0.6	10.1	8.5
Regional total	319	3544	15453	10185	0.7	28.6	26.3
Southern Region							
Beaver	25	278	784	823	1.0	1.5	2.1
Garfield	17	189	1076	667	0.6	2.0	1.7
Iron	23	255	1087	479	0.4	2.0	1.2
Kane	5	56	269	281	1.0	0.5	0.7
Millard	14	156	583	437	0.7	1.1	1.1
Piute	10	111	706	177	0.3	1.3	0.5
Sevier	46	511	2476	1458	0.6	4.6	3.8
Washington	1	11	34	21	0.6	0.1	0.1
Wayne	14	156	437	281	0.6	0.8	0.7
Regional total	155	1723	7452	4624	0.6	13.8	12.0
Northeastern Region							
Daggett	30	333	1457	864	0.6	2.7	2.2
Duchesne	37	411	1614	792	0.5	3.0	2.0
Uintah	49	544	1983	1229	0.6	3.7	3.2
Regional total	116	1288	5054	2885	0.6	9.4	7.5
Southeastern Region							
Carbon	10	111	347	260	0.7	0.6	0.7
Emery	17	189	1053	656	0.6	2.0	1.7
Grand	14	156	964	219	0.2	1.8	0.6
San Juan	9	100	471	219	0.5	0.9	0.6
Regional total	50	556	2835	1354	0.5	5.3	3.5
Unknown	31	344	1199	760	0.6	2.2	2.0
Statewide total*	902	10020	53956	38669	0.7	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide forest grouse (dusky and ruffed) harvest statistics, Utah 1963–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Grouse / hunter-day	Grouse / hunter
1963	7425	13608	12313	1.1	1.8
1964	6487	12691	10566	1.2	2.0
1965	6005	8669	10504	0.8	1.4
1966	6683	12321	12387	1.0	1.8
1967	9420	17526	17773	1.0	1.9
1968	13061	32414	26537	1.2	2.5
1969	12523	21498	24572	0.9	1.7
1970	12775	31898	26619	1.2	2.5
1971	13363	31901	29100	1.1	2.4
1972	16640	42518	38940	1.1	2.6
1973	17588	45232	44738	1.0	2.6
1974	21920	62439	55258	1.1	2.8
1975	20102	42461	50579	0.8	2.1
1976	21186	63436	56422	1.1	3.0
1977	19188	42477	48746	0.9	2.2
1978	25318	81558	72732	1.1	3.2
1979	21993	59851	57404	1.0	2.7
1980	19511	45522	49899	0.9	2.3
1981	14329	27894	34305	0.8	1.9
1982	12384	21778	28767	0.8	1.8
1983	13414	30088	34530	0.9	2.2
1984	11511	20396	27244	0.7	1.8
1985	12646	23097	31290	0.7	1.8
1986	12117	23869	30312	0.8	2.0
1987	14831	45326	41428	1.1	3.1
1988	16947	53562	51726	1.0	3.2
1989	16987	45487	50631	0.9	2.7
1990	14591	38922	44452	0.9	2.7
1991	14421	34897	42517	0.8	2.4
1992	15000	44518	46136	1.0	3.0
1993	12029	18147	36390	0.5	1.5
1994	9827	18862	27510	0.7	1.9
1995	10088	29312	35591	0.8	2.9
1996	14702	60922	62711	1.0	4.1
1997	10206	31198	39304	0.8	3.1
1998	20310	54439	66256	0.8	2.7
1999	41041	121708	140478	0.9	3.0
2000	24338	54456	75199	0.7	2.2

Statewide forest grouse (dusky and ruffed) harvest statistics, Utah 1963–2024 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Grouse / hunter-day	Grouse / hunter
2001	14260	49412	64632	0.8	3.5
2002	13020	35949	66118	0.5	2.8
2003	15669	57633	69032	0.8	3.7
2004	14259	47130	58672	0.8	3.3
2005	13371	46631	61866	0.8	3.5
2006	11532	38201	46504	0.8	3.3
2007	8193	26012	36799	0.7	3.2
2008	12189	35408	52577	0.7	2.9
2009	10791	39702	56455	0.7	3.7
2010	10724	46598	52138	0.9	4.3
2011	7941	25607	41223	0.6	3.2
2012	9915	44787	49227	0.9	4.5
2013	8888	26889	40666	0.7	3.0
2014	8977	31688	41716	0.8	3.5
2015	11052	44255	48727	0.9	4.0
2016	12401	47200	58971	0.8	3.8
2017	10336	30851	47319	0.7	3.0
2018	10392	43726	47544	0.9	4.2
2019	9100	42664	50022	0.9	4.7
2020	10177	33790	49742	0.7	3.3
2021	8957	34469	39832	0.9	3.8
2022	10067	51904	48459	1.1	5.2
2023	8725	22639	50676	0.4	2.6
2024	10020	38669	53956	0.7	3.9
Average (1963–2023)	13670	38853	45423	0.9	2.9
% change from previous year	15	71	6	60	49
% change from average	-27	0	19	-17	35

Forest grouse harvest by species, Utah 1963–2024.

Year	Ruffed grouse		Dusky grouse		Unknown grouse		Total harvest
	Harvest	%	Harvest	%	Harvest	%	
1963	5470	40.2	7372	54.2	766	5.6	13608
1964	5354	42.2	6685	52.7	652	5.1	12691
1965	3225	37.2	4924	56.8	520	6.0	8669
1966	6966	56.5	4659	37.8	696	5.6	12321
1967	8476	48.4	6773	38.6	2277	13.0	17526
1968	17048	52.6	12604	38.9	2762	8.5	32414
1969	9490	44.1	10419	48.5	1589	7.4	21498
1970	15590	48.9	13515	42.4	2793	8.8	31898
1971	15759	49.4	13749	43.1	2393	7.5	31901
1972	20648	48.6	19221	45.2	2649	6.2	42518
1973	7153	15.8	36846	81.5	1233	2.7	45232
1974	24561	39.3	32236	51.6	5642	9.0	62439
1975	15750	37.1	23138	54.5	3573	8.4	42461
1976	23551	37.1	35660	56.2	4225	6.7	63436
1977	15766	37.1	23455	55.2	3256	7.7	42477
1978	30340	37.2	46651	57.2	4567	5.6	81558
1979	23156	38.7	33070	55.3	3625	6.1	59851
1980	15457	34.0	27588	60.6	2477	5.4	45522
1981	8557	30.7	17852	64.0	1485	5.3	27894
1982	7509	34.5	12138	55.7	2131	9.8	21778
1983	11366	37.8	16955	56.4	1767	5.9	30088
1984	6780	33.2	12647	62.0	969	4.8	20396
1985	8701	37.7	13416	58.1	980	4.2	23097
1986	8819	36.9	14156	59.3	894	3.7	23869
1987	15811	34.9	28068	61.9	1447	3.2	45326
1988	19100	35.7	31556	58.9	2906	5.4	53562
1989	16323	35.9	27794	61.1	1370	3.0	45487
1990	11010	28.3	26115	67.1	1797	4.6	38922
1991	12073	34.6	21310	61.1	1514	4.3	34897
1992	15017	33.7	29146	65.5	355	0.8	44518
1993	6650	36.6	11040	60.8	457	2.5	18147
1994	6908	36.6	11865	62.9	89	0.5	18862
1995	13140	44.8	16172	55.2	0	0.0	29312
1996	29567	48.5	31355	51.5	0	0.0	60922
1997	14861	47.6	16337	52.4	0	0.0	31198
1998	12586	23.1	14773	27.1	27080	49.7	54439
1999	32018	26.3	28741	23.6	60949	50.1	121708
2000	28797	52.9	24321	44.7	1338	2.5	54456

Forest grouse harvest by species, Utah 1963–2024 (continued).

Year	Ruffed grouse		Dusky grouse		Unknown grouse		Total harvest
	Harvest	%	Harvest	%	Harvest	%	
2001	24257	49.1	23905	48.4	1250	2.5	49412
2002	16253	45.2	17151	47.7	2543	7.1	35947
2003	26716	46.4	30071	52.2	846	1.5	57633
2004	22400	47.5	23923	50.8	806	1.7	47129
2005	17068	36.6	25367	54.4	4196	9.0	46631
2006	15154	39.7	21784	57.0	1263	3.3	38201
2007	12064	46.4	11990	46.1	1958	7.5	26012
2008	15305	43.2	17798	50.3	2305	6.5	35408
2009	18239	45.9	19436	49.0	2027	5.1	39702
2010	17652	37.9	25056	53.8	3890	8.3	46598
2011	11906	46.5	12399	48.4	1302	5.1	25607
2012	25680	57.3	16345	36.5	2765	6.2	44787
2013	13807	51.3	12171	45.3	913	3.4	26889
2014	17304	54.6	13367	42.2	1017	3.2	31688
2015	23825	53.8	18152	41.0	2278	5.1	44255
2016	22143	46.9	22667	48.0	2389	5.1	47200
2017	13152	42.6	16111	52.2	1587	5.1	30850
2018	22487	51.4	18826	43.1	2409	5.5	43722
2019	19685	45.0	21123	48.3	1859	4.3	43722
2020	16860	49.9	15784	46.7	1143	3.4	33790
2021	16897	49.0	16234	47.1	1340	3.9	34469
2022	26019	50.1	23619	45.5	2274	4.4	51904
2023	11629	51.4	10112	44.7	898	4.0	22639
2024	16975	43.9	20433	52.8	1260	3.3	38668
Average (1963–2023)	15998	42.0	19635	51.5	3221	6.5	38853
% change from previous year	46	-15	102	18	40	-18	71
% change from average	6	4	4	3	-61	-50	0

GAMBEL'S QUAIL




Gambel's quail waterhole trend counts, west slope of Beaver Dam Mountains, Washington County, Utah 1980–2024.

Year	Total young	Total adults	Total quail	Young / 100 adults
1980	72	52	124	138
1981	37	25	62	148
1982	85	33	118	258
1983	114	14	128	814
1984	166	86	252	193
1985	47	11	58	427
1986	163	48	211	340
1987	348	139	487	250
1988	59	47	106	126
1989	35	18	53	194
1990	33	9	42	367
1991	208	35	243	594
1992	415	128	543	324
1993	465	158	623	294
1994	135	102	237	132
1995	33	17	50	194
1996	—	—	—	—
1997	61	21	82	290
1998	236	30	266	787
1999	66	82	148	80
2000	340	61	401	557
2001	228	143	371	159
2002	—	—	—	—
2003	267	59	326	453
2004	796	199	995	400
2005	251	55	306	456
2006	135	110	245	123
2007	0	16	16	0
2008	86	35	121	246
2009	87	26	113	335
2010	51	15	66	340
2011	41	19	60	216
2012	8	8	16	100
2013	23	8	31	288
2014	197	61	258	323
2015	284	68	352	418
2016	189	75	264	252

Gambel's quail waterhole trend counts, west slope of Beaver Dam Mountains, Washington County, Utah 1980–2024 (continued).


Year	Total young	Total adults	Total quail	Young / 100 adults
2017	402	109	511	369
2018	63	42	105	150
2019	111	25	136	444
2020	155	53	208	292
2021	2	7	9	29
2022	14	12	26	117
2023	67	19	86	353
2024	183	63	246	290
Average (1980–2023)	157	54	211	295
% change from previous year	173	232	186	-18
% change from average	17	16	17	-1

Statewide trends of Gambel's quail harvest statistics, Utah 1962–2024.



*No data in 2014 due to change in survey methodology.

Statewide trends of Gambel's quail hunter success, Utah 1962–2024.



*No data in 2014 due to a change in survey methodology.

Gambel's quail harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Quail bagged	Quail / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	0	0	—	—	—	0.0	0.0
Cache	0	0	—	—	—	0.0	0.0
Davis	0	0	—	—	—	0.0	0.0
Morgan	0	0	—	—	—	0.0	0.0
Rich	0	0	—	—	—	0.0	0.0
Summit	0	0	—	—	—	0.0	0.0
Weber	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Central Region							
Juab	0	0	—	—	—	0.0	0.0
Salt Lake	0	0	—	—	—	0.0	0.0
Sanpete	0	0	—	—	—	0.0	0.0
Tooele	0	0	—	—	—	0.0	0.0
Utah	0	0	—	—	—	0.0	0.0
Wasatch	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Southern Region							
Beaver	0	0	—	—	—	0.0	0.0
Garfield	0	0	—	—	—	0.0	0.0
Iron	4	18	56	113	2.0	5.2	8.3
Kane	2	9	26	34	1.3	2.4	2.4
Millard	0	0	—	—	—	0.0	0.0
Piute	0	0	—	—	—	0.0	0.0
Sevier	0	0	—	—	—	0.0	0.0
Washington	52	237	802	878	1.1	73.8	63.9
Wayne	1	5	4	25	6.3	0.4	1.8
Regional total	59	269	888	1050	1.2	81.7	76.5
Northeastern Region							
Daggett	0	0	—	—	—	0.0	0.0
Duchesne	0	0	—	—	—	0.0	0.0
Uintah	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Southeastern Region							
Carbon	0	0	—	—	—	0.0	0.0
Emery	0	0	—	—	—	0.0	0.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Unknown	12	55	198	323	1.6	18.3	23.5
Statewide total*	66	301	1087	1373	1.3	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide Gambel's quail harvest statistics, Utah 1962–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Quail / hunter-day	Quail / hunter
1962	482	2636	804	3.3	5.5
1963	502	2722	1057	2.6	5.4
1964	425	3003	765	3.9	7.1
1965	463	1448	714	2.0	3.1
1966	631	5071	1540	3.3	8.0
1967	985	6157	3097	2.0	6.3
1968	1184	9551	3884	2.5	8.1
1969	1155	6188	3424	1.8	5.4
1970	842	3656	2259	1.6	4.3
1971	919	5922	3185	1.9	6.4
1972	860	3010	2807	1.1	3.5
1973	800	3435	2126	1.6	4.3
1974	741	2830	2033	1.4	3.8
1975	1299	8184	3913	2.1	6.3
1976	910	5802	2608	2.2	6.4
1977	784	2532	1553	1.6	3.2
1978	600	2862	1221	2.3	4.8
1979	830	4032	1979	2.0	4.9
1980	984	5124	3529	1.5	5.2
1981	934	5541	2781	2.0	5.9
1982	736	2053	1731	1.2	2.8
1983	642	2741	1792	1.5	4.3
1984	771	3857	1948	2.0	5.0
1985	729	2507	2036	1.2	3.4
1986	412	1339	1050	1.3	3.3
1987	564	3260	1397	2.3	5.8
1988	284	2454	1068	2.3	8.6
1989	581	2385	1887	1.3	4.1
1990	453	1070	1790	0.6	2.4
1991	731	2000	2383	0.8	2.7
1992	391	941	906	1.0	2.4
1993	798	5377	3420	1.6	6.7
1994	686	3076	3322	0.9	4.5
1995	900	3751	3460	1.1	4.2
1996	697	1625	1416	1.1	2.3
1997	582	1579	1870	0.8	2.7
1998	954	6607	4815	1.4	6.9
1999	656	4847	3070	1.6	7.4
2000	823	4711	2566	1.8	5.7
2001	481	5095	2211	2.3	10.6

Statewide Gambel's quail harvest statistics, Utah 1962–2024 (continued).


Year	Total hunters	Total harvest	Hunter-days afield	Quail / hunter-day	Quail / hunter
2002	539	1197	2335	0.5	2.2
2003	448	2537	1791	1.4	5.7
2004	463	1296	1296	1.0	2.8
2005	1530	11412	7496	1.5	7.5
2006	628	5353	3701	1.4	8.5
2007	225	1249	1019	1.2	5.6
2008	804	5509	4707	1.2	6.9
2009	688	2485	2141	1.2	3.6
2010	557	3255	1794	1.8	5.8
2011	468	1410	1250	1.1	3.0
2012	495	1586	1432	1.1	3.2
2013	477	1342	1672	0.8	2.8
2014	*	1426	*	*	*
2015	724	2263	1963	1.2	3.1
2016	539	4299	3551	1.2	8.0
2017	847	3645	2208	1.7	4.3
2018	869	2392	3300	0.7	2.8
2019	438	938	928	1.0	2.1
2020	801	2482	2272	1.1	3.1
2021	676	641	1463	0.4	0.9
2022	612	1260	1349	0.9	2.1
2023	347	1035	1192	0.9	3.0
2024	301	1373	1087	1.3	4.6
Average (1962–2023)	695	3387	2267	1.5	4.8
% change from previous year	-13	33	-9	45	53
% change from average	-57	-59	-52	-18	-4

*No data in 2014 due to a change in survey methodology.


GRAY (HUNGARIAN) PARTRIDGE



Statewide trends of gray (Hungarian) partridge harvest statistics, Utah 1959–60 to 2024–25.



Statewide trends of gray (Hungarian) partridge hunter success, Utah 1959–60 to 2024–25.



Gray (Hungarian) partridge harvest statistics by region and county, Utah 2024–25.

Region and county	n	Hunters afield	Hunter-days afield	Partridge bagged	Partridge / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	93	1304	7865	2543	0.3	65.2	69.1
Cache	30	421	2512	514	0.2	20.8	14.0
Davis	0	0	—	—	—	0.0	0.0
Morgan	3	42	104	60	0.6	0.9	1.6
Rich	0	0	—	—	—	0.0	0.0
Summit	3	42	156	27	0.2	1.3	0.7
Weber	1	14	17	0	0.0	0.1	0.0
Regional total	130	1823	10654	3144	0.3	88.4	85.5
Central Region							
Juab	2	28	69	0	0.0	0.6	0.0
Salt Lake	0	0	—	—	—	0.0	0.0
Sanpete	0	0	—	—	—	0.0	0.0
Tooele	2	28	121	0	0.0	1.0	0.0
Utah	1	14	17	0	0.0	0.1	0.0
Wasatch	2	28	35	7	0.2	0.3	0.2
Regional total	7	98	242	7	0.0	2.0	0.2
Southern Region							
Beaver	3	42	693	414	0.6	5.7	11.3
Garfield	0	0	—	—	—	0.0	0.0
Iron	0	0	—	—	—	0.0	0.0
Kane	0	0	—	—	—	0.0	0.0
Millard	0	0	—	—	—	0.0	0.0
Piute	0	0	—	—	—	0.0	0.0
Sevier	1	14	139	13	0.1	1.1	0.4
Washington	0	0	—	—	—	0.0	0.0
Wayne	0	0	—	—	—	0.0	0.0
Regional total	4	56	832	427	0.5	6.9	11.6
Northeastern Region							
Daggett	1	14	17	0	0.0	0.1	0.0
Duchesne	0	0	—	—	—	0.0	0.0
Uintah	0	0	—	—	—	0.0	0.0
Regional total	1	14	17	0	0.0	0.1	0.0
Southeastern Region							
Carbon	0	0	—	—	—	0.0	0.0
Emery	0	0	—	—	—	0.0	0.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Unknown	5	70	312	100	0.3	2.6	2.7
Statewide total*	140	1963	12057	3677	0.3	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.


Statewide gray (Hungarian) partridge harvest statistics, Utah 1955–56 to 2024–25.

Year	Total hunters	Total Harvest	Hunter-days afield	Partridge / hunter-day	Partridge / hunter
1955–56	—	—	—	—	0.4
1956–57	—	—	—	—	0.9
1957–58	—	—	—	—	0.5
1958–59	—	—	—	—	1.3
1959–60	1846	1820	3354	0.5	1.0
1960–61	2847	4877	4929	1.0	1.7
1961–62	3205	3648	6645	0.5	1.1
1962–63	3440	8970	9153	1.0	2.6
1963–64	4676	13343	13291	1.0	2.9
1964–65	4249	11812	9688	1.2	2.8
1965–66	4498	12183	11798	1.0	2.7
1966–67	4549	15348	11473	1.3	3.4
1967–68	6321	16049	15105	1.1	2.5
1968–69	6935	17089	16674	1.0	2.5
1969–70	5591	11966	15515	0.8	2.1
1970–71	4128	8236	9818	0.8	2.0
1971–72	4276	9407	11011	0.9	2.2
1972–73	4754	7335	12135	0.6	1.5
1973–74	3566	6014	11516	0.5	1.7
1974–75	4103	7389	10789	0.7	1.8
1975–76	3409	5358	8216	0.7	1.6
1976–77	3517	6287	8753	0.7	1.8
1977–78	5557	6360	9058	0.7	1.8
1978–79	4743	12969	12328	1.1	2.7
1979–80	3435	6200	7787	0.8	1.8
1980–81	3359	8466	10366	0.8	2.5
1981–82	3545	8916	10147	0.9	2.5
1982–83	2590	4475	5379	0.8	1.7
1983–84	2889	6506	6998	0.9	2.3
1984–85	1523	1360	3309	0.4	0.9
1985–86	1157	707	2314	0.3	0.6
1986–87	1257	1627	2843	0.6	1.3
1987–88	2010	5711	5246	1.1	2.5
1988–89	2471	4424	5392	0.8	1.8
1989–90	2136	3920	6035	0.7	1.8
1990–91	2305	6770	6976	1.0	2.9
1991–92	2662	7376	8367	0.9	2.8
1992–93	3198	7553	8192	0.9	2.4
1993–94	2090	2280	6194	0.4	1.1
1994–95	1899	1916	3832	0.5	1.0


Statewide gray (Hungarian) partridge harvest statistics, Utah 1955–56 to 2024–25 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Partridge / hunter-day	Partridge / hunter
1995–96	2294	5967	5812	1.0	2.6
1996–97	2299	7455	7409	1.0	3.2
1997–98	2328	5071	6443	0.8	2.2
1998–99	2350	9515	7281	1.3	4.1
1999–00	6211	32036	20063	1.6	5.2
2000–01	3349	6355	9096	0.7	1.9
2001–02	2596	6889	9933	0.7	2.7
2002–03	2694	4520	8052	0.6	1.7
2003–04	2656	8030	11283	0.7	3.0
2004–05	2253	4877	8087	0.6	2.2
2005–06	4345	19214	24783	0.8	4.4
2006–07	2148	6798	7850	0.9	3.2
2007–08	1099	3683	3358	1.1	3.4
2008–09	1475	3834	4825	0.8	2.6
2009–10	1817	4376	5618	0.8	2.4
2010–11	1006	3920	3236	1.2	3.9
2011–12	918	4001	5152	0.8	4.4
2012–13	1119	2659	4052	0.7	2.4
2013–14	574	1263	1775	0.7	2.2
2014–15	765	904	2526	0.4	1.2
2015–16	751	2558	2665	1.0	3.4
2016–17	1047	6902	13973	0.5	6.6
2017–18	815	1379	3602	0.4	1.7
2018–19	685	1663	2670	0.6	2.4
2019–20	577	1448	2268	0.6	2.5
2020–21	868	2698	4191	0.6	3.1
2021–22	570	1077	2038	0.5	1.9
2022–23	418	986	1425	0.7	2.4
2023–24	1723	4232	6881	0.6	2.5
2024–25	1963	3677	12057	0.3	1.9
Average (1955–2023)	2715	6600	7800	0.8	2.4
% change from previous year	14	-13	75	-50	-24
% change from average	-28	-44	55	-61	-23

RING-NECKED PHEASANT




Statewide trends of ring-necked pheasant harvest statistics, Utah 1948–2024.



*No data available for hunter-days afield in 1948.

Statewide trends of ring-necked pheasant hunter success, Utah 1948–2024.



*No data available for hunter-days afield in 1948.

Ring-necked pheasant harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Pheasants bagged	Pheasants / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	211	3296	13084	6969	0.5	18.6	19.7
Cache	165	2577	10757	5407	0.5	15.3	15.2
Davis	86	1343	4971	2223	0.4	7.1	6.3
Morgan	1	16	30	0	0.0	0.0	0.0
Rich	0	0	—	—	—	0.0	0.0
Summit	1	16	15	0	0.0	0.0	0.0
Weber	141	2202	7856	3439	0.4	11.2	9.7
Regional total	605	9450	36713	18038	0.5	52.2	50.9
Central Region							
Juab	37	578	1556	796	0.5	2.2	2.2
Salt Lake	18	281	786	571	0.7	1.1	1.6
Sanpete	32	500	1511	1472	1.0	2.1	4.2
Tooele	62	968	3218	1051	0.3	4.6	3.0
Utah	199	3108	10138	4250	0.4	14.4	12.0
Wasatch	18	281	740	345	0.5	1.1	1.0
Regional total	366	5716	17949	8485	0.5	25.5	23.9
Southern Region							
Beaver	10	156	438	255	0.6	0.6	0.7
Garfield	1	16	15	30	2.0	0.0	0.1
Iron	18	281	619	315	0.5	0.9	0.9
Kane	0	0	—	—	—	0.0	0.0
Millard	46	718	1602	961	0.6	2.3	2.7
Piute	3	47	287	105	0.4	0.4	0.3
Sevier	57	890	3097	1562	0.5	4.4	4.4
Washington	5	78	166	240	1.4	0.2	0.7
Wayne	7	109	272	330	1.2	0.4	0.9
Regional total	147	2295	6496	3798	0.6	9.2	10.7
Northeastern Region							
Daggett	5	78	151	30	0.2	0.2	0.1
Duchesne	53	828	2765	2223	0.8	3.9	6.3
Uintah	34	531	1858	1081	0.6	2.6	3.0
Regional total	92	1437	4774	3334	0.7	6.8	9.4
Southeastern Region							
Carbon	25	390	1224	646	0.5	1.7	1.8
Emery	32	500	2040	541	0.3	2.9	1.5
Grand	2	31	30	75	2.5	0.0	0.2
San Juan	1	16	15	30	2.0	0.0	0.1
Regional total	60	937	3309	1292	0.4	4.7	3.6
Unknown	23	359	1118	511	0.5	1.6	1.4
Statewide total*	1100	17181	70361	35459	0.5	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide ring-necked pheasant harvest statistics, Utah 1948–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Pheasants / hunter-day	Pheasants / hunter
1948	96534	280914	—	—	2.9
1949	88369	263340	189453	1.4	3.0
1950	92724	249428	235309	1.1	2.7
1951	76576	246575	171233	1.4	3.2
1952	78773	246559	185383	1.3	3.1
1953	82595	245307	176480	1.4	3.0
1954	82370	260289	201774	1.3	3.2
1955	78793	196195	178359	1.1	2.5
1956	77826	206239	182512	1.1	2.7
1957	83025	228319	170387	1.3	2.8
1958	88290	309015	220725	1.4	3.5
1959	86268	243276	202730	1.2	2.8
1960	81976	232812	177719	1.3	2.8
1961	83493	238439	243305	1.0	2.9
1962	86336	262448	209921	1.3	3.0
1963	87647	297873	198582	1.5	3.4
1964	88242	225775	196314	1.2	2.6
1965	77409	211876	186215	1.1	2.7
1966	78721	249814	209082	1.2	3.2
1967	85664	284000	257033	1.1	3.3
1968	90453	297752	267788	1.1	3.3
1969	90573	250241	277887	0.9	2.8
1970	78585	250503	244958	1.0	3.2
1971	87878	259189	294618	0.9	2.9
1972	84311	240573	327669	0.7	2.9
1973	75968	196012	278033	0.7	2.6
1974	85252	167408	282294	0.6	2.0
1975	77566	143783	234615	0.6	1.9
1976	74029	151476	214023	0.7	2.0
1977	67195	148168	191142	0.8	2.2
1978	83800	220398	257305	0.9	2.6
1979	87462	216700	266245	0.8	2.5
1980	84868	228442	249770	0.9	2.7
1981	83408	234217	265381	0.9	2.8
1982	85368	208437	280624	0.7	2.4
1983	77847	220074	265731	0.8	2.8
1984	76840	192190	258169	0.7	2.5
1985	69889	146807	233328	0.6	2.1
1986	59987	114389	207346	0.6	1.9

Prior to 2001, harvest data were likely biased high due to possibility of hunters reporting harvest from commercial hunting areas.

Statewide ring-necked pheasant harvest statistics, Utah 1948–2024 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Pheasants / hunter-day	Pheasants / hunter
1987	57118	119236	199470	0.6	2.1
1988	54514	97658	184180	0.5	1.8
1989	50382	80769	177364	0.5	1.6
1990	47025	78944	161634	0.5	1.7
1991	42813	72612	150096	0.5	1.7
1992	41640	85803	150244	0.6	2.1
1993	39640	63336	141399	0.4	1.6
1994	36705	68698	129872	0.5	1.9
1995	38391	71202	142755	0.5	1.9
1996	41854	83987	157755	0.5	2.0
1997	37622	78693	140135	0.6	2.1
1998	35130	77889	126792	0.6	2.2
1999	36211	77545	120502	0.6	2.1
2000	41074	60108	114226	0.5	1.5
2001	26468	47521	97413	0.5	1.8
2002	22149	40048	76178	0.5	1.8
2003	20773	46382	77603	0.6	2.2
2004	13457	32532	48147	0.7	2.4
2005	26864	82671	112532	0.7	3.1
2006	16521	44971	57371	0.8	2.7
2007	13764	32121	48285	0.7	2.3
2008	16936	34189	59449	0.6	2.0
2009	16798	35211	55795	0.6	2.1
2010	18103	40299	59747	0.7	2.2
2011	14188	40899	62150	0.7	2.9
2012	14315	29704	53835	0.6	2.1
2013	15838	38028	56139	0.7	2.4
2014	17074	41619	71345	0.6	2.4
2015	19855	49065	72065	0.7	2.5
2016	22299	47938	78891	0.6	2.1
2017	22062	60104	91346	0.7	2.7
2018	18582	43671	72768	0.6	2.4
2019	18635	48470	70345	0.7	2.6
2020	18802	39963	84180	0.5	2.1
2021	17892	43676	78794	0.6	2.4
2022	13634	29451	68813	0.4	2.2

Prior to 2001, harvest data were likely biased high due to possibility of hunters reporting harvest from commercial hunting areas.

Statewide ring-necked pheasant harvest statistics, Utah 1948–2024 (continued).


Year	Total hunters	Total harvest	Hunter-days afield	Pheasants / hunter-day	Pheasants / hunter
2023	16734	40352	71923	0.6	2.4
2024	17181	35459	70361	0.5	2.1
Average (1948–2023)	55589	144350	165480	0.8	2.5
% change from previous year	3	-12	-2	-10	-14
% change from average	-69	-75	-57	-37	-16

SAGE-GROUSE

(Greater and Gunnison)



Statewide trends of average greater sage-grouse males per occupied strutting ground, Utah 1959–2025.



Greater sage-grouse strutting ground counts by county for the Northern Region, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Box Elder											
Number of strutting grounds visited	77	67	70	56	68	79	91	62	73	78	71
Number of strutting grounds occupied	44	43	49	29	31	35	37	32	46	50	38
Total male grouse counted	777	755	661	350	310	356	499	457	743	924	545
Average males / occupied ground	17.7	17.6	13.5	12.1	10.0	10.2	13.5	14.3	16.2	18.5	13.9
Cache											
Number of strutting grounds visited	4	3	3	1	4	4	3	2	3	3	3
Number of strutting grounds occupied	4	2	2	1	3	3	3	1	3	2	2
Total male grouse counted	75	61	58	10	35	28	38	11	36	36	39
Average males / occupied ground	18.8	30.5	29.0	10.0	11.7	9.3	12.7	11.0	12.0	18.0	16.1
Morgan											
Number of strutting grounds visited	7	3	4	1	4	1	7	6	6	5	4
Number of strutting grounds occupied	4	1	3	1	1	0	3	1	1	3	2
Total male grouse counted	68	9	11	2	9	0	10	1	2	15	12
Average males / occupied ground	17.0	9.0	3.7	2.0	9.0	—	3.3	1.0	2.0	5.0	5.9
Rich											
Number of strutting grounds visited	41	39	42	40	52	42	38	22	48	45	40
Number of strutting grounds occupied	30	27	30	30	35	29	29	12	34	35	28
Total male grouse counted	697	529	562	380	544	568	674	311	990	1104	584
Average males / occupied ground	23.2	19.6	18.7	12.7	15.5	19.6	23.2	25.9	29.1	31.5	20.8
Summit											
Number of strutting grounds visited	6	3	4	4	4	3	7	3	8	4	5
Number of strutting grounds occupied	5	3	4	3	3	3	4	2	3	3	3
Total male grouse counted	138	62	59	33	23	27	47	14	76	60	53
Average males / occupied ground	27.6	20.7	14.8	11.0	7.7	9.0	11.8	7.0	25.3	20.0	15.0
Northern Region total											
Number of strutting grounds visited	135	115	123	102	132	129	146	95	138	135	124
Number of strutting grounds occupied	87	76	88	64	73	70	76	48	87	93	74
Total male grouse counted	1755	1416	1351	775	921	979	1268	794	1847	2139	1234
Average males / occupied ground	20.2	18.6	15.4	12.1	12.6	14.0	16.7	16.5	21.2	23.0	16.4

Greater sage-grouse strutting ground counts by county for the Central Region, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Juab											
Number of strutting grounds visited	4	3	4	4	4	3	4	3	3	3	4
Number of strutting grounds occupied	4	2	2	3	1	1	3	1	2	1	2
Total male grouse counted	31	9	27	26	20	2	21	18	10	5	17
Average males / occupied ground	7.8	4.5	13.5	8.7	20.0	2.0	7.0	18.0	5.0	5.0	9.6
Sanpete											
Number of strutting grounds visited	—	—	—	—	—	—	—	—	—	—	—
Number of strutting grounds occupied	—	—	—	—	—	—	—	—	—	—	—
Total male grouse counted	—	—	—	—	—	—	—	—	—	—	—
Average males / occupied ground	—	—	—	—	—	—	—	—	—	—	—
Tooele											
Number of strutting grounds visited	8	10	10	10	13	13	14	12	14	14	12
Number of strutting grounds occupied	5	6	7	6	9	8	7	6	7	8	7
Total male grouse counted	60	65	92	79	90	85	67	76	95	119	83
Average males / occupied ground	12.0	10.8	13.1	13.2	10.0	10.6	9.6	12.7	13.6	14.9	11.7
Wasatch											
Number of strutting grounds visited	4	4	4	4	4	4	4	2	5	4	4
Number of strutting grounds occupied	4	4	4	4	4	3	3	2	5	2	4
Total male grouse counted	140	81	93	63	52	55	87	52	43	60	73
Average males / occupied ground	35.0	20.3	23.3	15.8	13.0	18.3	29.0	26.0	8.6	30.0	21.0
Central Region total											
Number of strutting grounds visited	16	17	18	18	21	20	22	17	22	21	19
Number of strutting grounds occupied	13	12	13	13	14	12	13	9	14	11	13
Total male grouse counted	231	155	212	168	162	142	175	146	148	184	171
Average males / occupied ground	17.8	12.9	16.3	12.9	11.6	11.8	13.5	16.2	10.6	16.7	13.7

Greater sage-grouse strutting ground counts by county for the Southern Region, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Beaver											
Number of strutting grounds visited	6	8	8	8	8	8	8	10	8	8	8
Number of strutting grounds occupied	3	3	3	3	3	3	3	3	3	3	3
Total male grouse counted	72	53	43	33	35	20	14	15	32	28	35
Average males / occupied ground	24.0	17.7	14.3	11.0	11.7	6.7	4.7	5.0	10.7	9.3	11.7
Garfield											
Number of strutting grounds visited	29	30	29	29	33	36	38	36	37	29	33
Number of strutting grounds occupied	18	21	22	19	15	13	20	12	16	19	18
Total male grouse counted	429	522	454	259	130	112	234	227	495	607	347
Average males / occupied ground	23.8	24.9	20.6	13.6	8.7	8.6	11.7	18.9	30.9	31.9	18.0
Iron											
Number of strutting grounds visited	29	30	29	30	32	29	29	29	34	32	30
Number of strutting grounds occupied	21	25	22	20	23	18	21	22	26	23	22
Total male grouse counted	277	276	235	155	143	103	155	207	311	257	212
Average males / occupied ground	13.2	11.0	10.7	7.8	6.2	5.7	7.4	9.4	12.0	11.2	9.3
Kane											
Number of strutting grounds visited	3	3	3	3	3	3	3	3	3	2	3
Number of strutting grounds occupied	1	1	1	1	1	1	1	1	1	2	1
Total male grouse counted	15	22	16	13	9	10	7	6	17	42	16
Average males / occupied ground	15.0	22.0	16.0	13.0	9.0	10.0	7.0	6.0	17.0	21.0	12.8
Millard											
Number of strutting grounds visited	—	—	—	—	—	—	—	—	—	—	—
Number of strutting grounds occupied	—	—	—	—	—	—	—	—	—	—	—
Total male grouse counted	—	—	—	—	—	—	—	—	—	—	—
Average males / occupied ground	—	—	—	—	—	—	—	—	—	—	—

Greater sage-grouse strutting ground counts by county for the Southern Region, Utah 2016–2025 (continued).

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Piute											
Number of strutting grounds visited	8	8	8	8	8	8	8	8	8	9	8
Number of strutting grounds occupied	7	7	7	7	6	6	5	6	6	9	7
Total male grouse counted	148	139	129	96	57	51	50	49	38	76	83
Average males / occupied ground	21.1	19.9	18.4	13.7	9.5	8.5	10.0	8.2	6.3	8.4	12.8
Sevier											
Number of strutting grounds visited	2	2	2	3	3	3	6	4	4	2	3
Number of strutting grounds occupied	2	1	1	1	1	1	2	1	2	2	1
Total male grouse counted	18	16	22	16	26	6	26	14	24	16	18
Average males / occupied ground	9.0	16.0	22.0	16.0	26.0	6.0	13.0	14.0	12.0	8.0	14.9
Wayne											
Number of strutting grounds visited	27	31	31	30	32	34	34	35	34	37	33
Number of strutting grounds occupied	19	23	17	14	14	14	16	21	25	28	19
Total male grouse counted	681	568	460	234	203	219	244	566	835	1159	517
Average males / occupied ground	35.8	24.7	27.1	16.7	14.5	15.6	15.3	27.0	33.4	41.4	23.3
Southern Region total											
Number of strutting grounds visited	104	112	110	111	119	121	126	125	128	119	117
Number of strutting grounds occupied	71	81	73	65	63	56	68	66	79	86	69
Total male grouse counted	1640	1596	1359	806	603	521	730	1084	1752	2185	1121
Average males / occupied ground	23.1	19.7	18.6	12.4	9.6	9.3	10.7	16.4	22.2	25.4	15.8

Greater sage-grouse strutting ground counts by county for the Northeastern Region, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Daggett											
Number of strutting grounds visited	13	13	14	12	14	13	14	8	12	11	12
Number of strutting grounds occupied	9	10	7	7	6	5	5	3	4	6	6
Total male grouse counted	201	145	70	28	34	26	26	39	40	89	70
Average males / occupied ground	22.3	14.5	10.0	4.0	5.7	5.2	5.2	13.0	10.0	14.8	10.0
Duchesne											
Number of strutting grounds visited	14	12	11	11	11	11	12	11	9	11	11
Number of strutting grounds occupied	12	9	11	10	6	5	7	8	6	8	8
Total male grouse counted	237	166	144	96	137	43	89	91	80	73	116
Average males / occupied ground	19.8	18.4	13.1	9.6	22.8	8.6	12.7	11.4	13.3	9.1	14.4
Uintah											
Number of strutting grounds visited	61	61	61	58	60	64	60	41	60	59	59
Number of strutting grounds occupied	48	46	40	25	36	31	34	27	36	36	36
Total male grouse counted	1123	577	446	214	313	328	500	562	664	760	549
Average males / occupied ground	23.4	12.5	11.2	8.6	8.7	10.6	14.7	20.8	18.4	21.1	14.3
Wasatch											
Number of strutting grounds visited	5	2	3	1	6	5	6	6	4	6	4
Number of strutting grounds occupied	3	1	2	1	3	3	4	2	1	3	2
Total male grouse counted	42	19	23	23	31	35	64	39	46	51	37
Average males / occupied ground	14.0	19.0	11.5	23.0	10.3	11.7	16.0	19.5	46.0	17.0	19.0
Northeastern Region total											
Number of strutting grounds visited	93	88	89	82	91	93	92	66	85	87	87
Number of strutting grounds occupied	72	66	60	43	51	44	50	40	47	53	53
Total male grouse counted	1603	907	683	361	515	432	679	731	830	973	749
Average males / occupied ground	22.3	13.7	11.4	8.4	10.1	9.8	13.6	18.3	17.7	18.4	13.9

Greater sage-grouse strutting ground counts by county for the Southeastern Region, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Carbon											
Number of strutting grounds visited	19	20	19	17	18	16	18	16	17	17	18
Number of strutting grounds occupied	15	14	13	12	11	10	10	9	12	15	12
Total male grouse counted	299	248	198	106	126	101	146	97	138	184	164
Average males / occupied ground	19.9	17.7	15.2	8.8	11.5	10.1	14.6	10.8	11.5	12.3	13.3
Emery											
Number of strutting grounds visited	3	3	3	3	3	3	3	3	3	4	3
Number of strutting grounds occupied	2	3	3	3	2	2	3	3	3	3	3
Total male grouse counted	22	24	31	10	5	8	15	13	14	32	17
Average males / occupied ground	11.0	8.0	10.3	3.3	2.5	4.0	5.0	4.3	4.7	10.7	5.9
Sevier											
Number of strutting grounds visited	2	2	2	2	2	2	6	2	2	2	2
Number of strutting grounds occupied	2	2	2	2	1	1	2	1	1	1	2
Total male grouse counted	72	49	22	13	7	5	26	14	18	10	24
Average males / occupied ground	36.0	24.5	11.0	6.5	7.0	5.0	13.0	14.0	18.0	10.0	15.0
Utah											
Number of strutting grounds visited	4	4	3	3	3	3	3	3	3	3	3
Number of strutting grounds occupied	2	2	2	3	3	2	2	3	3	3	3
Total male grouse counted	43	28	27	29	34	42	44	28	48	30	35
Average males / occupied ground	21.5	14.0	13.5	9.7	11.3	21.0	22.0	9.3	16.0	10.0	15.4
Southeastern Region total											
Number of strutting grounds visited	28	29	27	25	26	24	30	24	25	26	26
Number of strutting grounds occupied	21	21	20	20	17	15	17	16	19	22	18
Total male grouse counted	436	349	278	158	172	156	231	152	218	256	239
Average males / occupied ground	20.8	16.6	13.9	7.9	10.1	10.4	13.6	9.5	11.5	11.6	12.7


Statewide trends of greater sage-grouse strutting ground counts, Utah 1959–2025.

Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
1959	14	14	442	31.6
1960	16	16	536	33.5
1961	13	13	623	47.9
1962	13	13	438	33.7
1963	19	19	578	30.4
1964	14	14	296	21.1
1965	15	15	227	15.1
1966	20	19	307	16.2
1967	45	39	978	25.1
1968	63	55	1131	20.6
1969	82	76	2356	31.0
1970	98	92	2555	27.8
1971	119	98	2289	23.4
1972	122	104	2434	23.4
1973	109	89	1745	19.6
1974	145	122	2345	19.2
1975	125	102	2176	21.3
1976	128	112	2420	21.6
1977	157	135	2991	22.2
1978	135	110	2611	23.7
1979	124	96	2757	28.7
1980	111	83	1811	21.8
1981	168	124	2695	21.7
1982	113	92	1958	21.3
1983	130	103	1879	18.2
1984	57	40	728	18.2
1985	133	99	1672	16.9
1986	113	92	1685	18.3
1987	115	94	1765	18.8
1988	175	102	2506	24.6
1989	138	104	2630	25.3
1990	152	118	2626	22.3
1991	136	122	2320	19.0
1992	118	99	1728	17.5
1993	84	68	1182	17.4
1994	114	84	1318	15.7
1995	91	65	945	14.5
1996	142	96	1410	14.7
1997	166	108	1693	15.7
1998	160	109	2101	19.3
1999	172	117	2821	24.1

Statewide trends of greater sage-grouse strutting ground counts, Utah 1959–2025 (continued).

Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
2000	183	138	3489	25.3
2001	171	120	3285	27.4
2002	225	138	3196	23.2
2003	226	159	3327	20.9
2004	243	183	4244	23.2
2005	243	185	5337	28.8
2006	280	218	5965	27.4
2007	302	224	5833	26.0
2008	308	210	4732	22.5
2009	312	210	4030	19.2
2010	318	220	3959	18.0
2011	314	180	2922	16.2
2012	365	219	3291	15.0
2013	345	221	3488	15.8
2014	356	248	4851	19.6
2015	376	278	5783	20.8
2016	378	266	5672	21.3
2017	362	256	4423	17.3
2018	367	254	3883	15.3
2019	338	205	2268	11.1
2020	387	216	2332	10.8
2021	385	196	2229	11.4
2022	413	225	3101	13.8
2023	338	189	3117	16.5
2024	398	246	4795	19.5
2025	388	265	5737	21.6
Average (1959–2024)	183	128	2565	21.3

Statewide trends of average Gunnison sage-grouse males per occupied strutting ground, Utah 1959–2025.



Statewide trends of Gunnison sage-grouse strutting ground counts, Utah 1968–2025.

Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
1968	2	2	8	4.0
1969	3	3	42	14.0
1970	6	5	123	24.6
1971	6	6	156	26.0
1972	6	6	175	29.2
1973	6	4	105	26.3
1974	6	5	158	31.6
1975	6	5	117	23.4
1976	6	5	98	19.6
1977	5	4	117	29.3
1978	5	4	96	24.0
1979	4	4	67	16.8
1980	5	3	41	13.7
1981	4	3	63	21.0
1982	4	3	47	15.7
1983	4	3	59	19.7
1984	4	4	57	14.3
1985	4	4	39	9.8
1986	4	4	29	7.3
1987	4	4	35	8.8
1988	4	4	32	8.0
1989	4	4	39	9.8
1990	4	4	41	10.3
1991	4	4	32	8.0
1992	4	4	40	10.0
1993	4	4	44	11.0
1994	4	3	41	13.7
1995	4	4	41	10.3
1996	4	3	29	9.7
1997	4	3	25	8.3
1998	4	3	32	10.7
1999	5	4	37	9.3
2000	5	4	57	14.3
2001	5	5	47	9.4
2002	5	4	35	8.8
2003	5	3	30	10.0
2004	5	4	33	8.3
2005	5	3	33	11.0
2006	4	2	24	12.0
2007	5	4	44	11.0
2008	5	3	47	15.7

Statewide trends of Gunnison sage-grouse strutting ground counts, Utah 1968–2025 (continued).

Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
2009	4	3	37	12.3
2010	4	2	18	9.0
2011	4	2	21	10.5
2012	4	2	21	10.5
2013	4	2	15	7.5
2014	4	2	15	7.5
2015	4	3	12	4.0
2016	4	2	9	4.5
2017	4	2	9	4.5
2018	4	1	7	7.0
2019	3	1	4	4.0
2020	3	1	2	2.0
2021	3	1	2	2.0
2022	3	0	0	0.0
2023	3	0	0	0.0
2024	3	1	3	3.0
2025	4	1	1	1.0
Average (1959–2024)	4	3	45	12.0

Greater sage-grouse wing barrel production counts, Blue/Diamond Mtn, Utah 1999–2024.

Year	Total chicks	Total females	Total males	Nest success rate (%)	Chicks / female
2000	27	30	12	40.0	0.9
2001	29	19	11	47.4	1.5
2002	8	11	4	45.5	0.7
2003	33	9	16	66.7	3.7
2004	34	12	11	58.3	2.8
2005	36	16	14	56.3	2.3
2006	29	13	8	53.8	2.2
2007			No data		
2008	13	14	8	57.1	0.9
2009	14	16	3	56.3	0.9
2010	14	15	5	73.3	0.9
2011	27	14	1	71.4	1.9
2012	41	14	8	71.4	2.9
2013	26	16	12	62.5	1.6
2014	38	24	18	83.3	1.6
2015	57	35	22	57.1	1.6
2016	10	32	11	46.9	0.3
2017	18	17	10	52.9	1.1
2018	2	11	5	45.5	0.2
2019	6	1	0	100.0	6.0
2020	7	12	6	—	0.6
2021	29	15	3	—	1.9
2022	34	8	10	—	4.3
2023	36	13	7	76.9	2.8
2024	34	12	5	—	2.8
Average (1980–2023)	25	16	9	61.1	1.9
% change from previous year	-6	-8	-29	-100	2
% change from average	38	-25	-44	-100	50

Greater sage-grouse wing barrel production counts, Parker Mtn, Utah 1999–2024.

Year	Total chicks	Total females	Total males	Nest success rate (%)	Chicks / female
1999	75	38	22	60.5	2.0
2000	108	32	23	56.0	3.4
2001	64	50	38	66.0	1.3
2002	35	21	16	57.1	1.7
2003	71	52	12	48.1	1.4
2004			No data		
2005			No data		
2006	142	96	43	79.0	1.5
2007	26	71	46	33.8	0.4
2008	65	71	33	56.3	0.9
2009	40	63	21	55.6	0.6
2010	71	82	45	42.7	0.9
2011	44	44	17	68.2	1.0
2012	42	40	20	42.5	1.1
2013	49	48	22	54.2	1.0
2014			No data		
2015	38	80	39	53.8	0.5
2016	48	60	24	43.3	0.8
2017	19	30	19	50.0	0.6
2018	19	42	8	47.6	0.5
2019	33	46	8	—	0.7
2020	40	26	2	—	1.5
2021			No data		
2022	8	8	2	—	1.0
2023	20	16	8	—	1.3
2024	47	64	31	—	0.7
Average (1980–2023)	50	48	22	54	1.1
% change from previous year	135	300	288	—	-41
% change from average	-7	32	39	—	-35


Greater sage-grouse wing barrel production counts, Rich County, Utah 2010–2024.

Year	Total chicks	Total females	Total males	Chicks / female
2010	8	32	45	0.3
2011	3	7	8	0.4
2012	1	2	3	0.5
2013	0	6	3	0.0
2014	2	1	1	2.0
2015	15	11	3	1.4
2016	0	0	1	—
2017	0	2	5	0.0
2018	0	1	0	0.0
2019	1	2	0	0.5
2020	7	13	2	0.5
2021	0	5	1	0.0
2022	3	12	3	0.3
2023	1	7	2	0.1
2024	4	26	6	0.2
Average (1980–2023)	3	7	6	0.5
% change from previous year	300	271	200	8
% change from average	37	260	9	-67


Greater sage-grouse wing barrel production counts, West Box Elder, Utah 2010–2024.

Year	Total chicks	Total females	Total males	Nest success rate (%)	Chicks / female
2010	4	11	9	—	0.4
2011	0	9	2	—	0.0
2012	1	1	1	—	1.0
2013	10	10	3	40.0	1.0
2014	9	6	2	66.7	1.5
2015	7	26	12	38.5	0.3
2016	7	38	6	50.0	0.2
2017	2	20	5	—	0.1
2018	2	16	15	—	0.1
2019	0	2	5	—	0.0
2020	11	25	11	—	0.4
2021	6	15	3	—	0.4
2022	10	11	5	—	0.9
2023	4	8	11	—	0.5
2024	9	19	17	—	0.5
Average (1980–2023)	5	14	6	49	0.5
% change from previous year	125	138	55	—	-5
% change from average	73	34	164	-100	-2

Statewide trends of greater sage-grouse harvest statistics, Utah 1963–1999.




Statewide trends of greater sage-grouse harvest statistics, Utah 2000–2024.



*Beginning in 2000, a special permit was required to hunt sage-grouse, and permits were limited beginning in 2002.

Statewide trends of greater sage-grouse hunter success, Utah 1963–2024.



*Beginning in 2000, a special permit was required to hunt sage-grouse, and permits were limited beginning in 2002.

Greater sage-grouse harvest statistics by hunt unit, Utah 2024.

Hunt number	Hunt unit	Total permits	n	Hunters afield	Grouse bagged	Hunter-days afield	Grouse / hunter-day	Grouse / hunter	Percent success*
SG1000	Diamond/Blue Mtn	138	85	106	159	279	0.6	1.5	83.1
SG1001	Parker Mtn	178	103	156	216	288	0.8	1.4	75.6
SG1002	Rich County	193	113	159	162	327	0.5	1.0	64.5
SG1003	West Box Elder	217	117	141	150	306	0.5	1.1	63.2
Statewide total		726	418	562	687	1200	0.6	1.2	71.0

*Hunters could harvest 2 birds. Hunters were considered successful if they harvested at least 1 bird.

Statewide greater sage-grouse harvest statistics, Utah 1951–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Grouse / hunter-day	Grouse / hunter
1951	840	2458	—	—	2.9
1952	678	2230	—	—	3.3
1953	895	2581	—	—	2.9
1954	802	2510	—	—	3.1
1955	579	1742	—	—	3.0
1956	495	1375	—	—	3.0
1957	470	1303	—	—	2.8
1958	567	1797	—	—	3.2
1959	699	1875	—	—	2.7
1960	861	2246	—	—	2.6
1961*	1078	1918	—	—	1.8
1962**	2382	5352	5097	1.1	1.9
1963	12366	13793	15564	0.9	1.1
1964	4362	6827	5807	1.2	1.6
1965	3243	3881	4673	0.8	1.2
1966	2612	3962	4006	1.0	1.5
1967	5336	5089	7860	0.7	1.0
1968	9115	11109	13601	0.8	1.2
1969	12894	22282	20466	1.1	1.7
1970	12036	15877	18506	0.9	1.3
1971	12893	20013	21509	0.9	1.6
1972	13040	15983	22232	0.7	1.2
1973	10017	13926	19049	0.7	1.4
1974	12214	15215	23516	0.7	1.3
1975	13996	18916	25720	0.7	1.4
1976	15283	24541	28342	0.9	1.6
1977	14078	18615	25759	0.7	1.3
1978	16231	25938	29861	0.9	1.6
1979	16927	28280	30682	0.9	1.7
1980	15219	22770	26893	0.9	1.5
1981	10083	15857	18617	0.9	1.6
1982	8997	12383	15663	0.8	1.4
1983	9201	14949	18467	0.8	1.6
1984	8283	10921	15266	0.7	1.3
1985	7586	11466	14702	0.8	1.5
1986	7233	11766	13992	0.8	1.6
1987	7060	12673	14242	0.9	1.8
1988	8499	14692	19418	0.8	1.7
1989	9002	13710	19373	0.7	1.5

The number of greater sage-grouse hunters and consequently harvest was limited by permits available from 1951–1962.

*Harvest numbers were estimated in 1961.

**Totals and indices are based on indiscrete data.

Statewide greater sage-grouse harvest statistics, Utah 1951–2024 (continued).


Year	Total hunters	Total harvest	Hunter-days afield	Grouse / hunter-day	Grouse / hunter
1990	9014	15784	20147	0.8	1.8
1991	8018	12542	18596	0.7	1.6
1992	7393	12156	15781	0.8	1.6
1993	6594	9311	14480	0.6	1.4
1994	5133	7084	10406	0.7	1.4
1995	5987	7133	12615	0.6	1.2
1996	5574	9220	13215	0.7	1.7
1997	4178	4489	10101	0.4	1.1
1998	3559	4676	8003	0.6	1.3
1999	4830	6503	10161	0.6	1.4
2000*	1456	1497	2829	0.5	1.0
2001	1242	1182	2552	0.5	1.0
2002	521	511	1120	0.5	1.0
2003	767	1017	1494	0.7	1.3
2004	1077	1361	1677	0.8	1.3
2005	1231	1744	1904	0.9	1.4
2006	1070	1498	1762	0.9	1.4
2007	1083	1255	1627	0.8	1.2
2008	838	857	1327	0.6	1.0
2009	628	702	1077	0.7	1.1
2010	650	802	1156	0.7	1.2
2011	429	441	749	0.6	1.0
2012	530	519	992	0.5	1.0
2013	631	565	1171	0.5	0.9
2014	852	713	1657	0.4	0.8
2015	935	954	1692	0.6	1.0
2016	888	782	1589	0.5	0.9
2017	593	485	1039	0.5	0.8
2018	519	436	1130	0.4	0.8
2019	299	252	536	0.5	0.8
2020	420	450	822	0.5	1.1
2021	205	159	458	0.3	0.8
2022	286	288	550	0.5	1.0
2023	342	424	631	0.7	1.2
2024	562	687	1200	0.6	1.2
Average (1951–2023)	5013	7406	10709	0.7	1.5
% change from previous year	64	62	90	-15	-1
% change from average	-89	-91	-89	-19	-20

*Beginning in 2000, a special permit was required to hunt greater sage-grouse, and permits were limited beginning in 2002.

SANDHILL CRANE




Statewide trends of sandhill crane harvest statistics, Utah 1989–2024.



* No permits were issued in 1992.

Statewide trends of sandhill crane hunter success, Utah 1989–2024.



*No permits were issued in 1992.

Sandhill crane harvest statistics by hunt area, Utah 2024.

Hunt number	Hunt unit	Total permits	n	Hunters afield	Adult harvest	Young harvest	Unknown harvest	Total harvest	Hunter-days afield	Cranes / hunter-day	Percent success
SC1000	East Box Elder	190	112	141	85	8	0	93	365	0.3	66.3
SC1001	Cache County	182	101	148	72	5	0	77	388	0.2	52.4
SC1002	Rich County	8	8	6	5	0	0	5	7	0.7	83.3
SC1006	Uintah Basin early	46	33	38	25	0	0	25	89	0.3	66.7
SC1007	Uintah Basin middle	46	33	40	31	4	0	35	92	0.4	86.2
SC1008	Uintah Basin late	44	36	29	23	4	0	27	46	0.6	91.7
	Total	516	323	402	241	21	0	262	987	0.3	66.9

Statewide sandhill crane harvest statistics, Utah 1989–2024.

Year	Permits sold	Total hunters	Adult harvest	Young harvest	Total harvest	Hunter-days afield	Cranes / hunter-day	Percent success
1989	100	60	49	5	54	—	—	90.0
1990	80	53	30	5	35	—	—	66.0
1991	100	70	44	4	48	—	—	68.6
1992	0	0	0	0	0	—	—	0.0
1993	50	33	26	2	28	—	—	84.8
1994	60	39	31	3	34	—	—	87.2
1995	60	41	26	1	27	—	—	65.9
1996	50	39	27	5	32	—	—	82.1
1997	50	42	27	3	30	—	—	71.4
1998	50	42	29	5	34	—	—	81.0
1999	100	82	47	7	54	—	—	65.9
2000	121	99	62	7	69	—	—	69.7
2001	122	107	70	7	77	—	—	72.0
2002	110	86	53	7	60	—	—	69.8
2003	93	79	50	7	57	—	—	72.2
2004	74	67	48	5	53	—	—	79.1
2005	93	76	54	8	62	121	0.5	81.6
2006	137	105	75	12	87	165	0.5	82.9
2007	165	141	94	9	103	234	0.4	73.0
2008	213	157	91	9	101*	297	0.3	58.6
2009	271	228	128	19	149**	432	0.3	64.8
2010	301	253	164	26	190	461	0.4	74.9
2011	242	202	123	26	149	333	0.4	74.2
2012	196	167	79	9	91***	340	0.3	56.0
2013	129	117	86	7	96***	209	0.5	82.6
2014	101	88	55	15	72	141	0.5	80.0
2015	135	122	75	9	86*	209	0.4	70.8
2016	135	105	65	7	72	175	0.4	69.3
2017	353	295	160	25	189**	570	0.3	64.4
2018	320	268	183	18	203**	500	0.4	78.0
2019	239	199	120	10	130	392	0.3	65.5
2020	249	195	119	21	141	449	0.3	72.5
2021	388	329	185	10	200^	843	0.2	63.0
2022	466	359	201	15	223‡	812	0.3	64.0

*1 crane of unknown age

**2 cranes of unknown age

***3 cranes of unknown age

‡4 cranes of unknown age


^5 cranes of unknown age

Statewide sandhill crane harvest statistics, Utah 1989–2024 (continued).


Year	Permits sold	Total hunters	Adult harvest	Young harvest	Total harvest	Hunter-days afield	Cranes / hunter-day	Percent success
2023	373	286	152	11	168^	818	0.2	69.0
2024	516	402	241	21	262	987	0.3	66.9
Average (1989–2023)	168	136	83	10	94	395	0.4	72.7
% change from previous year	38	41	59	91	56	21	29	-3
% change from average	206	195	190	111	178	150	-30	-8

^5 cranes of unknown age

SHARP-TAILED GROUSE



Statewide trends of average sharp-tailed grouse males per occupied strutting ground, Utah 1975–2025.



Strutting ground counts of sharp-tailed grouse by county, Utah 2016–2025.

	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	Average (2016–2024)
Antelope Island											
Number of strutting grounds visited	—	1	1	1	—	—	—	—	—	1	0
Number of strutting grounds occupied	—	0	0	0	—	—	—	—	—	0	0
Total male grouse counted	—	0	0	0	—	—	—	—	—	0	0
Average males / occupied grounds	—	—	—	—	—	—	—	—	—	—	0.0
Box Elder											
Number of strutting grounds visited	62	53	42	54	37	71	60	50	62	57	55
Number of strutting grounds occupied	27	19	14	19	17	31	29	21	35	26	24
Total male grouse counted	233	90	101	225	218	409	409	232	398	444	257
Average males / occupied grounds	8.6	4.7	7.2	11.8	12.8	13.2	14.1	11.0	11.4	17.1	10.5
Cache											
Number of strutting grounds visited	19	13	12	7	11	18	19	14	26	26	16
Number of strutting grounds occupied	14	13	12	7	10	16	14	12	20	21	13
Total male grouse counted	163	117	114	83	119	194	120	108	314	380	151
Average males / occupied grounds	11.6	9.0	9.5	11.9	11.9	12.1	8.6	9.0	15.7	18.1	11.1
Morgan											
Number of strutting grounds visited	—	—	1	—	—	—	2	1	2	2	1
Number of strutting grounds occupied	—	—	0	—	—	—	1	1	2	2	1
Total male grouse counted	—	—	0	—	—	—	8	2	27	16	9
Average males / occupied grounds	—	—	—	—	—	—	8.0	2.0	13.5	8.0	7.8
Weber											
Number of strutting grounds visited	1	1	1	—	—	1	—	—	—	—	0
Number of strutting grounds occupied	1	1	1	—	—	1	—	—	—	—	1
Total male grouse counted	22	12	13	—	—	17	—	—	—	—	16
Average males / occupied grounds	22.0	12.0	13.0	—	—	17.0	—	—	—	—	16.0
Statewide total											
Number of strutting grounds visited	82	68	57	62	48	91	80	65	90	86	72
Number of strutting grounds occupied	42	33	27	26	27	49	44	34	57	49	38
Total male grouse counted	418	219	228	308	337	627	537	342	739	840	421
Average males / occupied grounds	10.0	6.6	8.4	11.8	12.5	12.8	12.2	10.1	13.0	17.1	10.8


Statewide trends of sharp-tailed grouse strutting ground counts, Utah 1975–2025.

Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
1975	4	4	79	19.8
1976	4	3	34	11.3
1977	8	7	135	19.3
1978	8	8	228	28.5
1979	17	17	187	11.0
1980	17	16	73	4.6
1981	15	15	190	12.7
1982	15	12	103	8.6
1983	7	7	98	14.0
1984	7	4	20	5.0
1985	9	9	94	10.4
1986	9	8	224	28.0
1987	10	10	230	23.0
1988	10	10	200	20.0
1989	10	10	205	20.5
1990	10	10	296	29.6
1991	26	26	482	18.5
1992	20	20	378	18.9
1993	14	14	108	7.7
1994	19	19	116	6.1
1995	12	3	37	12.3
1996	22	9	92	10.2
1997	8	5	69	13.8
1998	28	22	387	17.6
1999	45	42	772	18.4
2000	51	37	485	13.1
2001	43	21	261	12.4
2002	41	28	236	8.4
2003	76	49	628	12.8
2004	89	67	793	11.8
2005	78	58	842	14.5
2006	74	52	708	13.6
2007	75	48	786	16.4
2008	69	39	462	11.8
2009	92	47	561	11.9
2010	79	51	850	16.7
2011	70	49	643	13.1
2012	75	48	596	12.4

Statewide trends of sharp-tailed grouse strutting ground counts, Utah 1975–2025 (continued).


Year	Number of grounds visited	Number of occupied grounds	Total male grouse counted	Average male grouse / occupied ground
2013	77	44	469	10.7
2014	68	36	338	9.4
2015	69	38	437	11.5
2016	82	42	418	10.0
2017	68	33	219	6.6
2018	57	27	228	8.4
2019	62	26	308	11.8
2020	48	27	337	12.5
2021	94	51	658	12.9
2022	81	44	537	12.2
2023	65	34	342	10.1
2024	90	57	739	13.0
2025	86	49	840	17.1
Average (1975–2024)	43	27	354	13.8

Statewide trends of sharp-tailed grouse harvest statistics, Utah 1998–2024.



*Hunter-days afield data were not collected in 2000.

Statewide trends of sharp-tailed grouse hunter success, Utah 1998–2024.



*Hunter-days afield data were not collected in 2000.

Sharp-tailed grouse harvest statistics by hunt area, Utah 2024.

Hunt number	Hunt unit	Total permits	n	Hunters afield	Grouse bagged	Hunter-days afield	Grouse / hunter-day	Grouse / hunter	Percent success*
ST1000	Northeast Box Elder	182	100	91	96	149	0.6	1.1	66.0
ST1001	Cache	75	56	59	52	152	0.3	0.9	56.8
	Total*	257	156	150	148	301	0.5	1.0	61.7


*Hunters could harvest 2 birds. Hunters were considered successful if they harvested at least 1 bird.

Statewide sharp-tailed grouse harvest statistics, Utah 1998–2024.

Year	Permits sold	Total hunters	Total harvest	Hunter-days afield	Grouse / hunter-day	Grouse / hunter
1998	378	235	172	373	0.5	0.7
1999	381	332	413	584	0.7	1.2
2000	663	364	204	—	—	0.6
2001	673	309	190	509	0.4	0.6
2002	143	71	46	102	0.5	0.6
2003	427	249	227	424	0.5	0.9
2004	350	218	80	325	0.2	0.4
2005	339	170	149	254	0.6	0.9
2006	329	152	135	322	0.4	0.9
2007	351	149	87	215	0.4	0.6
2008	318	179	161	233	0.7	0.9
2009	324	209	254	299	0.8	1.2
2010	333	233	279	393	0.7	1.2
2011	282	177	180	308	0.6	1.0
2012	319	198	222	326	0.7	1.1
2013	243	163	124	290	0.4	0.8
2014	190	109	95	185	0.5	0.9
2015	296	159	118	225	0.5	0.7
2016	222	121	70	190	0.4	0.6
2017	153	78	43	123	0.3	0.6
2018	188	103	85	244	0.3	0.8
2019	260	113	51	215	0.2	0.5
2020	327	162	120	339	0.4	0.7
2021	349	190	96	349	0.3	0.5
2022	288	134	97	257	0.4	0.7
2023	165	79	73	119	0.6	0.9
2024	257	150	148	301	0.5	1.0
Average (1998–2023)	319	179	145	288	0.5	0.8
% change from previous year	56	90	103	153	-20	7
% change from average	-19	-16	2	4	2	25


*Hunter-days afield data was not collected in 2000.

SNOWSHOE HARE




CLARK BRONSON

Statewide trends of snowshoe hare harvest statistics, Utah 1975–76 to 2024–25.



Statewide trends of snowshoe hare hunter success, Utah 1975–76 to 2024–25.



Snowshoe hare harvest statistics by region and county, Utah 2024–25.

Region and county	n	Hunters afield	Hunter-days afield	Hares bagged	Hares / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	4	69	114	100	0.9	8.2	10.0
Cache	3	51	200	0	0.0	14.3	0.0
Davis	0	0	—	—	—	0.0	0.0
Morgan	1	17	29	0	0.0	2.0	0.0
Rich	0	0	—	—	—	0.0	0.0
Summit	7	120	228	398	1.7	16.3	40.0
Weber	1	17	71	100	1.4	5.1	10.0
Regional total	16	274	642	598	0.9	45.9	60.0
Central Region							
Juab	1	17	29	0	0.0	2.0	0.0
Salt Lake	1	17	29	0	0.0	2.0	0.0
Sanpete	1	17	14	0	0.0	1.0	0.0
Tooele	0	0	—	—	—	0.0	0.0
Utah	2	34	29	0	0.0	2.0	0.0
Wasatch	4	69	285	100	0.4	20.4	10.0
Regional total	9	154	386	100	0.3	27.6	10.0
Southern Region							
Beaver	0	0	—	—	—	0.0	0.0
Garfield	0	0	—	—	—	0.0	0.0
Iron	1	17	57	299	5.2	4.1	30.0
Kane	0	0	—	—	—	0.0	0.0
Millard	0	0	—	—	—	0.0	0.0
Piute	0	0	—	—	—	0.0	0.0
Sevier	0	0	—	—	—	0.0	0.0
Washington	0	0	—	—	—	0.0	0.0
Wayne	0	0	—	—	—	0.0	0.0
Regional total	1	17	57	299	5.2	4.1	30.0
Northeastern Region							
Daggett	0	0	—	—	—	0.0	0.0
Duchesne	2	34	86	0	0.0	6.1	0.0
Uintah	0	0	—	—	—	0.0	0.0
Regional total	2	34	86	0	0.0	6.1	0.0
Southeastern Region							
Carbon	3	51	185	0	0.0	13.3	0.0
Emery	0	0	—	—	—	0.0	0.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	0	0	—	—	—	0.0	0.0
Regional total	3	51	185	0	0.0	13.3	0.0
Unknown	1	17	43	0	0.0	3.1	0.0
Statewide total*	31	532	1397	995	0.7	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide snowshoe hare harvest statistics, Utah 1975–76 to 2024–25.

Year	Total hunters	Total harvest	Hunter-days Afield	Hares / hunter-day	Hares / hunter
1975–76	5961	12072	19770	0.6	2.0
1976–77	8502	15500	20367	0.8	1.8
1977–78	9752	21232	26535	0.8	2.2
1978–79	8205	34535	30155	1.1	4.2
1979–80	6787	14641	18115	0.8	2.2
1980–81	4048	7603	11140	0.7	1.9
1981–82	3554	7750	12782	0.6	2.2
1982–83	4245	9257	13073	0.7	2.2
1983–84	3544	6302	11088	0.6	1.8
1984–85	3796	6455	10840	0.6	1.7
1985–86	3365	3429	9494	0.4	1.0
1986–87	3277	3544	9541	0.4	1.1
1987–88	3702	6005	8947	0.7	1.6
1988–89	4725	8231	15444	0.5	1.7
1989–90	4895	8006	13233	0.6	1.6
1990–91	4095	7593	10825	0.7	1.9
1991–92	3427	4731	11742	0.4	1.4
1992–93	3732	7144	11836	0.6	1.9
1993–94	2755	4237	10774	0.4	1.5
1994–95	1565	1722	4922	0.3	1.1
1995–96	1983	1924	7891	0.2	1.0
1996–97	2276	5365	8106	0.7	2.4
1997–98	1912	2431	7628	0.3	1.3
1998–99	1093	1070	3536	0.3	1.0
1999–00	2139	2173	5831	0.4	1.0
2000–01	1855	2526	5879	0.4	1.4
2001–02	417	256	768	0.3	0.6
2002–03	658	240	1348	0.2	0.4
2003–04	686	897	2747	0.3	1.3
2004–05	525	681	2377	0.3	1.3
2005–06	612	3580	2142	1.7	5.8
2006–07	496	1683	1485	1.1	3.4
2007–08	550	2175	3149	0.7	4.0
2008–09	619	696	2489	0.3	1.1
2009–10	766	944	2532	0.4	1.2
2010–11	631	726	1243	0.6	1.2
2011–12	634	1682	2368	0.7	2.7
2012–13	645	924	2147	0.4	1.4
2013–14	568	384	1777	0.2	0.7
2014–15	345	533	1333	0.4	1.5


Statewide snowshoe hare harvest statistics, Utah 1975–76 to 2024–25 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Hares / hunter-day	Hares / hunter
2015–16	1192	1897	4001	0.5	1.6
2016–17	1326	3407	6089	0.6	2.6
2017–18	720	2268	2077	1.1	3.2
2018–19	732	521	2118	0.2	0.7
2019–20	1059	1481	4518	0.3	1.4
2020–21	351	257	2180	0.1	0.7
2021–22	634	954	1922	0.5	1.5
2022–23	590	135	1135	0.1	0.2
2023–24	266	628	809	0.8	2.4
2024–25	532	995	1397	0.7	1.9
Average (1975–2024)	2453	4743	7597	0.5	1.8
% change from previous year	100	58	73	-8	-21
% change from average	-78	-79	-82	32	7


WHITE-TAILED PTARMIGAN



Statewide trends of white-tailed ptarmigan harvest statistics, Utah 1982–2024



Statewide trends of white-tailed ptarmigan hunter success, Utah 1982–2024.



/

White-tailed ptarmigan harvest statistics by region and county, Utah 2024.

Region and county	n	Hunters afield	Hunter-days afield	Ptarmigans bagged	Ptarmigans / hunter-day	% pressure	% harvest
Northern Region							
Box Elder	0	0	—	—	—	0.0	0.0
Cache	0	0	—	—	—	0.0	0.0
Davis	0	0	—	—	—	0.0	0.0
Morgan	0	0	—	—	—	0.0	0.0
Rich	0	0	—	—	—	0.0	0.0
Summit	9	23	57	3	0.1	26.8	4.3
Weber	0	0	—	—	—	0.0	0.0
Regional total	9	23	57	3	0.1	26.8	4.3
Central Region							
Juab	0	0	—	—	—	0.0	0.0
Salt Lake	0	0	—	—	—	0.0	0.0
Sanpete	0	0	—	—	—	0.0	0.0
Tooele	0	0	—	—	—	0.0	0.0
Utah	0	0	—	—	—	0.0	0.0
Wasatch	1	3	5	0	0.0	2.3	0.0
Regional total	1	3	5	0	0.0	2.3	0.0
Southern Region							
Beaver	0	0	—	—	—	0.0	0.0
Garfield	0	0	—	—	—	0.0	0.0
Iron	0	0	—	—	—	0.0	0.0
Kane	0	0	—	—	—	0.0	0.0
Millard	0	0	—	—	—	0.0	0.0
Piute	0	0	—	—	—	0.0	0.0
Sevier	0	0	—	—	—	0.0	0.0
Washington	0	0	—	—	—	0.0	0.0
Wayne	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Northeastern Region							
Daggett	3	8	16	21	1.3	7.5	30.0
Duchesne	5	13	49	10	0.2	23.0	14.3
Uintah	7	18	57	36	0.6	26.8	51.4
Regional total	15	39	122	67	0.5	57.3	95.7
Southeastern Region							
Carbon	0	0	—	—	—	0.0	0.0
Emery	0	0	—	—	—	0.0	0.0
Grand	0	0	—	—	—	0.0	0.0
San Juan	0	0	—	—	—	0.0	0.0
Regional total	0	0	—	—	—	0.0	0.0
Unknown	5	13	29	0	0.0	13.6	0.0
Statewide total*	29	75	213	70	0.3	100.0	100.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.


Statewide white-tailed ptarmigan harvest statistics, Utah 1982–2024.

Year	Total hunters	Total harvest	Hunter-days afield	Ptarmigan / hunter-day	Ptarmigan / hunter
1982	21	0	33	0.0	0.0
1983	13	14	21	0.7	1.1
1984	20	36	25	1.4	1.8
1985	10	7	13	0.5	0.7
1986	14	8	21	0.4	0.6
1987	9	8	9	0.9	0.9
1988	15	22	15	1.5	1.5
1989	3	13	18	0.7	4.3
1990	11	17	27	0.6	1.5
1991	13	26	16	1.6	2.0
1992	11	0	17	0.0	0.0
1993	10	13	13	1.0	1.3
1994	4	0	6	0.0	0.0
1995	20	12	39	0.3	0.6
1996	12	14	16	0.9	1.2
1997	18	4	37	0.1	0.2
1998	45	14	84	0.2	0.3
1999	34	23	53	0.4	0.7
2000	65	35	183	0.2	0.5
2001	114	61	200	0.3	0.5
2002	59	50	155	0.3	0.8
2003	114	22	185	0.1	0.2
2004	61	23	139	0.2	0.4
2005	98	69	225	0.3	0.7
2006	61	52	168	0.3	0.9
2007	58	17	157	0.1	0.3
2008	61	57	163	0.3	0.9
2009	49	21	118	0.2	0.4
2010	95	32	229	0.1	0.3
2011	76	22	204	0.1	0.3
2012	84	149	303	0.5	1.8
2013	65	18	107	0.2	0.3
2014	76	71	189	0.4	0.9
2015	99	79	252	0.3	0.8
2016	106	35	234	0.1	0.3
2017	88	75	222	0.3	0.9
2018	120	60	516	0.1	0.5
2019	145	69	535	0.1	0.5


Statewide white-tailed ptarmigan harvest statistics, Utah 1982–2024 (continued).

Year	Total hunters	Total harvest	Hunter-days afield	Ptarmigan / hunter-day	Ptarmigan / hunter
2020	157	86	465	0.2	0.5
2021	98	7	293	0.0	0.1
2022	84	31	257	0.1	0.4
2023	90	27	304	0.1	0.3
2024	75	70	213	0.3	0.9
Average (1982–2023)	56	33	145	0.4	0.8
% change from previous year	-17	159	-30	270	211
% change from average	33	109	46	-17	20

WILD TURKEY



Statewide trends of limited entry/CWMU, spring general season, and fall management wild turkey hunter success, Utah 1991–2025.



*2002–2004 limited entry data does not include conservation permit information.

**2005 limited entry data does not include conservation permit or landowner permit information.

Fall management wild turkey harvest statistics by region and hunt area, Utah 2024.

Region and county	n**	Hunters afield	Male harvest	Female harvest	Unknown harvest	Total harvest	Mean days afield	Percent success
Northern Region								
Box Elder	168	300	66	75	0	141	3.1	47.0
Cache	342	612	107	161	2	270	5.2	44.2
East Canyon	93	166	41	66	0	107	2.5	64.5
Mantua	31	55	9	7	0	16	2.8	29.0
Ogden Valley	234	418	72	139	4	215	4.0	51.3
Unknown	47	84	18	25	2	45	7.4	53.2
Regional total*	879	1193	313	473	8	794	5.8	66.6
Central Region								
Juab	54	88	23	34	2	58	5.4	66.7
Salt Lake	5	8	0	0	0	0	2.0	0.0
Sanpete	112	182	60	65	0	125	5.6	68.8
Utah	109	177	42	75	2	118	4.5	67.0
Wasatch	26	42	2	6	0	8	7.3	19.2
Unknown	7	11	2	3	0	5	9.3	42.9
Regional total*	229	372	129	183	4	314	7.3	84.4
Southeastern Region	30	26	2	11	0	13	3.9	50.0
Regional total	30	26	2	11	0	13	3.9	50.0

*Regional totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple areas.

**Total regional sample size includes those surveyed who did not hunt.

Total permits sold was 2037 for the northern region, 735 for the central region, and 36 for the southeastern region.

Statewide fall management wild turkey harvest statistics, Utah 2014–2024.

Year	Permits sold	Total hunters	Total harvest	Percent success
2014	314	281	208	74.0
2015	700	597	363	60.8
2016	1178	1750	822	47.0
2017	881	713	419	58.8
2018	3415	2756	1678	60.9
2019	6167	5113	2963	58.0
2020	7710	5904	2964	50.2
2021	4619	3517	1652	47.0
2022	2843	2116	1255	59.3
2023	2625	1838	898	48.9
2024	2808	1585	1123	70.9
Average (1991–2023)	3045	2459	1322	56.5
% change from previous year	7	-14	25	45
% change from average	-8	-36	-15	25

Spring limited entry/CWMU wild turkey spring harvest statistics by hunt, Utah 2025.

Hunt number	Hunt name	Total permits	n	Hunters afield	Total harvest	Mean days afield public land	Mean days afield private land	Percent success
TK1003	Central region	496	173	433	228	3.5	0.5	52.0
TK1004	Northeastern region	247	132	198	95	2.5	1.7	48.1
TK1005	Northern region	547	169	460	252	2.3	0.8	55.6
TK1006	Southeastern region	199	114	168	98	2.8	0.5	57.7
TK1007	Southern region	615	215	531	283	2.8	0.5	52.9
TK1018	Pahvant Ensign CWMU	11	7	11	9	—	2.9	85.7
TK1021	East Zion CWMU	7	6	7	1	—	3.2	16.7

Statewide limited-entry/CWMU wild turkey harvest statistics, Utah 1991–2025.

Year	Permits sold	Total hunters	Total harvest	Turkeys / hunter-day	Percent success
1991	607	550	70	0.0	12.7
1992	559	504	68	0.0	13.5
1993	542	507	100	0.1	19.7
1994	440	390	136	0.1	34.9
1995	470	410	143	0.1	34.9
1996	529	486	191	0.1	39.3
1997	602	568	208	0.1	36.6
1998	621	563	256	0.1	45.5
1999	753	740	300	0.1	40.5
2000	1062	1011	699	0.2	69.1
2001	1381	1317	891	0.2	67.7
2002*	1641	1498	785	0.1	52.4
2003	1528	1427	708	0.1	49.6
2004	1372	1279	691	0.1	54.0
2005	1996	1656	953	0.1	57.5
2006	2664	2429	1396	0.1	57.5
2007	3017	2799	1600	0.1	57.2
2008	7858	6831	2374	0.1	34.8
2009	13608	11138	2770	0.0	26.0
2010	3055	2640	925	—	35.0
2011	3104	2629	865	—	32.9
2012	3035	2594	824	—	31.8
2013	3068	2566	1054	—	41.1
2014	3081	2661	1155	—	43.4
2015	3517	2918	1476	—	50.6
2016	4143	3602	1583	—	43.9
2017	4538	3991	1552	—	38.9
2018	3769	3105	1289	—	41.5
2019	2710	2164	858	—	39.6
2020	1368	1235	724	—	58.6
2021	2773	2323	933	—	40.2
2022	1951	1634	749	—	45.8
2023	1711	1296	469	—	36.2
2024	1497	1259	635	—	50.4
2025	2122	1805	966	—	53.5
Average (1991–2024)	2487	2139	866	—	42.2
% change from previous year	42	43	52	—	6
% change from average	-15	-16	12	—	27

*2002–2005 do not include conservation permit information, and 2005 does not include landowner permit information.

3-day youth* general-season wild turkey harvest statistics by region and county, Utah 2025.

Region and county	n	Hunters afield	Total harvest	Mean public days-afield	Mean private days-afield	Percent success
Northern Region						
Box Elder	8	37	14	1.9	1.3	37.5
Cache	17	79	9	1.6	0.9	11.8
Davis	7	33	0	1.7	0.0	0.0
Morgan	5	23	5	0.2	1.8	20.0
Rich	0	0	—	—	—	—
Summit	4	19	5	1.0	0.5	25.0
Weber	18	84	14	1.5	1.0	16.7
Regional total	59	275	47	1.5	0.9	17.1
Central Region						
Juab	12	56	14	2.2	0.1	25.0
Salt Lake	5	23	0	1.8	0.0	0.0
Sanpete	16	74	28	1.3	0.6	37.5
Tooele	12	56	19	1.9	0.2	33.3
Utah	40	186	37	1.6	0.5	20.0
Wasatch	16	74	23	1.7	0.7	31.3
Regional total	101	469	121	1.7	0.4	25.8
Southern Region						
Beaver	10	46	14	2.5	0.5	30.0
Garfield	3	14	9	1.7	0.0	66.7
Iron	10	46	9	2.0	0.2	20.0
Kane	3	14	14	2.0	1.3	100.0
Millard	9	42	23	1.4	0.0	55.6
Piute	1	5	0	2.0	0.0	0.0
Sevier	14	65	9	2.1	0.1	14.3
Washington	18	84	33	1.7	0.8	38.9
Wayne	3	14	5	1.3	0.7	33.3
Regional total	71	330	116	1.9	0.4	35.2
Northeastern Region						
Daggett	2	9	0	1.5	0.0	0.0
Duchesne	20	93	19	1.2	1.3	20.0
Uintah	20	93	42	1.4	1.5	45.0
Regional total	42	195	61	1.3	1.3	31.3
Southeastern Region						
Carbon	0	0	—	—	—	—
Emery	6	28	14	0.8	1.8	50.0
Grand	2	9	5	2.5	1.0	50.0
San Juan	5	23	14	1.8	1.2	60.0
Regional total	13	60	33	1.5	1.5	55.0
Unknown	5	23	0	1.9	0.6	0.0
Statewide total**	483	1250	376	1.8	0.8	30.1

*Youth who obtained a general-season wild turkey permit could participate in the Youth Turkey Hunt, which took place for 3 days prior to the regular general season.

**Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Spring statewide general-season wild turkey harvest statistics by region and county, Utah 2025.

Region and county	n	Hunters afield	Total harvest	Mean public days-afield	Mean private days-afield	Percent success
Northern Region						
Box Elder	69	322	51	2.9	1.6	15.9
Cache	143	668	168	3.6	1.1	25.2
Davis	54	252	28	4.1	0.7	11.1
Morgan	60	280	98	1.9	1.5	35.0
Rich	1	5	0	2.0	0.0	0.0
Summit	29	135	56	1.5	1.2	41.4
Weber	149	696	149	3.8	0.7	21.5
Regional total	505	2358	550	3.3	1.1	23.3
Central Region						
Juab	86	402	56	3.8	0.5	14.0
Salt Lake	48	224	42	3.2	0.4	18.8
Sanpete	123	575	187	3.5	1.2	32.5
Tooele	110	514	135	4.3	0.2	26.4
Utah	344	1607	355	3.9	0.3	22.1
Wasatch	89	416	98	3.4	0.6	23.6
Regional total	800	3738	873	3.8	0.5	23.4
Southern Region						
Beaver	57	266	56	3.9	0.4	21.1
Garfield	44	206	70	4.3	0.2	34.1
Iron	119	556	149	4.1	0.7	26.9
Kane	44	206	70	2.4	1.3	34.1
Millard	74	346	93	3.4	0.4	27.0
Piute	15	70	5	2.3	0.5	6.7
Sevier	94	439	131	4.6	0.6	29.8
Washington	126	589	145	2.9	1.1	24.6
Wayne	29	135	47	3.6	0.3	34.5
Regional total	602	2813	766	3.6	0.7	27.2
Northeastern Region						
Daggett	11	51	5	2.2	0.0	9.1
Duchesne	116	542	192	2.3	2.2	35.3
Uintah	108	505	192	3.2	2.0	38.0
Regional total	235	1098	389	2.7	2.0	35.4
Southeastern Region						
Carbon	21	98	14	4.8	0.4	14.3
Emery	40	187	93	3.9	1.5	50.0
Grand	28	131	37	4.1	0.1	28.6
San Juan	83	388	149	4.0	0.6	38.6
Regional total	172	804	293	4.1	0.7	36.4
Unknown	27	126	47	2.7	0.8	37.0
Statewide total*	2443	9428	2920	3.9	0.9	31.0

*Statewide totals for sample size and hunters afield are not the total of the columns because hunters hunted multiple counties.

Statewide general-season* wild turkey harvest statistics, Utah 2010–2025.

Year	Permits sold	Total hunters	Total harvest	Percent success
2010	10118	8301	1363	16.4
2011	6528	5662	1136	20.1
2012	5275	4506	953	21.1
2013	6588	5788	1241	21.4
2014	7812	6734	1759	26.1
2015	8514	7314	2017	27.6
2016	8586	7522	1978	26.3
2017	8542	7075	1686	23.8
2018	9654	8157	2027	24.8
2019	9969	8619	2209	25.6
2020	12443	10589	2955	27.9
2021	11668	9539	2035	21.3
2022	10310	8493	1923	22.6
2023	10067	8249	1881	22.8
2024	11192	9321	2632	28.2
2025	11789	10678	3296	30.9
Average (1991–2024)	9151	7725	1853	23.8
% change from previous year	5	15	25	9
% change from average	29	38	78	30

*Includes youth-only hunt.

APPENDIX A


WEATHER CONDITIONS

Climate data used in this appendix were accessed via the NOAA National Centers for Environmental Information geoportal, July 31, 2025, at <https://www.ncei.noaa.gov/>

Comparison of monthly average temperatures (°F) to 30-yr normal temperature, by weather division, Utah 2024.

Weather Division	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
No.1 Western													
Normal (1991-2020)	29.0	33.8	42.1	48.0	57.3	67.5	75.9	74.0	64.0	50.7	38.2	28.8	50.8
2024	30.9	35.9	40.3	49.3	55.3	72.8	78.0	75.1	67.2	56.6	36.0	35.1	52.7
Departure	1.9	2.1	-1.8	1.3	-2.0	5.3	2.1	1.1	3.2	5.9	-2.2	6.3	1.9
No.2 Dixie													
Normal (1991-2020)	40.7	43.9	50.3	56.4	65.8	76.0	82.2	80.4	73.1	60.8	48.5	39.7	59.8
2024	40.1	44.5	48.4	57.1	65.4	80.9	85.6	81.9	76.1	67.0	45.2	45.8	61.5
Departure	-0.6	0.6	-1.9	0.7	-0.4	4.9	3.4	1.5	3.0	6.2	-3.3	6.1	1.7
No.3 North Central													
Normal (1991-2020)	27.7	31.9	40.3	46.2	55.6	65.3	74.1	72.2	62.5	49.4	37.3	28.0	49.2
2024	29.6	34.0	38.7	47.5	52.2	70.5	75.8	73.3	66.4	55.9	35.0	33.8	51.1
Departure	1.9	2.1	-1.6	1.3	-3.4	5.2	1.7	1.1	3.9	6.5	-2.3	5.8	1.8
No.4 South Central													
Normal (1991-2020)	28.6	31.5	38.4	44.0	53.0	63.1	69.8	67.8	59.8	48.1	36.6	28.0	47.4
2024	30.0	33.2	37.0	45.7	51.7	68.3	72.1	69.1	63.0	54.1	34.0	34.4	49.4
Departure	1.4	1.7	-1.4	1.7	-1.3	5.2	2.3	1.3	3.2	6.0	-2.6	6.4	2.0
No.5 Northern Mountains													
Normal (1991-2020)	22.9	25.0	32.5	38.5	47.3	56.3	64.2	62.5	54.0	42.5	30.9	22.5	41.6
2024	24.0	26.4	30.4	40.1	44.0	61.0	65.2	63.4	57.4	48.8	28.5	28.4	43.1
Departure	1.1	1.4	-2.1	1.6	-3.3	4.7	1.0	0.9	3.4	6.3	-2.4	5.9	1.5
No.6 Uinta Basin													
Normal (1991-2020)	21.9	27.9	38.6	45.6	55.3	65.4	72.3	69.8	60.9	48.0	34.6	23.3	47.0
2024	26.0	31.8	37.4	48.0	52.0	70.1	73.6	70.7	64.6	54.4	32.7	30.1	49.3
Departure	4.1	3.9	-1.2	2.4	-3.3	4.7	1.3	0.9	3.7	6.4	-1.9	6.8	2.3
No.7 Southeast													
Normal (1991-2020)	30.4	35.8	44.5	51.2	60.9	71.7	77.9	75.3	66.6	53.7	40.5	30.4	53.2
2024	33.0	37.8	43.6	53.4	59.5	75.9	80.2	76.3	70.3	60.1	38.0	35.4	55.3
Departure	2.6	2.0	-0.9	2.2	-1.4	4.2	2.3	1.0	3.7	6.4	-2.5	5.0	2.1
State averages													
Normal (1991-2020)	28.7	32.8	41.0	47.1	56.5	66.5	73.8	71.7	63.0	50.5	38.1	28.7	49.9
2024	30.5	34.8	39.4	48.7	54.3	71.4	75.8	72.8	66.4	56.7	35.6	34.7	51.8
Departure	1.8	2.0	-1.6	1.6	-2.2	4.9	2.0	1.1	3.4	6.2	-2.5	6.0	1.9


Temperature (°F) departure from 30-yr normal, Utah 2024.



Comparison of monthly average precipitation (inches) to 30-yr normal precipitation, by weather division, Utah 2024.

Weather Division	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
No.1 Western													
Normal (1991-2020)	0.9	0.8	0.9	1.1	1.3	0.6	0.6	0.7	0.8	0.9	0.7	0.8	10.1
2024	1.0	1.4	1.4	1.0	0.5	0.4	0.4	1.0	0.2	0.6	0.8	0.5	9.2
Departure	0.1	0.6	0.5	-0.1	-0.8	-0.2	-0.2	0.4	-0.6	-0.3	0.1	-0.3	-0.8
No.2 Dixie													
Normal (1991-2020)	1.6	2.0	1.6	0.9	0.6	0.3	0.8	1.1	0.9	1.1	0.9	1.4	13.2
2024	1.7	2.8	1.5	0.3	0.1	0.1	0.4	1.5	0.1	0.7	0.6	0.1	9.7
Departure	0.1	0.9	-0.1	-0.6	-0.5	-0.2	-0.5	0.4	-0.8	-0.4	-0.4	-1.3	-3.5
No.3 North Central													
Normal (1991-2020)	1.7	1.6	1.7	1.9	2.0	1.0	0.7	0.8	1.2	1.5	1.3	1.7	17.1
2024	1.8	3.0	2.5	1.5	1.2	0.3	0.4	1.6	0.5	1.2	1.3	1.3	16.5
Departure	0.1	1.4	0.8	-0.5	-0.8	-0.7	-0.3	0.8	-0.7	-0.3	0.0	-0.4	-0.6
No.4 South Central													
Normal (1991-2020)	1.5	1.6	1.6	1.3	1.2	0.6	1.3	1.5	1.3	1.5	1.2	1.4	15.8
2024	1.7	2.3	2.5	0.8	0.6	0.6	0.5	2.8	0.2	1.3	1.5	0.4	15.2
Departure	0.2	0.7	1.0	-0.5	-0.6	0.0	-0.8	1.4	-1.1	-0.3	0.3	-1.0	-0.6
No.5 Northern Mountains													
Normal (1991-2020)	2.4	2.2	2.2	2.4	2.3	1.3	1.1	1.4	1.8	2.1	2.0	2.3	23.4
2024	3.0	4.1	3.3	1.5	2.1	0.4	0.5	2.3	0.7	1.9	1.8	2.1	23.4
Departure	0.5	1.8	1.1	-0.9	-0.2	-0.9	-0.6	0.9	-1.1	-0.1	-0.2	-0.3	0.0
No.6 Uinta Basin													
Normal (1991-2020)	0.7	0.7	0.8	1.0	1.1	0.7	0.8	1.1	1.3	1.2	0.7	0.7	10.8
2024	0.4	1.4	1.3	0.7	0.9	0.5	0.2	1.6	0.2	1.3	0.4	0.4	9.2
Departure	-0.3	0.7	0.5	-0.3	-0.3	-0.2	-0.6	0.5	-1.1	0.1	-0.3	-0.3	-1.6
No.7 Southeast													
Normal (1991-2020)	0.8	0.8	0.8	0.7	0.8	0.4	0.9	1.1	1.1	1.1	0.6	0.7	9.7
2024	0.7	1.1	1.2	0.4	0.3	0.9	0.2	2.0	0.1	1.0	0.7	0.1	8.6
Departure	-0.1	0.3	0.4	-0.3	-0.4	0.5	-0.7	0.9	-1.0	-0.1	0.0	-0.6	-1.1
State averages													
Normal (1991-2020)	1.4	1.4	1.4	1.3	1.3	0.7	0.9	1.1	1.2	1.4	1.1	1.3	14.3
2024	1.5	2.3	1.9	0.9	0.8	0.4	0.4	1.8	0.3	1.2	1.0	0.7	13.1
Departure	0.1	0.9	0.6	-0.4	-0.5	-0.2	-0.5	0.7	-0.9	-0.2	-0.1	-0.6	-1.2

Precipitation (inches) departure from 30-yr normal, Utah 2024.



APPENDIX B

HUNTER SURVEY RESPONSE SUMMARY

General upland game harvest mail questionnaire returns, Utah 1962–63 to 2000–01.

Year	Questionnaires mailed	Total surveys returned	% returned	Total usable returns	% usable	% of license holders who did not hunt
1962–63	10068	4122	40.9	3433	34.1	22.0
1963–64	11058	5062	45.8	4325	39.1	21.0
1964–65	10718	4840	45.2	4180	39.0	23.0
1965–66	11917	6232	52.3	—	—	34.0
1966–67	13131	5734	43.7	5734	43.7	34.6
1967–68	12012	5764	48.0	5764	48.0	25.1
1968–69	14068	6138	43.6	6138	43.6	25.6
1969–70	15036	6429	42.8	6429	42.8	28.0
1970–71	14730	6639	45.1	6639	45.1	38.8
1971–72	15149	—	43.2	—	—	—
1972–73	15272	—	—	6399	41.9	—
1973–74	17572	—	—	7999	45.5	—
1974–75	27379	9157	33.4	8027	29.3	—
1975–76	26657	10880	40.8	9132	34.3	—
1976–77	21250	7889	37.1	6226	29.3	—
1977–78	20984	9329	44.5	8099	38.6	—
1978–79	24733	7575	30.6	6529	26.4	—
1979–80	27616	10498	38.0	9274	33.6	26.4
1980–81	27952	9857	35.3	8496	30.4	33.1
1981–82	13925	7941	57.0	6367	45.7	31.4
1982–83	22609	10167	45.0	8734	38.6	27.0
1983–84	23430	10324	44.1	9497	40.5	28.7
1984–85	12026	6455	53.7	6324	52.6	31.1
1985–86	10772	5904	54.8	5843	54.2	35.2
1986–87	11103	5329	48.0	5256	47.3	34.2
1987–88	10022	4294	42.8	4272	42.6	30.1
1988–89	15350	6650	43.3	6527	42.5	35.6
1989–90	12894	5135	39.8	5105	39.6	36.7
1990–91	12236	5264	43.0	5175	42.3	39.1
1991–92	15054	6419	42.6	6212	41.3	42.7
1992–93	16472	6207	37.7	5977	36.3	45.0
1993–94	16534	6293	38.1	5442	32.9	42.6
1994–95	15526	5433	35.0	5131	33.0	45.1
1995–96	14777	4951	33.5	4866	32.9	41.7
1996–97	14088	4090	29.0	4028	28.6	36.2
1997–98	13689	4488	32.8	4338	31.7	40.0
1998–99	14497	5536	38.2	3862	26.6	43.5
1999–00	14630	6082	41.6	5426	37.1	39.6
2000–01	14181	5020	35.4	4555	32.1	37.4

General upland game survey type and sample size, Utah 2001–02 to 2024–25.

Year	Survey type	Sample size	Total licenses	% of license holders who did not hunt
2001–02	Telephone	2500	83883	43.6
2002–03	Telephone	2501	79036	40.9
2003–04	Telephone	2500	77058	35.3
2004–05	Telephone	2500	77160	42.2
2005–06	Telephone	2500	76491	33.6
2006–07	Telephone	2501	82639	50.5
2007–08*	Telephone	4978	124349	75.5
2008–09	Web/Phone	14324	182846	76.7
2009–10	Web/Phone	12571	187925	81.8
2010–11	Web/Phone	14752	186163	80.9
2011–12	Web/Phone	16248	181590	84.2
2012–13	Web/Phone	17888	183275	83.7
2013–14	Web/Phone	19353	194042	83.9
2014–15	Web/Phone	16359	230826	86.1
2015–16	Web/Phone	22551	242740	83.0
2016–17	Web/Phone	14814	249679	82.8
2017–18	Web/Phone	19074	256736	84.7
2018–19	Web/Phone	17391	257312	93.2
2019–20	Web/Phone	15024	270257	86.9
2020–21	Web/Phone	19895	276106	86.3
2021–22	Web/Phone	16927	275433	88.2
2022–23	Web/Phone	12596	274338	89.9
2023–24	Web/Phone	17829	294708	89.8
2024–25	Web/Phone	18030	272502	88.0

*As of July 1, 2007, the 365-day small game license was renamed a basic hunting license, and all hunters were required to obtain a basic hunting license before applying for or obtaining any other Utah hunting permit.

APPENDIX C

LICENSE SALES

Cost of Utah hunting licenses/permits and total licenses/permits sold, Utah 2024–25.

License/permit type	Fee (dollars)	Licenses/permits sold
Resident 365-day hunting license (age 13 and under)	\$11	5869
Resident 365-day hunting license (ages 14–17)	\$16	884
Resident 365-day hunting license (ages 18–64)	\$40	6437
Resident 365-day hunting license (age 65 and older)	\$31	940
Resident 365-day hunting license for disabled veterans	\$25.50	61
Resident multi-year hunting license (ages 18–64)	\$39 per year, up to five years	Included above
Resident multi-year hunting license (age 65 and older)	\$30 per year, up to five years	Included above
Resident 365-day combination license (ages 14–17)	\$20	14116
Resident 365-day combination license (ages 18–64)	\$44	165654
Resident 365-day combination license (age 65 and older)	\$35	22605
Resident 365-day combination license for disabled veterans	\$28.50	1420
Resident multi-year combination license (ages 18 and older)	\$43 per year, up to five years	Included above
Resident multi-year combination license (age 65 and older)	\$34 per year, up to five years	Included above
Nonresident 3-day small game hunting license (any age)	\$46	629
Nonresident 365-day hunting license (age 17 and under)	\$34	1323
Nonresident 365-day hunting license (age 18 and older)	\$120	25370
Nonresident multi-year hunting license (age 18 and older)	\$119 per year, up to five years	Included above
Nonresident 365-day combination license (age 17 and under)	\$38	986
Nonresident 365-day combination license (age 18 and older)	\$150	10608
Nonresident multi-year combination license (age 18 and older)	\$149 per year, up to five years	Included above
Resident lifetime hunting/fishing license*	—	4545
Resident Hunter Education completion license	—	10908
Nonresident Hunter Education completion license	—	147
Band-tailed pigeon permit	\$0	222
Greater sage-grouse permit	\$0	726
Sandhill crane permit (resident)	\$40	509
Sandhill crane permit (nonresident)	\$125	7
Sharp-tailed grouse permit	\$0	257
White-tailed ptarmigan permit	\$0	418
Resident wild turkey limited-entry permit	\$40	2034
Resident wild turkey general-season permit	\$40	9004
Resident wild turkey general-season permit (youth)	\$25	2244
Resident wild turkey CWMU permit	\$40	18
Nonresident wild turkey limited-entry permit	\$125	70
Nonresident wild turkey general-season permit	\$125	536
Nonresident wild turkey CWMU permit	\$125	0

*No longer available for purchase.

APPENDIX D

**PERMIT NUMBERS, SEASON DATES,
BAG AND POSSESSION LIMITS, AND AREAS OPEN**

Upland game and turkey season dates, bag and possession limits, and areas open, Utah 2024–25 (2024–25 Utah Upland Game & Turkey Guidebook).

American crow

- Season dates: September 2–30, 2024 and December 2, 2024–February 28, 2025
- Areas open: Statewide. All national wildlife refuges in Utah are closed to crow hunting.
- Bag limit: 10
- Possession limit: 30

Band-tailed pigeon

- Season dates: September 2–14, 2024
- Falconry season dates: September 2–December 15, 2024
- Areas open: Statewide.
- Bag limit: 2
- Possession limit: 6
- Permit requirement: A free permit is required to participate in this hunt.

California and Gambel's quail

- Season dates: November 2–December 31, 2024
- Youth hunt: October 26–28, 2024
- Areas open: Statewide.
- Bag limit: 5
- Possession limit: 15
- Notes: Limits singly or in combination.

Chukar partridge

- Season dates: September 28, 2024–February 15, 2025
- Youth hunt: September 21–23, 2024
- Areas open: Statewide.
- Bag limit: 5
- Possession limit: 15
- Notes: Antelope Island is closed to all upland game hunting.

Collared-dove (Eurasian and African)

- Season dates: Year round
- Areas open: Statewide.
- Bag limit: No limit
- Possession limit: No limit
- Notes: Collared-doves may be hunted without a license, year round, using any weapon you lawfully possess. Collared-doves should remain fully feathered so they can be distinguished from mourning and white-winged doves. Any collared-doves taken during the dove season will not count as part of the combined dove bag and possession limits if they remain unplucked during transport.

Upland game and turkey season dates, bag and possession limits, and areas open, Utah 2024–25
(continued)

Cottontail rabbit (desert and mountain)

- Season dates: September 2, 2024–February 28, 2025
- Areas open: Statewide.
- Bag limit: 10
- Possession limit: 30

Dusky and ruffed grouse

- Season dates: September 2–December 31, 2024
- Areas open: Statewide.
- Bag limit: 4
- Possession limit: 12
- Notes: Limits singly or in combination.

Gray (Hungarian) partridge

- Season dates: September 28, 2024–February 15, 2025
- Youth hunt: September 21–23, 2024
- Areas open: Statewide.
- Bag limit: 5
- Possession limit: 15

Greater sage-grouse

- Season dates: September 28–October 20, 2024
- Areas open: Diamond, Blue Mountain (SG1000); Parker Mountain (SG1001); Rich County (SG1002) and West Box Elder County (SG1003)
- Permit requirement: A greater sage-grouse permit is required to participate in this hunt. Only 2 birds of either sex may be taken during the entire season.

Jackrabbit (black-tailed and white-tailed)

- Season dates: Year round
- Areas open: Statewide.
- Bag limit: No limit
- Possession limit: No limit
- Notes: May be hunted without a license, using any weapon that you lawfully possess.

Mourning dove and white-winged dove

- Season dates: September 2–October 30, 2024
- Falconry season dates: September 2–December 15, 2024
- Areas open: Statewide.
- Bag limit: 15
- Possession limit: 45
- Falconry bag limit: 3
- Falconry possession limit: 9

Upland game and turkey season dates, bag and possession limits, and areas open, Utah 2024–25 (continued).

- Notes: Limits singly or in combination. Collared-doves should remain fully feathered so they can be distinguished from mourning and white-winged doves.

Ring-necked pheasant

- Season dates: November 2–December 1, 2024
- Youth hunt: October 26–31, 2024
- Areas open: Statewide.
- Bag limit: 2 male birds
- Possession limit: 6 male birds
- Notes: Only males may be harvested. The Goshen Warm Springs WMA in Utah County is closed to all hunting.
- Closures: Some wildlife management areas are closed to the general public each year for sponsored, organized youth and beginner pheasant hunts. Closures this year:
 - Oct. 26—Huntington Game Farm (until 3 p.m.)
 - Nov. 9—Annabella, Pahvant, Pine Canyon Conservation (also known as Carr Fork) and part of Ogden Bay WMA

Sandhill crane (Cache and Rich counties)

- Season dates: September 7–15, 2024
- Areas open: Cache County (SC1001) and Rich County (SC1002)
- Permit requirement: A sandhill crane permit is required to participate in this hunt. During the season, you may take only 1 bird of either sex.
- Notes: Falconry season dates, possession limits and permit requirements are the same as those for other hunters.

Sandhill crane (East Box Elder County)

- Season dates: September 7–November 1, 2024
- Areas open: East Box Elder (SC1000)
- Permit requirement: A sandhill crane permit is required to participate in this hunt. During the season, you may take only 1 bird of either sex.
- Notes: Harold Crane, Public Shooting Grounds and Salt Creek WMAs are closed to sandhill crane hunting, except during open waterfowl hunting seasons. Bear River National Wildlife Refuge is closed to sandhill crane hunting. Falconry season dates, possession limits and permit requirements are the same as those for other hunters.

Sandhill crane (Uintah Basin)

- Season dates: September 28–October 17, 2024 (early), October 18–November 6, 2024 (middle), and November 7–26, 2024 (late)
- Areas open: Uintah and Duchesne counties, and Ouray National Wildlife Refuge. There are three hunts: early (SC1006), middle (SC1007), and late (SC1008).
- Permit requirement: A sandhill crane permit is required to participate in this hunt. During the season, you may take only 1 bird of either sex.

Upland game and turkey season dates, bag and possession limits, and areas open, Utah 2024–25 (continued).

- Notes: Falconry season dates, possession limits and permit requirements are the same as those for other hunters.

Scaled quail

- Season dates and bag limit: Closed statewide

Sharp-tailed grouse

- Season dates: September 28–October 20, 2024
- Areas open: Northeast Box Elder County (ST1000) and Cache County (ST1001)
- Permit requirement: A sharp-tailed grouse permit is required to participate in this hunt. Only 2 birds of either sex may be taken during the entire season.
- Notes: This hunt is comprised of all or largely private property. Hunters should acquire written permission from the landowner before obtaining a permit for this hunt.

Snowshoe hare

- Season dates: September 2, 2024–March 15, 2025
- Areas open: Statewide.
- Bag limit: 5
- Possession limit: 15

White-tailed ptarmigan

- Season dates: September 2–October 31, 2024
- Areas open: Statewide.
- Bag limit: 4
- Possession limit: 12
- Permit requirement: A free permit is required to participate in this hunt.

Wild turkey (Fall management harvest hunts)

- Season dates: October 1, 2024–February 28, 2025 (Northern, Central, and Southeastern regions)
- Areas open: Select areas within the Central, Northern, and Southeastern regions. These hunt areas are almost entirely on private property.
- Permit requirement: A wild turkey permit is required to participate in this hunt. Reminder: A hunter may obtain three total fall management harvest permits, which may include two beardless permits and one either-sex permit per hunter. You may obtain only one either-sex turkey permit. Important: Fall turkey hunts are designed first and foremost to reduce nuisance turkey populations in targeted areas and address conflicts between turkeys and landowners. For this reason, female harvest is encouraged and permits are set to achieve this goal.
- Notes: Permits for the fall 2024 management harvest hunts will be available starting September 10, 2024 at *wildlife.utah.gov* and from license agents and Division offices.

Upland game and turkey season dates, bag and possession limits, and areas open, Utah 2024–25 (continued).

Wild turkey (Limited-entry hunts)

- Season dates: April 14–24, 2025
- Areas open: Central (TK1003), Northeastern (TK1004), Northern (TK1005), Southeastern (TK1006), and Southern (TK1007) units.
- Permit requirement: The limited-entry hunt requires a wild turkey permit distributed through Utah's turkey drawing. You may take only 1 bearded turkey within the season and the unit listed on your permit.
- Notes: If you are a youth with a limited-entry permit and you don't harvest during the limited-entry season, you may continue to hunt during the youth hunt and the spring general-season hunt.

Wild turkey (Spring general-season hunts)

- Season dates: April 28–May 31, 2025
- Youth hunt: April 25–27, 2025
- Areas open: Statewide.
- Permit requirement: The spring general-season hunt requires a wild turkey permit that you can purchase over the counter. You may take only 1 bearded turkey within the season on your permit.

Wild turkey (CWMU hunts)

- Season dates: The Utah Wildlife Board establishes the timeframe for turkey hunting on CWMUs, which runs from April 12–May 31, 2025. Within this timeframe, the CWMU operator allows at least five hunting days. If you draw a permit, it is your responsibility to contact the CWMU operator to confirm your season dates.
- Areas open: Pahvant Ensign (TK1018) and East Zion (TK1021).
- Permit requirement: The CWMU hunt requires a wild turkey permit distributed through Utah's turkey drawing. During the hunting period established by the CWMU operator, you may take only 1 bearded turkey.